### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



## PRINCETON NURSERIES

PRINCETON, NEW JERSEY

# Wholesale Price List SPRING 1926

WM. FLEMER'S SONS

Proprietors also of the F. & F. NURSERIES Springfield, N. J.

Princeton, N. J. Feb. 1, 1926

Dear Friends:

In this, our 12th spring price list, we give everything we have left for spring sales. The stock is of the best quality and all items offered come up to "The Standard of Excellence in Ornamentals" of Princeton Products.

The new feature we started last fall of giving the approximate height the plant reaches at maturity after the botanical name, and a short description emphasizing the chief qualities or characteristics of the plant, has been a success and a big help in placing orders. It makes the price list a complete, handy, pocket-reference book.

We look forward with pleasure towards filling your wants again and invite you to visit us at any time. If you are too far away to come by auto, take the Pennsylvania Railroad to Princeton Junction where we will meet you by appointment or when notified by phone.

Prospects for Spring business are very bright and we wish you all a very profitable season.

Yours very truly,

PRINCETON NURSERIES,
WILLIAM FLEMER, Jr.,
Manager.



Office and grounds, Princeton Nurseries.

Members: American Association of Nurserymen.

Eastern Nurserymen's Association.

New Jersey Nurserymen's Association.


Quotations, prices, and grading are based on Horticultural Standards adopted by the American Association of Nurserymen, June 1923.

#### **PRICES**

Prices are as low as is consistent with the market, taking into consideration that the stock offered is of the best quality, carefully grown, with ample room for full development. Princeton grown stock should not be compared with poorly grown plants often offered. Prices are for Spring 1926.

#### CREDIT

To established nurserymen known to us, a credit of 2% 10 days, 1% 30 days, or 60 days net from date of invoice will be allowed. Cash before shipment is required from parties unknown to us, and in these cases, one-half the regular charge is made for boxes or bales.



Packing house and storage cellar, Princeton Nurseries. They are on our own siding which insures the minimum of exposure when loading and facilitates rapid shipment. We specialize in carload orders for which no charge is made for packing.

#### LIABILITY AND CLAIMS

We are not liable for injury to stock from frost, hail, fire, or other causes beyond our control, and book all orders with this understanding. Errors made by us will be gladly corrected, but complaints must be made within ten days time after receipt of stock.

Plants become your property upon delivery to transportation company, and we cannot be responsible for loss, damage, or delay in transit.

After the botanical name, in the following pages, we have embodied a new feature of giving the approximate height the plant attains at maturity; and a short description, giving the chief quality or characteristic of the plant, feeling that it would be a help to you in making up your order.

Princeton Nurseries employ no agents.

All stock offered herein is grown on our own nurseries under our own direct supervision.

#### PACKING

Bales and Boxes charged at cost. No packing charge is made for stock packed in full carlots. Boxes are made in the following sizes:

| 31 in. x 36 in.—10 ft. long | \$5.25 |
|-----------------------------|--------|
| 28 in. x 32 in.—10 ft. long | 4.75   |
| 23 in. x 28 in.—10 ft. long | 4.25   |
| 19 in. x 24 in.—10 ft. long | 3.75   |
| 17 in. x 20 in.—10 ft. long | 3.25   |
| 15 in. x 16 in.—10 ft. long | 2.75   |
| 12 in. x 15 in.—10 ft. long | 2.00   |

Add 50 cents for each additional 2 feet of length.

Decreases are in the same proportion, 50 cents for each 2 feet.

#### DECIDUOUS TREES

NOTE: The figures in italics, following each variety, indicate in feet the approximate height of that variety when mature. It must be understood, however, that many varieties in their native habitat greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here

| modify their growth and character t<br>allowance for this has been made in  | o a va              | ariable en<br>heights | ctent, and<br>given here |
|---|---------------------|-----------------------|--------------------------|
|   | Each                | Por 1                 | 0 Per 100                |
| ACER campestre, 25'-30'<br>Useful for dry locations in under  |                     | HEDGE                 | MAPLE                    |
| grows slowly.   |                     | ii, nus cc            | nky bank,                |
|   | \$1.00              |                       |                          |
| — dasycarpum, 60'-80'   |                     |                       | MAPLE                    |
| Quick growing, graceful shade tree; l   | eaves               | silvery u             | nderneath.               |
| 8 to 10 ft  | .90                 | \$7.50                |                          |
| 8 to 10 ft.—1¼ to 1½ in   | 1.25                | 10.00                 |                          |
| 10 to 12 ft.—1½ to 1¾ in  | 1.75                | 15.00                 |                          |
| 10 to 12 it.—1% to 2 in   | 2.00                | 17.50<br>22.50        |                          |
| 12 to 13 ft.—2 to 2/4 in  | 2.25<br>2.75        | 22.50                 |                          |
| 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 13 ft.—2 to 2¼ in 12 to 13 ft.—2¼ to 2½ in 12 to 14 ft.—2½ to 3 in | 3.50                |                       |                          |
| — — pyramidale, 30'-40'   |                     | L SILVER              | MAPLE                    |
| A narrow form, useful for accent o  | r scree             | n.                    |                          |
| . 6 to 8 ft   | 1.00                |                       |                          |
| 8 to 10 ft  | 1.50                |                       |                          |
| 8 to 10 ft.—1½ to 1½ in<br>9 to 10 ft.—1½ to 2 in   | 2.00                |                       |                          |
| 9 to 10 ft.—1½ to 2 in  | 2.50                |                       |                          |
| 10 to 11 ft.—2 to 2½ in   | 3.00                |                       |                          |
| 11 to 12 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in   | 3.50                |                       |                          |
| — — wieri, 60'-80'<br>Graceful, drooping form; very des   |                     | CUTLEAF               | MAPLE                    |
| 8 to 10 ft  | 1.25                | 11.00                 |                          |
| 8 to 10 ft.—1½ to 1½ in   | 1.50                | 13.50                 |                          |
| 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in<br>10 to 12 ft.— $1\frac{3}{4}$ , to 2 in                               | 2.00                | 18.50                 |                          |
| 10 to 12 ft.—1%, to 2 in  | 2.50                | 23.50                 |                          |
| — negundo, 60'  |                     |                       | XELDER                   |
| Will grow where other trees fail  | ; espec             | cially goo            | od for dry,              |
| barren places and seashore.   |                     |                       |                          |
| 8 to 10 ft  | .80                 |                       |                          |
| 8 to 10 ft  | 1.00                | 9.00                  |                          |
| 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 13 ft.—2 to 2¼ in  | 1.35                | 12.50                 |                          |
| 10 to 12 it.—1% to 2 in   | 1.75                | 15.00                 |                          |
| 12 to 13 ft.—2 to $2\frac{1}{4}$ in   | $\frac{2.50}{2.75}$ |                       |                          |
|   | 2.10                | ~                     |                          |
| — pennsylvanicum (striatum), 20'-30'<br>Green bark striped with white; the  | rives in            | Striped<br>wet soil   |                          |
| 3 to 4 ft   | .75                 |                       |                          |
| 4 to 6 ft   | 1.00                |                       |                          |
| — platanoides, 50'-75'  |                     | Norway                |                          |
| The most popular street tree; retallate autumn.   | ains its            | s green le            | aves until               |
| 8 to 10 ft.—1½ to 1½ in   | 2.50                |                       |                          |
| 10 to 12 ft.—1½ to 1¾ in  | 2.75                |                       |                          |
| 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in<br>10 to 12 ft.— $1\frac{3}{4}$ to 2 in                                 | 3.75                |                       |                          |
| 12 to 13 ft.—2 to 2½ in   | 4.75                |                       |                          |
| 12 to 13 ft.—2 to 2½ in   | 6.00                |                       |                          |
| 70 1 74 61 017 1 0 1  | W 0.0               |                       |                          |

12 to 14 ft.— $2\frac{1}{2}$  to 3 in...... 7.00

| ACER—continued — schwedleri, 40'-60' Schwedl   | Each                |                         | Per 100        |
|--|---------------------|-------------------------|----------------|
| Probably the best large growing  |                     |                         | IAFLE          |
| 4 to 5 ft  | \$1.00              | i tree.                 |                |
| 5 to 6 ft  | 1.50                |                         |                |
| 8 to 10 ft.—1½ to 1½ in  | 3.00                |                         |                |
| 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in<br>10 to 12 ft.— $1\frac{3}{4}$ to 2 in                                    | $\frac{3.75}{4.50}$ |                         |                |
| — pseudoplatanus, 40′–60′  |                     | CAMORE N                | IAPLE .        |
| For seashore planting.   | 1 7/5               |                         |                |
| 8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in   | $1.75 \\ 2.25$      |                         |                |
| 10 to 12 ft.—134 to 2 in   | 2.50                |                         |                |
| 12 to 13 ft.—2 to $2\frac{1}{4}$ in  | 3.25                |                         |                |
| 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in. 12 to 13 ft.—2 to 2¼ in. 12 to 13 ft.—2¼ to 2½ in. 12 to 13 ft.—2½ to 3 in | $\frac{4.00}{4.50}$ |                         |                |
| — rubrum, 50′-75′  |                     | SCARLET N               | Apple.         |
| Best in moist locations; also thri   |                     |                         |                |
| autumn coloring. 6 to 8 ft   | 1.50                |                         |                |
| 8 to 10 ft   | 2.00                |                         |                |
| 8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in   | 2.25                |                         |                |
| — saccharum, 50'-75'  Most popular in northern states;   | best plan           | Sugar Mated in spi      |                |
| 8 to 10 ft   | 1.50                | \$14.00                 | 0              |
| 8 to 10 ft.—1¼ to 1½ in  | 2.00                | 19.00                   |                |
| 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in  | $\frac{2.50}{3.50}$ |                         |                |
| 10 to 12 ft.—1½ to 1¾ in<br>10 to 12 ft.—1¾ to 2 in<br>12 to 13 ft.—2 to 2¼ in   | 4.50                |                         |                |
| AESCULUS hippocastanum, 40'-60'<br>Rather slow growth; most attrac   | ctive whe           | Horseches<br>n in flowe |                |
| 4 to 6 ft  | $\frac{1.25}{1.75}$ |                         |                |
| 6 to 8 ft  | 2.25                |                         |                |
| AILANTHUS glandulosa, 50'-60'<br>Succeeds under most adverse city  |                     | REE OF HI               | EAVEN          |
| 4 to 6 ft  | .75                 | 6.00                    | \$50.00        |
| 6 to 8 ft<br>8 to 10 ft  | $\frac{1.00}{1.25}$ | $8.50 \\ 11.00$         | 75.00 $100.00$ |
|  |                     | 11.00                   | 100.00         |
| AMYGDALUS persica (PRUNUS), 8 PINK, RED  | AND WH              | ITE FLG. I              | PEACH          |
| Very decorative double flowering 2 to 3 ft   | .45                 | 3.50                    | 30.00          |
| 3 to 4 ft  | .55                 | 4.50                    | 40.00          |
| 4 to 5 ft  | .65                 | 5.50                    |                |
| 5 to 6 ft  | .75                 |                         |                |
| ANDROMEDA (See Shrubs)   |                     |                         |                |
| ARALIA (See Shrubs)  |                     |                         |                |
| BETULA alba, 30'-50' Known by its white bark.  | European            | WHITE I                 | Вівсн          |
| 4 to 5 ft  | .85                 | 7.50                    |                |
| 5 to 6 ft  | $\frac{1.00}{1.25}$ | 9.00                    |                |
| —— laciniata, 30'–40'  | CUTLEAF V           | VEEPING 1               | Вівсн          |
| Graceful tree for lawn planting.   |                     |                         |                |
| 3 to 4 ft  | $12.5 \\ 1.75$      | $11.00 \\ 16.00$        |                |


| PRINCETON, NEW  | JERSE                     | , <u>1</u>            | 7                 |
|---|---------------------------|-----------------------|-------------------|
| A desirable purple sort.  | Each RPLELEA \$1.00       | Per 10                | Per 100<br>Birch  |
|   | φ1.00                     |                       |                   |
| — — pyramidalis, 30'-40' Properties and columnar.  3 to 4 ft  |                           | L WHITE               | Birch             |
| — — youngi, 20'-30' A dwarf, spreading, pendulous tree 3 to 4 ft                                      | oungs<br>e; uniqu<br>1.00 | WEEPING<br>ie form.   | Вівсн             |
| — lenta, 40′-60′  |                           | SWEET                 | Вівсн             |
| Has attractive, smooth, reddish catkins in spring.  | bark,                     | and con               | spicuous          |
| 3 to 4 ft   | .65                       | \$5.00                |                   |
| 4 to 5 ft   | $\frac{.90}{1.15}$        | $7.50 \\ 10.00$       |                   |
|   | 1,10                      |                       |                   |
| — lutea 50'-70' Makes fine windbreak.   |                           | YELLOW                | Birch             |
| 3 to 4 ft   | .65                       | 5.00                  |                   |
| 4 to 6 ft   | $\frac{.90}{1.15}$        | $7.50 \\ 10.00$       |                   |
| — nigra, 50'-60'  |                           | RIVER                 | Вівсн             |
| Thrives in moist places; its torn, ra   | agged Եւ<br>1.00          | 8.00                  | e umque.          |
| 6 to 8 ft   | 1.15                      | 11.00                 |                   |
| — papyrifera, 40'-50'<br>Picturesque paper bark, very whit  | Paper o                   | or Canoe]<br>older.   | Віксн             |
| 4 to 6 ft   | .95                       | 8.00                  |                   |
| 6 to 8 ft   | $\frac{1.25}{1.75}$       | $11.00 \\ 16.50$      | \$100.00          |
| — populifolia, 30'-40'  Will grow in poor soil and dry pative in New Jersey.  4 to 6 ft               |                           | GRAY                  | Birch<br>ly found |
| 0 to 8 ft   | 1,23                      |                       |                   |
| CARPINUS betulus, 20'-30'<br>Good for massing, or a hedge, be<br>Beech-like foliage.                  |                           | ean Hori<br>its dense |                   |
| 3 to 4 ft   | .65                       |                       |                   |
| 4 to 5 ft   | .80                       | 6.50                  |                   |
| 5 to 6 ft   | 0.95 $1.25$               | 8.00                  |                   |
| — caroliana, 30'-40' Closely resembles the Beech in ap  | Ameri                     | ICAN HOR              | NBEAM             |
| 2 to 3 ft   | .45                       | 3.50                  |                   |
| 3 to 4 ft   | .55                       | 4.50                  |                   |
| 4 to 5 ft   | .65                       |                       |                   |
| CATALPA bungei, 10'-15'<br>Useful in formal planting.   | Uмн                       | BRELLA CA             | ATALPA.           |
| Light Heads, 1 yr., 5 to 6 ft., 1 in.<br>Med. Heads, 1 yr., 5 to 6 ft., 1 <sup>1</sup> / <sub>4</sub> | 1.10                      | 10.00                 |                   |
| in  | 1.25                      | 11.50                 |                   |
| First Class Heads, 2 yr., 5 to 6 ft.,<br>1½ in  | 1.60                      | 15.00                 |                   |
| 6 ft., 13/4 in  | 2.00                      | 17.50                 |                   |
|   |                           |                       | M A E YO          |
| — speciosa, 30'-35' 4 to 6 ft   | .50                       | ESTERN CA<br>4.00     | ATALPA.           |
| 6 to 8 ft   | .60                       | 5.00                  |                   |



Lombardy Poplars, the type grown at Princeton Note how evenly branched from the ground up. See page 12.

| Each   Per 10 Per 100   | branched from the ground up. See page 12.   |
|---|---|
| Similar foliage and habit as Elm. 3 to 4 ft   | CEDRELA sinensis, 30'-40'  Gives a tropical looking effect; clusters of white flowers.  Will thrive under city conditions.  2 to 3 ft |
| CERASUS (See Prunus)           CERCIDIPHYLLUM japonicum, 60'-80'         KATSURA TREE           Develops into a magnificent, symmetrical tree; beautiful spring and autumn colors.           3 to 4 ft.         .75         \$6.50           4 to 6 ft.         1.00           CERCIS (See Shrubs)           CLADRASTIS lutea (tinctoria), 30'-40'         Yellow-Wood           A striking tree with long panicles of fragrant white flowers in June.           4 to 5 ft.         1.25           5 to 6 ft.         1.50           CORNUS florida, 15'-25'         White Flowering Dogwood           Among the best of the spring flowering small trees. Good locally collected stock.           3 to 4 ft.         .50         4.00           4 to 5 ft.         .70         6.00           5 to 6 ft.         1.00         9.00           6 to 8 ft.         1.50         14.00           8 to 10 ft.         2.00         19.00           — rubra, 15'-20'         RED FLOWERING DOGWOOD           The pink flowers are more persistent than the white.           18 to 24 in.         1.00           2 to 2½ ft.         1.50           2½ to 3 ft.         1.75 <td>Similar foliage and habit as Elm.         3 to 4 ft</td> | Similar foliage and habit as Elm.         3 to 4 ft   |
| CERCIDIPHYLLUM japonicum, 60′-80′ KATSURA TREE  Develops into a magnificent, symmetrical tree; beautiful spring and autumn colors.  3 to 4 ft   | CEPHALANTHUS (See Shrubs)   |
| Develops into a magnificent, symmetrical tree; beautiful spring and autumn colors.  3 to 4 ft   | CERASUS (See Prunus)  |
| CLADRASTIS lutea (tinctoria), 30'-40' Yellow-Wood A striking tree with long panicles of fragrant white flowers in June.  4 to 5 ft. 1.25 5 to 6 ft. 1.50  CORNUS florida, 15'-25' White Flowering Dogwood Among the best of the spring flowering small trees. Good locally collected stock.  3 to 4 ft50 4.00 4 to 5 ft70 6.00 5 to 6 ft. 1.00 9.00 6 to 8 ft. 1.50 14.00 8 to 10 ft. 2.00 19.00  rubra, 15'-20' Red Flowering Dogwood The pink flowers are more persistent than the white. 18 to 24 in 1.00 2 to 2½ ft. 1.50 2½ to 3 ft. 1.75  | Develops into a magnificent, symmetrical tree; beautiful spring and autumn colors.  3 to 4 ft   |
| A striking tree with long panicles of fragrant white flowers in June.  4 to 5 ft. 1.25  5 to 6 ft. 1.50  CORNUS florida, 15'-25' White Flowering Dogwood Among the best of the spring flowering small trees. Good locally collected stock.  3 to 4 ft50 4.00  4 to 5 ft70 6.00  5 to 6 ft1.00 9.00  6 to 8 ft1.50 14.00  8 to 10 ft2.00 19.00  — rubra, 15'-20' RED Flowering Dogwood The pink flowers are more persistent than the white.  18 to 24 in .1.00  2 to 2½ ft1.50  2½ to 3 ft1.75   | CERCIS (See Shrubs)   |
| Among the best of the spring flowering small trees. Good locally collected stock.  3 to 4 ft  | A striking tree with long panicles of fragrant white flowers in June.  4 to 5 ft  |
|   | Among the best of the spring flowering small trees. Good locally collected stock.  3 to 4 ft  |

| CRATAEGUS coccinea, 15'-20'   | Each<br>Thic        | Per 10 Per 100<br>EKET HAWTHORN  |
|---|---------------------|--|
| Large scarlet fruits in autumn.   |                     |  |
| 2 to 3 ft   | \$ .65              | \$5.00   |
| 3 to 4 ft   | .75                 | 6.00   |
| 4 to 5 ft   | .90                 | 7.50   |
|   |                     | TON HAWTHORN   |
| Berries are small, brilliant red, an  | d persis            | t nearly all winter;   |
| brilliant autumn foliage.   |                     |  |
| 2 to 3 ft   | .65                 | 5.00   |
| 3 to 4 ft   | .75                 | 6.00   |
| 4 to 5 ft   | .90                 | 7.50   |
| — crusgalli, 15' Deep green, shiny leaves make t  |                     | ockspur Thorn<br>wthorn distinctive;   |
| white flowers are also conspicuous  | S.                  |  |
| 2 to 3 ft   | .65                 | 5.00   |
| 3 to 4 ft   | .75                 | 6.00   |
| 4 to 5 ft   | .90                 | 7.50   |
| 5 to 6 ft   | 1.00                |  |
| 1 10/ 17/   | n                   | TT   |
| — oxycantha, 12'-15'  |                     | LISH HAWTHORN  |
| 18 to 24 in   | .50                 | 4.00   |
| 2 to 3 ft   | .65                 | 5.00   |
| — Pauls scarlet, 12'-15' Double 3 to 4 ft   | BLE SCAR<br>1.25    | RLET HAWTHORN  |
| 4 to 5 ft   | 1.50                |  |
| 5 to 6 ft   | 2.00                |  |
| CYTISUS (See LABURNUM)  | 2.00                |  |
| CITISUS (See LABURNUM)  |                     |  |
| DIOSPYROS virginiana, 15'<br>Handsome foliage.  |                     | Persimmon  |
| 3 to 4 ft   | .65                 | 5.00   |
| 4 to 5 ft   | .75                 | 6.00   |
| EUONYMUS (See Shrubs)   |                     |  |
| FAGUS americana (ferruginea), 75'-16  | no/ A               | MEDICAL PROPERTY   |
| One of our best native trees; disti   |                     |  |
|   |                     |  |
| 2 to 3 ft   | .95                 | 8.00   |
| 3 to 4 ft   | 1.30                | 11.50  |
| 4 to 5 ft   | 1.65                | 15.00  |
| sylvatica, 75′-100′   | Εt                  | UROPEAN BEECH  |
| Slow growing, but makes a large,  | handson             | ne tree.   |
| 2 to 3 ft   | 1.00                |  |
| 3 to 4 ft   | 1.25                |  |
| — riversi, 60'-80'  | RIVERS              | PURPLE BEECH   |
| Large, deep purple leaves.  |                     |  |
| 4 to 5 ft   | 3.00                |  |
| 5 to 6 ft   | 4.50                |  |
| FRAXINUS americana, 70'-80'   |                     | WHITE ASH  |
| Fairly rapid grower; assumes pleasi good in moist soils.                                  | ing golde           | and the second s |
| 8 to 10 ft.—1½ to 1½ in   | 1.00                | 9.00   |
| 10 to 10 ft —11/2 to 17/2 iii   |                     | 11.00  |
| 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in<br>10 to 12 ft.— $1\frac{3}{4}$ to 2 in | $\frac{1.25}{1.65}$ | 15.00  |
| 10 to 12 ft.—1/4 to 2 m   |                     | 20.00  |
| 12 to 13 ft.—2 to $2\frac{1}{4}$ in   | 2.15<br>2.50        | 20.00  |
| GINKGO biloba (Salisburia), 50'-75'   |                     | IDENHAIR TREE  |
| Picturesque, interesting, quite di<br>maidenhair fern; immune from in                     | stinct ;l           | eaves shaped like  |
| 6 to 8 ft   | 1.15                | 10.00  |
| 8 to 10 ft  | 1.40                | 12.50  |
| 8 to 10 ft.—1¼ to 1½ in   | 1.65                | 15.00  |
| 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in   | 1.90                | 17.50  |
| , , , , , ,   |                     |  |



Oriental Planes, the finest that can be grown. Note straight stems and well-shaped heads. See page 12.

| well-shaped heads. See page 12.  |  |   |
|--|--|---|
| GLEDITSIA triacanthos, 60′-70′<br>Thorny tree with fragrant white gravelly soil.   | Each<br>flowers                              | Per 10 Per 100<br>Honeylocust<br>in May; good for |
| 2 to 3 ft.<br>3 to 4 ft.<br>4 to 5 ft.<br>5 to 6 ft.   | \$ .25<br>.45<br>.85<br>1.00                 | \$2.00<br>3.50                                    |
| GYMNOCLADUS dioica, 40'-50' K Light blue-green foliage of slow gr 2 to 3 ft  | owth; p                                      |   |
| KOELREUTERIA paniculata, 25'-30'<br>Has bright yellow flowers in July;<br>ing tree.  | F Go   | OLDENRAIN-TREE<br>luable small flower-            |
| 3 to 4 ft  | .50 $.75$ $1.00$ $1.25$                      | 4.00<br>6.00                                      |
| LABURNUM vulgare, 20'-25'  Beautiful clusters of yellow flower 2 to 3 ft.  3 to 4 ft.  4 to 5 ft.                                      | s in spr<br>.35<br>.50<br>.75                | GOLDENCHAIN<br>ing.                               |
| LARIX europaea, 50'-60' Especially good for spring effects; 18 to 24 in  |  | Suropean Larch<br>rapidly.<br>2.50<br>4.00        |
| — leptolepsis, 60'-75'  Fast growing, handsome tree, sim 18 to 24 in   |  | Japanese Larch<br>bove.<br>4.00<br>6.00           |
| LIQUIDAMBAR styraciflua, 75'-100' One of the best trees for autumn places; has corky bark; rather dif 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. | color; g<br>ficult to<br>.75<br>1.35<br>1.75 | Sweet Gum<br>grows well in moist<br>transplant.   |

| LIRIODENDRON tulipifera, 60'-80'                                  | Each                |              | PTREE    |
|---|---------------------|--------------|----------|
| A quick grower; the yellow tulip                                  | -like fl            |              |          |
| in June.  | A ====              |              |          |
| 4 to 6 ft   | \$ .75              | \$6.00       |          |
| 6 to 8 ft   | $\frac{1.15}{1.50}$ |              |          |
| 10 to 12 ft   | 1.75                |              |          |
| 12 to 14 ft   | 2.00                |              |          |
| MAGNOLIA tripetala, 30'-40'                                       | Uмв                 | RELLA MAG    |          |
| Very large leaves; flowers white,                                 |                     | eed pods a   | re pink. |
| 4 to 5 ft   | $\frac{1.50}{2.00}$ |              |          |
| 5 to 6 ft   | 3.00                |              |          |
|   | 3.00                |              |          |
| MALUS coronaria, 15'-20'  |                     | Sweet        | Crab     |
| Blush pink flowers in early spring                                |                     |              |          |
| 2 to 3 ft   | .50                 | 4.00         |          |
| 3 to 4 ft   | .75                 | 6.50         |          |
| 4 to 5 ft   | .85                 | 7.50         |          |
| 5 to 6 ft   | .95                 |              |          |
| — floribunda, 10'-15' JAPA  | NESE I              | LOWERING     | Crar     |
| Literally covered with rose-colore                                | ed flow             | ers in early | spring.  |
| 2 to 3 ft   | .50                 | 4.00         | \$30.00  |
| 3 to 4 ft   | .75                 | 6.50         | 55.00    |
| 4 to 5 ft   | .85                 | 7.50         | 65.00    |
| 5 to 6 ft   | 1.00                |              |          |
| 1 10/ 47/   |                     | C            | C        |
| — atrosanguinea, 10'-15'  |                     | CARMINE      | CRAB     |
| Deeper flowering form of above.                                   |                     | 0.70         |          |
| 3 to 4 ft   | .75                 | 6.50         | 55.00    |
| 4 to 5 ft   | .85                 | 7.50         | 65.00    |
| 5 to 6 ft   | 1.00                |              |          |
| — halliana parkmani, 10'-15'<br>Semi-double pink; good, compact   | habit.              | Parkman      | Скав     |
| 2 to 3 ft   | .50                 | 4.00         |          |
| 3 to 4 ft   | .75                 |              |          |
| 4 to 5 ft   | 1.00                |              |          |
| ioensis plena, 10'-15'  |                     | BECHTEL      | CRAR     |
| Large double pure pink flowers vigorous grower.                   | with no             |              |          |
| 18 to 24 in   | .50                 | 4.00         |          |
| 2 to 2½ ft  | .60                 | 5.00         |          |
| 2½ to 3 ft  | .70                 | 6.00         |          |
| 3 to 4 ft   | .90                 | 7.50         |          |
| 4 to 4½ ft  | 1.15                | 10.00        |          |
| $4\frac{1}{2}$ to 5 ft  | 1.50                | 13.50        |          |
| — scheideckeri, 10'-15' Double pink; handsome flower ch           |                     | HEIDECKER    | Crab     |
| 2 to 3 ft   | .50                 |              |          |
| 3 to 4 ft   | .75                 |              |          |
| 4 to 5 ft   | .90                 |              |          |
| — spectabilis, 10'-15' Сн<br>Beautiful pink or white flowers; s   |                     | FLOWERING    |          |
| -   | .50                 | circa, dou   | oic.     |
| 2 to 3 ft   | .75                 |              |          |
| MORUS alba pendula, 8'-10' TEA<br>The most popular small "weeping | 's Wei              | EPING MULI   | BERRY    |
| Medium Grade, 1 yr. heads   | 1.50                |              |          |
| First Class Heads, 2 yr. heads                                    | 2.00                |              |          |
| Extra, 3 yr. heads  | 2.50                |              |          |
| •   |                     |              |          |

| PAULOWNIA tomentosa<br>(imperalis), 30'-40'  | Each<br>Ro                                   | Per 10<br>OYAL PAULO     |                           |
|--|--|--------------------------|---------------------------|
| Grows rapidly; very large leaves; hardy in North.  | purple                                       | flowers; n               | ot quite                  |
| 4 to 5 ft<br>5 to 6 ft<br>6 to 8 ft<br>8 to 10 ft  | \$ .75<br>1.00<br>1.25<br>1.75               |                          |                           |
| PHELLODENDRON chinense, 50'-60<br>A rapid growing, tropical appearing  |  | inese Cor<br>l tree.     | KTREE                     |
| 5 to 6 ft  | 1.00<br>1.25                                 | \$ 8.50<br>11.00         |                           |
| PLATANUS orientalis, 70'-80'  A good tree for park and street twithstands smoky city conditions.               | ise; gro                                     | EAN PLANE<br>ows rather  |                           |
| 8 to 10 ft   | 1.50<br>2.00<br>2.25<br>3.00<br>3.25<br>4.00 |                          |                           |
| POPULUS alba, 60'-80'<br>Rapid grower, with rather attracts<br>subject.  | ive folia                                    | WHITE Page; useful       |                           |
| 8 to 10 ft   | .75<br>.90<br>1.25<br>1.75                   | 7.50<br>11.00<br>15.00   |                           |
| <ul> <li>bolleana, 50'-60'</li> <li>Leaves white underneath; simila</li> <li>Lombardy Poplar.</li> </ul>       |  | olleana P<br>mnar char   |                           |
| 4 to 6 ft  | .60 $.75$ $1.00$ $1.35$                      | 5.00<br>6.50             |                           |
| — monilifera, 75′-90′<br>A rapid grower; succeeds even in<br>shore.  |  | Carolina Folaces and     |                           |
| 8 to 10 ft   | .45<br>.55<br>.75<br>1.00                    | 3.00<br>4.00<br>6.50     | \$25.00<br>35.00<br>60.00 |
| <ul> <li>nigra italica, 60'-80'</li> <li>Tall spire-like character; valued screens.</li> </ul>                 |  | омвакоч F<br>andscape w  |                           |
| 6 to 8 ft<br>8 to 10 ft  | .50<br>.60<br>.90<br>1.25                    | 4.00<br>5.00<br>8.00     | 30.00<br>45.00<br>75.00   |
| PRUNUS cerasifera pissardi, 12'-15'<br>Valued chiefly because of purplish<br>every year for best color effect. | P<br>of foliage                              | URPLELEAR<br>e; should b |                           |
| 2 to 3 ft  | .50<br>.65<br>.85                            | 4.00<br>5.00<br>7.50     |                           |
| — J. H. Veitch, 30'-40', B. and B.  The best double Japanese flowerin 3 to 4 ft. 4 to 5 ft.                    | 3.00<br>4.00                                 | Siebold C<br>ry; double  | HERRY<br>rose.            |



Pin Oaks at Princeton. We use every possible care to make our trees the best than can be produced. Pin Oaks are one of our specialties, and it is one of the best shade trees.

Each

Per 10 Per 100

PRUNUS—continued

| PRUNUS—continued   | Each         | Per 10      | Per 100   |
|--|--------------|-------------|-----------|
| — subhirtella pendula, 12′–15′   | WEEPING      | Japan C     | HERRY     |
| A most beautiful and graceful tre  | e, covered   | with pink l | blossoms  |
| in early spring.   |              |             |           |
| Pyramidal Form—grafted low.  |              |             |           |
| 3 to 4 ft., B. and B   | . \$2.00     |             |           |
| 4 to 5 ft., B. and B   | . 2.75       |             |           |
| 5 to 6 ft., B. and B   | . 4.00       |             |           |
| Standard Form—grafted high.  |              |             |           |
| 3 to 4 ft. stems, 1 yr. heads  |              |             |           |
| 4 to 5 ft. stems, 1 yr. heads  |              |             |           |
| 5 to 6 ft. stems, 1 yr. heads, extr  | a 3.00       |             |           |
| PTELEA trifoliata, 10'-12'   |              | Нор         | TREE      |
| Has clusters of fruit that look a  | nd smell li  | ke hops.    |           |
| 3 to 4 ft  | 30           | \$2.50      |           |
| 4 to 6 ft  | 40           | 3.50        |           |
| 6 to 8 ft  | 50           | 4.50        |           |
| PYRUS (See MALUS)  |              |             |           |
| QUERCUS cerris, .60'-70'   |              | Turke       | у Оак     |
| Small-leaved, compact growing  | Oak.         |             |           |
| 8 to 10 ft   | . 1.50       | 14.00       |           |
| 8 to 10 ft<br>8 to 10 ft.—1½ to 1½ in  | . 2.00       | 18.50       |           |
| 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in                                | . 2.50       | 23.50       |           |
| — coccinea, 75'-90'  |              | Scarle      | т Олк     |
| Most striking autumn colors; ta  | ıll, stately | grower, d   | eeply cut |
| leaves.  |              |             |           |
| 6 to 8 ft  | . 1.65       | 15.00       |           |
| 8 to 10 ft.—1½ to 1½ in<br>8 to 10 ft.—1½ to 1¾ in                               | . 2.65       | 25.00       |           |
| 8 to 10 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in                                 | . 3.00       |             | -         |
| — palustris, 75′-90′   |              | Pr          | n Oak     |
| Takes most kindly to cultivation   | on: prefers  |             |           |
| very adaptable. Particularly f   |              |             |           |
| autumn effects.  | 8            |             | , 8       |
| 8 to 10 ft   | . 2.00       | 19.00       |           |
| 8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in                                 | . 2.50       | 23.50       | \$225.00  |
| 9 to 10 ft.—1½ to 1¾ in  | . 2.90       | 27.50       | 260.00    |
| 10 to 11 ft.— $1\frac{3}{4}$ to $2$ in<br>11 to 12 ft.— $2$ to $2\frac{1}{4}$ in | . 3.50       | 33.50       | 325.00    |
| 11 to 12 ft.—2 to 2½ in  | . 4.40       | 42.50       |           |
| 12 to 13 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in                                | . 5.00       |             |           |
|  |              |             |           |

| ·   |                     |                       |                 |
|---|---------------------|-----------------------|-----------------|
| QUERCUS—continued<br>— phellos, 60'-80'   | Each                | Per 10<br>Willow      |                 |
| Leaves long and entire, like the color until late in autumn.<br>8 to 10 ft.—1½ to 1½ in                             | Willow;<br>\$1.75   | retain the            | ir green        |
| 10 to 12 ft.—1½ to 1¾ in  | 2.00                |                       |                 |
| - robur, 70'-80' The large Oak of England.  | ****                | English               | ОАК             |
| 8 to 10 ft.—1½ to 1½ in   | 2.50                | \$23.50               |                 |
| 8 to 10 ft.—1¼ to 1½ in<br>10 to 12 ft.—1½ to 1¾ in<br>10 to 12 ft.—1¾ to 2 in                                      | 3.00                | 28.50                 |                 |
| 10 to 12 ft.— $1\frac{3}{4}$ to 2 in  | 3.75                | 36.00                 |                 |
| <ul> <li>rubra, 75'-90'</li> <li>Comparatively quick growth: rich and reds.</li> </ul>                              | autum               |                       | OAK<br>n greens |
| 6 to 8 ft   | 1.65                | 15.00                 |                 |
| 8 to 10 ft  | 2.15                | 20.00                 |                 |
| 8 to 10 ft.—1¼ to 1½ in.<br>9 to 10 ft.—1½ to 1¾ in.<br>9 to 11 ft.—1¾ to 2 in.                                     | 2.40                | 22.50                 |                 |
| 9 to 10 ft.— $1\frac{1}{2}$ to $1\frac{9}{4}$ in<br>9 to 11 ft — $1\frac{3}{4}$ to 9 in                             | $\frac{2.90}{3.65}$ | $27.50 \\ 35.00$      |                 |
| 10 to 12 ft.—2 to 2½ in   | 4.00                | 33.00                 |                 |
| 10 to 12 ft.—2 to 2½ in   | 4.50                |                       |                 |
| ROBINIA pseudoacacia, 60'-80'<br>Has fragrant white flowers in Ma   | V.                  | L                     | OCUST           |
| 6 to 8 ft   | .60                 |                       |                 |
| SALISBURIA adiantifolia (See GINK   | GO)                 |                       |                 |
| SALIX babylonica, 50'-60' BAR   | VION II             | EEPING W              | H I OW          |
| Particularly appropriate for wate pendulus branches.  |                     |                       |                 |
| 4 to 6 ft   | .60<br>.75          | $\frac{5.00}{6.00}$   | \$45.00         |
| 8 to 10 ft  | 1.00                |                       |                 |
|   |                     | EEPING W              | ILLOW           |
| The most vigorous of all "weepin 4 to 6 ft  |                     | 4.00                  |                 |
| 6 to 8 ft   | .65                 | 5.00                  |                 |
| 8 to 10 ft  | .75                 |                       |                 |
| — blanda (dolorosa), 40'-50' — Wiscovery hardy.   |                     |                       | ILLOW           |
| 4 to 6 ft   | .50                 | 4.50                  |                 |
| 6 to 8 ft   | .65                 | 5.50                  |                 |
| <ul> <li>caprea (bush form), 15'-20'</li> <li>Very desirable for spring effects.</li> <li>as wet places.</li> </ul> | Will do             | Pussy W<br>well on dr |                 |
| 2 to 3 ft   | .25                 | 2.00                  | 15.00           |
| 3 to 4 ft   | .30                 | 2.50                  | 20.00           |
| 4 to 5 ft   | .35                 | 3.00                  | 25.00           |
| — elegantissima, 60′-70′ Тни<br>Vigorous upright grower; best for   |                     | EEPING W              | ILLOW           |
| 4 to 6 ft   | street j<br>.45     | 4.00                  | 30.00           |
| 6 to 8 ft   | .60                 | 5.50                  | 00.00           |
| 8 to 10 ft  | .75                 | 7.00                  |                 |
| 10 to 12 ft   | 1.10                |                       |                 |
| — incana (rosmarinifolia), 12'-15'<br>Good for fine texture in foliage et   |                     | SEMARY W              | ILLOW           |
| 2 to 3 ft   | .25                 | 2.00                  | 15.00           |
| 3 to 4 ft   | .30                 | 2.50                  | 20.00           |
| 4 to 5 ft   | .35                 | 3.00                  | 25.00           |
| — pentandra, 20'-30'  | ,                   | LAUREL W              | ILLOW           |
| Shining rich dark green leaves m  | ake this            | a worthwh             | ile back-       |
| ground; valuable for seashore pla   | inting.             | 2.50                  | 20.00           |
| 3 to 4 ft   | .35                 | 3.00                  | 25.00           |
| 6 to 8 ft   | .50                 | 4.00                  | ~0.00           |
|   |                     |                       |                 |

|  | -           |                       |                       |          |
|--|-------------|-----------------------|-----------------------|----------|
| SALIX—continued  |             | Each                  | Per 10                | Per 100  |
| — vitellina aurea, 25'–30'   | R           | USSIAN                | GOLDEN W              | ILLOW    |
| 3 to 4 ft  |             |                       | \$2.50                | \$20.00  |
| 4 to 5 ft  |             |                       | 3.00                  | 25.00    |
| 5 to 6 ft  |             | ,40                   | 3.50                  |          |
| — britzensis, 20'–25'  | ъ           |                       | C W                   |          |
| Particularly good when used  |             |                       | Golden Wi             |          |
| 2 to 3 ft  | . W         | ıın ıne<br>.25        | 2.00                  | 15.00    |
| 3 to 4 ft  |             | .30                   | $\frac{2.00}{2.50}$   | 20.00    |
| 4 to 5 ft  |             | .35                   | 3.00                  | 25.00    |
| ± to 5 ft  |             | .00                   | 5.00                  | 20.00    |
| — — pendula  | WE          | EPING                 | GOLDEN WI             | LLOW     |
| Weeping habit, similar to bab;   | ylor        | nica, wi              | th yellow b           | ranches. |
| 4 to 5 ft  |             | .50                   | 4.00                  |          |
| 5 to 6 ft  |             | .60                   | 5.00                  |          |
| 6 to 8 ft  |             | .75                   | 6.50                  |          |
| SOPHORA : 20' 10'  |             | C                     | 0                     |          |
| SOPHORA japonica, 30'-40'<br>White flowers in late summer; n                     |             | CHINE                 | SE SCHOLAI            | RTREE    |
| 2 to 3 ft  | Otte        | eante <u>و</u><br>75. | reen bark n           | winter.  |
| 3 to 4 ft  |             | 1.00                  | 8.50                  |          |
| 4 to 6 ft  |             | 1.25                  | 0.30                  |          |
|  |             |                       |                       |          |
| SORBUS aucuparia, 25-'30'  | $E_{\rm U}$ | ROPEAN                | MOUNTAIN              | v Asн    |
| A valuable tree on a small law   | ı; t        | he scar               | let berries a         | re quite |
| striking.  |             |                       |                       | -        |
| 4 to 5 ft  |             | .75                   |                       |          |
| 5 to 6 ft  |             | .85                   |                       |          |
| TOTAL COL  |             |                       |                       |          |
| TILIA americana, 75'-90'   |             |                       | MERICAN LI            |          |
| Grows rather quickly, forming  | an          | open he               | ead. Has fr           | agrant   |
| yellow flowers.  |             | 1 ~~                  | 10.00                 |          |
| 8 to 10 ft<br>8 to 10 ft.—1½ to 1½ in<br>9 to 11 ft.—1½ to 1¾ in                 |             | 1.75                  | 16.00                 |          |
| 8 to 10 It.—1½ to 1½ in  | • •         | 2.00                  | 18.50                 |          |
| 9 to 11 It.—1½ to 1¼ in  |             | 2.25                  | $21.00 \\ 23.50$      |          |
| 10 to 12 1t.—1% to 2 in  |             | $\frac{2.50}{3.25}$   | 23.30                 |          |
| 10 to 12 ft.—1¾ to 2 in<br>11 to 13 ft.—2 to 2¼ in<br>12 to 13 ft.—2¼ to 2½ in   |             | $\frac{3.23}{4.50}$   |                       |          |
| 12 to 13 ft.—274 to 272 m  |             | 4.50                  |                       |          |
| — euchlora (dasystyla), 60′–75′  |             | (                     | CRIMEAN LI            | NDEN     |
| Beautiful glossy dark green fol  | iag€        | with y                | vellow twigs          |          |
| 8 to 10 ft   |             | 1.75                  | 16.00                 |          |
| 8 to 10 ft.—1¼ to 1½ in<br>9 to 11 ft.—1½ to 1¾ in<br>9 to 11 ft.—1¾ to 2 in     |             | 2.00                  | 18.50                 |          |
| 9 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in                                 |             | 2.25                  | 21.00                 |          |
| 9 to 11 ft.—1¾ to 2 in   |             | 2.50                  | 23.50                 |          |
| 10 to 12 ft.—2 to $2\frac{1}{4}$ in  |             | 3.25                  |                       |          |
| 10 to 12 ft.—2 to 2½ in 12 to 14 ft.—2½ to 2½ in                                 |             | 4.50                  |                       |          |
| -1-4   |             | F                     | monning Tr            | 270 7727 |
| — platyphyllos, 60′–75′ I  | MGL         | 2.00                  | UROPEAN LI<br>18.50   | NDEN     |
| 8 to 10 ft.—1½ to 1½ in<br>9 to 10 ft.—1½ to 1¾ in                               |             | 2.00                  | 21.00                 |          |
| 10 to 11 ft -13/ to 9 in   |             | $\frac{2.23}{2.50}$   | 23.50                 |          |
| 10 to 11 ft.— $1\frac{3}{4}$ to $2$ in<br>11 to 12 ft.— $2$ to $2\frac{1}{4}$ in |             | $\frac{2.50}{3.25}$   | 25.50                 |          |
| 11 to 12 1t.—2 to 274 11   |             | 0.20                  |                       |          |
| — tomentosa (argentea), 60'-70'  |             | Sil                   | VERLEAF LI            | NDEN     |
| Symmetrical and compact. Le  | ave         |                       |                       |          |
| very noticeable when blown by  |             |                       |                       |          |
| 1½ to 1¾ in  |             | 2.25                  | 21.00                 |          |
| 1¾ to 2 in   |             | 2.50                  | 23.50                 |          |
| 2 to 21/4 in   |             | 3.75                  |                       |          |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ in  |             | 4.50                  |                       |          |
|  |             |                       | C T                   |          |
| - vulgaris, 60'-70'  |             |                       | Common Li             |          |
| In late June the fragrant flowe  | rs a        | re noti               | ceanie; grov          | vs sym-  |
| metrical and compact.  |             | 9.00                  | 19.50                 |          |
| 8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in                                 |             | $\frac{2.00}{2.25}$   | $\frac{18.50}{21.00}$ |          |
| 10 to 12 ft.—172 to 174 III  |             | $\frac{2.25}{2.50}$   | 23.50                 |          |
| 10 to 12 ft.—1½ to 1¾ in<br>10 to 12 ft.—1¾ to 2 in<br>11 to 12 ft.—2 to 2¼ in   |             | $\frac{2.50}{3.25}$   | 20.00                 |          |
| 11 10 14 11 2 10 474 111   |             | 0.20                  |                       |          |

| ULMUS americana, 80'-100'  | Each    | Per 10<br>AMERICA | Per 100    |
|--|---------|-------------------|------------|
| Stateliness and dignity are here exgrowth, this typical American tro |         | ied. Fairly       | rapid in   |
| portions and commands respect  | of all  | who look          | upon it.   |
| 6 to 8 ft  | \$1.00  | \$8.50            | \$ 75.00   |
| 8 to 10 ft   | 1.35    | 12.00             | 110.00     |
| 8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in                     | 1.85    | 17.00             | 160.00     |
| 9 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in                     | 2.25    | 21.00             |            |
| 10 to 12 ft.— $1\frac{3}{4}$ to 2 in                                 | 2.75    |                   |            |
| — glabra (latifolia), 60′-80′  |         | Score             | H ELM      |
| A spreading tree of rapid grow                                       | th and  | attractive        | e foliage. |
| 8 to 10 ft   | 1.25    |                   |            |
| 8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in                     | 1.75    |                   |            |
| 9 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in                     | 2.25    |                   |            |
| 10 to 12 ft.— $1\frac{3}{4}$ to 2 in                                 | 3.00    |                   |            |
| 11 to 12 ft.—2 to $2\frac{1}{4}$ in                                  | 3.75    |                   |            |
| — — camperdowni, 8'-10'  |         | AMPERDOW          |            |
| The weeping Elm of good foliage ar                                   | nd habi | t for weepii      | ng trees.  |
| 1 year head, 5 ft. stems   | 1.50    |                   |            |
| 2 year head, 5 ft. stems   | 2.00    |                   |            |

#### DECIDUOUS SHRUBS

Our methods of lining out and cutting back insure the kind of full, bushy plant which really is the standard of excellence,—a young, thrifty shrub, graded liberally.

Nearly all shrubs are dug with a tree-digger which means good


roots, and lots of them.

The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature.

| the approximate height of that plant w | hen m        | ature.        |          |
|--|--------------|---------------|----------|
|  | Each         | Per 10        | Per 100  |
| ACANTHOPANAX pentaphyllum, 7'-8        |              |               |          |
| Graceful, arching habit; splendid f    |              |               |          |
| good foliage for smoky exposures.      | or sun       | 110, 101, 20  | aptaore, |
|  | \$ .25       | \$2.00        | \$15.00  |
| 2 to 3 ft                              | .30          | 2.50          | 20.00    |
| ACER buergerianum, 12'-15'             |              | TRIDENT N     | IAPLE    |
| 5 to 6 ft                              | .75          |               |          |
| 8 to 7 ft                              | 1.00         |               |          |
| — palmatum (polymorphum), 12'-15' G    | REEN         | JAPANESE N    | IAPLE    |
| Develops into a splendid specimen      | for la       | wn planting   |          |
| 3 to 4 ft., B. and B                   | 2.50         | 22.50         |          |
| 4 to 5 ft., B. and B                   | 3.00         | 27.00         |          |
| — tataricum ginnala, 10'-12'           | $\mathbf{T}$ | ARTARIAN I    | IAPLE    |
| Graceful and valuable for bright re    | ed aut       | umn colorii   | ıg.      |
| 2 to 3 ft                              | .40          | 3.50          |          |
| 3 to 4 ft                              | .60          | 5.50          |          |
| 4 to 5 ft                              | 1.00         |               |          |
| 5 to 6 ft                              | 1.50         | 14.00         |          |
| AMELANCHIER canadensis                 | D            | OWNY SHAI     | BLOW     |
| (botryapium), 10'-12'                  |              |               |          |
| White flowers in early spring before   | e leave      | s; fruits are | relished |
| by birds.                              |              | 2.50          |          |
| 2 to 3 ft                              | .40          | 3.50          |          |
| 3 to 4 ft                              | .50          | 4.50          |          |
| AMORPHA canescens, 2'-3'               |              | Lead 1        | PLANT    |
| Bluish purple flowers in June.         |              |               |          |
| 18 to 24 in                            | .40          | 3.50          |          |
| — fruticosa, 8′–10′                    |              | Indigo        | Bush     |
| Deep purple flowers, June, spreadi     |              | oit.          |          |
| 2 to 3 ft                              | .25          | 2.00          |          |
| 3 to 4 ft                              | .30          | 2.50          |          |
| 4 to 5 ft                              | .40          | 3.50          |          |
|  |              |               |          |

Each Per 10 Per 100

| A DESTRUMENTAL CONTRACTOR OF THE PARTY OF TH |  | rer 10   |   |
|--|--|--|---|
| AMYGDALUS nana, 5'-6'  | FLO  | vering Al  | MOND  |
| Flowers double, May; very showy;   | there a  | re Pink an   | d White   |
| varieties.   |  |  |   |
| 18 to 24 in  | ¢ 50   | \$4.50   | \$40.00   |
|  |  | ,  |   |
| 2 to 2½ ft   |  | 5.50   | 50.00   |
| 2½ to 3 ft   | .70  | 6 50   | 60.00   |
| 3 to 3½ ft   | .80  | 7.50   | 70.00   |
| ANDROMEDA aborea (See OXYDEN   |  |  |   |
| · ·  | ,  |  |   |
| ARALIA pentaphyllum (See ACANTHO   | OPANA  | X)   |   |
| — spinosa, 18'–20'   |  |  | Creen   |
|  |  | HERCULES   |   |
| Useful for tropical effects and sha  |  |  |   |
| 2 to 3 ft  | .30  | 2.50   | 20.00   |
| 3 to 4 ft  | .35  | 3.00   | 25.00   |
| 4 to 5 ft  | .40  | 3.50   | 30.00   |
|  |  |  |   |
| ARONIA arbutifolia, 6'-8'  | R  | ер Сноке   | BERRY   |
| Valuable because of its red berrie   | es; very   | handsome   | e in fall.  |
| 18 to 24 in  | .40  | 3.50   | 30.00   |
| 2 to 3 ft  | .50  | 4.50   | 40.00   |
| 3 to 4 ft  | .60  | 5.50   |   |
|  |  |  |   |
| — melanocarpa (nigra), 8'-10'  | BLA  | ck Choke:  | BERRY   |
| Delicate white flowers in May; bla   | ck berri   | es persist u   | ntil late.  |
| 18 to 24 in  | .30  | 2.50   |   |
| 2 to 3 ft  | .35  | 3.00   |   |
|  |  |  |   |
| 3 to 4 ft  | .40  | 3.50   |   |
| AZALEA Calendulacea, 4'-5'   |  | FLAME A  | ZATEA   |
|  | . M  |  |   |
| The great flame Azalea of Carolin  | a Moun   | tams; very   | y snowy;  |
| burnt orange flowers.  | •  |  |   |
| 12 to 15 in., B. and B   | 1.25   |  |   |
| — vaseyi, 8'-9'  | $\mathbf{p}_{\mathbf{r}\mathbf{x}}$  | k Shell A  | ZATEA   |
|  | I IN   | K SHELL A  | ZALEA   |
| Delicate pink,—April and May.  |  |  |   |
| 12 to 15 in., B. and B   | 1.25   |  |   |
|  |  |  |   |
| 15 to 18 in., B. and B   | 1.50   |  |   |
| 15 to 18 in., B. and B   | 1.50   | Sarana A   | WATEA   |
| — viscosa, 6'-7'   | 1.50   | SWAMP A  | ZALEA   |
| — viscosa, 6'-7' White, very fragrant, June, July.   |  | SWAMP A  | ZALEA   |
| — viscosa, 6'-7'   | 1.50   | SWAMP A  | ZALEA   |
| viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  |  | SWAMP A  | ZALEA   |
| viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  | 1.25<br>1.50   |  |   |
| viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  yodogawa, 3'-4'   | 1.25<br>1.50<br>Yo   | dogawa A   | ZALEA   |
| viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  yodogawa, 3'-4' Double pinkish-lavender flowers,   | 1.25<br>1.50<br>Yo   |  | ZALEA   |
| - viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  - yodogawa, 3'-4'  Double pinkish-lavender flowers, exceptional merit.  | 1.25<br>1.50<br>Yo   | odogawa A<br>Very hard   | ZALEA   |
| - viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  - yodogawa, 3'-4'  Double pinkish-lavender flowers, exceptional merit.  | 1.25<br>1.50<br>Yo   | dogawa A   | ZALEA   |
| - viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  - yodogawa, 3'-4' Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B   | 1.25<br>1.50<br>Ye<br>May.<br>1.25   | odogawa A<br>Very hard   | ZALEA   |
| - viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  - yodogawa, 3'-4' Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50   | DOGAWA A<br>Very hard<br>11.00<br>13.50  | ZALEA   |
| - viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  - yodogawa, 3'-4' Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B   | 1.25<br>1.50<br>Ye<br>May.<br>1.25   | DOGAWA A<br>Very hard<br>11.00   | ZALEA   |
| viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  yodogawa, 3'-4'  Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B   | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00   | DOGAWA A<br>Very hard<br>11.00<br>13.50  | ZALEA<br>y and of   |
| — viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  — yodogawa, 3'-4'  Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B  BACCHARIS halimifolia, 9'-10'  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00   | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL  | ZALEA<br>y and of<br>BUSH   |
| viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  yodogawa, 3'-4'  Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B  BACCHARIS halimifolia, 9'-10'  Conspicuous fluffy seed pods in   | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00   | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50   | ZALEA<br>y and of<br>BUSH   |
| viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  yodogawa, 3'-4' Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B  BACCHARIS halimifolia, 9'-10' Conspicuous fluffy seed pods in planting.  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00   | DDOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for   | ZALEA<br>y and of<br>BUSH   |
| — viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  — yodogawa, 3'-4'  Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B  BACCHARIS halimifolia, 9'-10'  Conspicuous fluffy seed pods in planting. 18 to 24 in   | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.  | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50  | ZALEA<br>y and of<br>BUSH   |
| — viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.  | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00  | ZALEA<br>y and of<br>BUSH   |
| — viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  — yodogawa, 3'-4'  Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B  BACCHARIS halimifolia, 9'-10'  Conspicuous fluffy seed pods in planting. 18 to 24 in   | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.  | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50  | ZALEA<br>y and of<br>BUSH   |
| — viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45   | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00  | ZALEA<br>y and of<br>BUSH<br>seashore                                     |
| viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  yodogawa, 3'-4' Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B 2 to 3 ft 3 to 4 ft   | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45   | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00<br>'-12' Spice                                     | ZALEA y and of BUSH seashore  |
| — viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  — yodogawa, 3'-4'  Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B  BACCHARIS halimifolia, 9'-10'  Conspicuous fluffy seed pods in planting. 18 to 24 in 2 to 3 ft   | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45   | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00<br>'-12' Spice                                     | ZALEA y and of BUSH seashore  |
| — viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  — yodogawa, 3'-4'  Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B  BACCHARIS halimifolia, 9'-10'  Conspicuous fluffy seed pods in planting. 18 to 24 in 2 to 3 ft   | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45   | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00<br>'-12' Spice                                     | ZALEA y and of BUSH seashore  |
| - viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  - yodogawa, 3'-4' Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B  BACCHARIS halimifolia, 9'-10' Conspicuous fluffy seed pods in planting. 18 to 24 in. 2 to 3 ft 3 to 4 ft  BENZOIN aestivale (LINDERA benze Flowers yellow, April. Scarlet coloring, leaves aromatic.   | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>(Sept.<br>.30<br>.35<br>.45<br>oin), 10  | 11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00<br>'-12' SPIC<br>beautiful  | ZALEA y and of BUSH seashore  |
| — viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B. 15 to 18 in., B. and B.  — yodogawa, 3'-4' Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B. 15 to 18 in., B. and B. 18 to 24 in., B. and B.  BACCHARIS halimifolia, 9'-10' Conspicuous fluffy seed pods in planting. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.  BENZOIN aestivale (LINDERA benz Flowers yellow, April. Scarlet coloring, leaves aromatic. 18 to 24 in.  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,   | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00<br>'-12' Spic<br>beautiful                         | ZALEA y and of BUSH seashore  |
| - viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.35  | 11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00<br>'-12' SPIC<br>beautiful<br>3.00<br>3.50                                  | ZALEA y and of BUSH seashore  |
| - viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,   | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00<br>'-12' Spic<br>beautiful                         | ZALEA y and of BUSH seashore  |
| - viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.40<br>.50   | 11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00<br>4.00<br>4.00<br>3.50<br>4.50   | ZALEA y and of BUSH seashore EBUSH autumn                                 |
| — viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.50<br>JAP   | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00<br>'-12' SPIC<br>beautiful<br>3.50<br>4.50<br>4.50 | ZALEA y and of BUSH seashore EBUSH autumn                                 |
| — viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.50<br>JAP   | DOGAWA A<br>Very hard<br>11.00<br>13.50<br>17.50<br>GROUNDSEL<br>Good for<br>2.50<br>3.00<br>4.00<br>'-12' SPIC<br>beautiful<br>3.50<br>4.50<br>4.50 | ZALEA y and of BUSH seashore EBUSH autumn                                 |
| — viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.40<br>.50<br>JAP  | DOGAWA A Very hard 11.00 13.50 17.50 GROUNDSEL Good for 2.50 3.00 4.00 '-12' Spic beautiful 3.00 3.50 4.50 ANESE BAR g; brillian                     | BUSH seashore EBUSH autumn  |
| — viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B.  15 to 18 in., B. and B.  — yodogawa, 3'-4' Double pinkish-lavender flowers, exceptional merit.  12 to 15 in., B. and B.  15 to 18 in., B. and B.  18 to 24 in., B. and B.  BACCHARIS halimifolia, 9'-10' Conspicuous fluffy seed pods in planting.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  BENZOIN aestivale (LINDERA benz Flowers yellow, April. Scarlet coloring, leaves aromatic.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  BERBERIS thunbergii, 4'-5' A splendid low hedge plant, or for coloring; scarlet beries.  Each   | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.35<br>.40<br>.50<br>JAP.  | DOGAWA A Very hard 11.00 13.50 17.50 GROUNDSEL Good for 2.50 3.00 4.00 '-12' Spic beautiful 3.00 3.50 4.50 ANESE BAR g; brillian Per 100             | BUSH seashore EBUSH autumn RBERRY tautumn Per 1000                        |
| — viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.40<br>.50<br>JAP  | DOGAWA A Very hard 11.00 13.50 17.50 GROUNDSEL Good for 2.50 3.00 4.00 '-12' Spic beautiful 3.00 3.50 4.50 ANESE BAR g; brillian                     | ZALEA y and of BUSH seashore EBUSH autumn BERRY t autumn Per 1000 40.00   |
| — viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B  | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.35<br>.40<br>.50<br>JAP.  | DOGAWA A Very hard 11.00 13.50 17.50 GROUNDSEL Good for 2.50 3.00 4.00 '-12' Spic beautiful 3.00 3.50 4.50 ANESE BAR g; brillian Per 100             | BUSH seashore EBUSH autumn RBERRY tautumn Per 1000                        |
| — viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  — yodogawa, 3'-4'  Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 15 to 18 in., B. and B 18 to 24 in., B. and B 2 to 3 ft   | 1.25<br>1.50<br>Ye<br>May.<br>1.25<br>1.50<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.40<br>.50<br>JAP.<br>massin<br>Per 10                                       | 11.00 13.50 17.50 17.50 1800UNDSEL Good for 2.50 3.00 4.00 '-12' Spic beautiful 3.00 3.50 4.50 ANESE BAF g; brillian Per 100 5.00 10.00              | BUSH seashore  BEBUSH autumn  BERRY tautumn  Per 1000  40.00 75.00        |
| viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  yodogawa, 3'-4' Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 18 to 24 in., B. and B 18 to 24 in., B. and B 2 to 3 ft 3 to 4 ft  BENZOIN aestivale (LINDERA benz Flowers yellow, April. Scarlet coloring, leaves aromatic. 18 to 24 in. 2 to 3 ft 3 to 4 ft  BERBERIS thunbergii, 4'-5' A splendid low hedge plant, or for coloring; scarlet beries.  9 to 12 in  | 1.25<br>1.50<br>Yo<br>May.<br>1.25<br>1.50<br>2.00<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.35<br>.40<br>.50<br>JAP.<br>massin<br>Per 10<br>.75<br>1.25<br>1.25 | 11.00 13.50 17.50 GROUNDSEL Good for 2.50 3.00 4.00 '-12' SPIC beautiful 3.00 4.50 ANESE BAE g; brillian Per 100 5.00 10.00 12.00                    | BUSH seashore  BEBUSH autumn  BERRY tautumn  Per 1000  40.00 75.00 100.00 |
| — viscosa, 6'-7'  White, very fragrant, June, July. 12 to 15 in., B. and B   | 1.25 1.50 Ye May.  1.25 1.50 2.00 Sept.  .30 .35 .45 oin), 10 berries, .35 .40 .50 JAP. massin Per 10 .75 1.25 1.75 2.25   | 11.00 13.50 17.50 17.50 1800UNDSEL Good for 2.50 3.00 4.00 '-12' Spic beautiful 3.00 3.50 4.50 ANESE BAF g; brillian Per 100 5.00 10.00              | BUSH seashore  BEBUSH autumn  BEBRRY tautumn  Per 1000  40.00 75.00       |
| viscosa, 6'-7' White, very fragrant, June, July. 12 to 15 in., B. and B 15 to 18 in., B. and B  yodogawa, 3'-4' Double pinkish-lavender flowers, exceptional merit. 12 to 15 in., B. and B 18 to 24 in., B. and B 18 to 24 in., B. and B 2 to 3 ft 3 to 4 ft  BENZOIN aestivale (LINDERA benz Flowers yellow, April. Scarlet coloring, leaves aromatic. 18 to 24 in. 2 to 3 ft 3 to 4 ft  BERBERIS thunbergii, 4'-5' A splendid low hedge plant, or for coloring; scarlet beries.  9 to 12 in  | 1.25<br>1.50<br>Yo<br>May.<br>1.25<br>1.50<br>2.00<br>2.00<br>Sept.<br>.30<br>.35<br>.45<br>oin), 10<br>berries,<br>.35<br>.40<br>.50<br>JAP.<br>massin<br>Per 10<br>.75<br>1.25<br>1.25 | 11.00 13.50 17.50 GROUNDSEL Good for 2.50 3.00 4.00 '-12' SPIC beautiful 3.00 4.50 ANESE BAE g; brillian Per 100 5.00 10.00 12.00                    | BUSH seashore  BEBUSH autumn  BERRY tautumn  Per 1000  40.00 75.00 100.00 |



Three year Barberry thunbergi, 2 yr. transplanted. One of the largest and best blocks we ever grew. See page 17.


| seed stooms we ever grew. See page 11.  |           |                           |          |
|---|-----------|---------------------------|----------|
| BERBERIS—continued — minor, 2'-3'   | Each      | Per 10<br>Box Bar         |          |
| A dwarf, compact form of Japanes  | e Barbe   | erry; fruits              | sparing- |
| ly. Used for edging where Box is  |           |                           |          |
| 6 to 8 in   |           |                           |          |
| 8 to 10 in  | .20       | 15.00                     |          |
| 10 to 12 in   | .25       |                           |          |
| 12 to 15 in   | .30       |                           |          |
| vulagris, 7'-8'   | Euro      | PEAN BAR                  | RERRY    |
| Yellow flowers, May. Fruit red,   |           |                           |          |
| upright habit.  | peros     |                           | ,        |
| 18 to 24 in   | .20       | 1.50                      | \$10.00  |
| 2 to 3 ft   | .25       | 2.00                      | 15.00    |
| 3 to 4 ft   | .30       | 2.50                      |          |
|   | )         | L'are D. p                |          |
| — — purpurea, 7'-8' I<br>Has pleasing soft purplish foliage.  | CURPLE    | Eur. Bar                  | BERKI    |
| 18 to 24 in   | .25       | 2.00                      | 15.00    |
| 2 to 3 ft   | .30       | 2.50                      | 20.00    |
| 3 to 4 ft   | .40       | 3.50                      |          |
| BUDDLEIA davidi veitchiana, 5'-6'<br>Very effective with gray-green foli<br>likes sun. June, September. |           | Butterfly<br>l deep lilac |          |
| 18 to 24 in   | .20       | 1.50                      | 10.00    |
| 2 to 3 ft   | .25       | 2.00                      | 15.00    |
| 3 to 4 ft   | .30       | 2.50                      | 20.00    |
|   |           | 74.00                     | ******   |
| CALLICARPA purpurea, 3'-4'  | HINESE    | BEAUTY .                  | BERRY    |
| Lilac-violet berries, especially attra  | ictive in | August.                   | Graceful |
| 15 to 18 in   | .30       | 2.50                      | 20.00    |
| 18 to 24 in   | .35       | 3.00                      | 25.00    |
| 2 to 3 ft   | .40       | 3.50                      |          |
| CALYCANTHUS floridus  |           | SWEET                     | CHDUD    |
| 18 to 24 in   | .35       | 3.00                      | 25.00    |
| 2 to 3 ft   | .45       | 4.00                      | 45.00    |
| 3 to 4 ft   | .55       | 5.00                      |          |
| CARAGANA arborescens, 10'-12'   | SIDI      | ERIAN PEA                 | -Tree    |
| Yellow pea-shaped flowers, May-   |           | INIAN I LA                | THEE     |
| 2 to 3 ft   | .30       | 2.50                      | 20.00    |
| 3 to 4 ft   | .35       | 3.00                      | 25.00    |
|   |           |                           |          |

|  | Each         | D., 10 1                | D 100                 |
|--|--------------|-------------------------|-----------------------|
| CARYOPTERIS incana (mastacantha),<br>Lavender-blue flowers, SeptOct.<br>Requires protection. | 2'-3'        | BLUEB                   | EARD                  |
| 12 to 15 in., 1 yr \$  | .30          | \$2.50                  | \$20.00               |
| CEANOTHUS americanus, 3'-4'  | 1.1.         | JERSEY                  | -Tea                  |
| Very attractive, dwarf native shrub 12 to 18 in  | ; whit       | e flowers.<br>3.50      | 30.00                 |
| 18 to 24 in  | .45          | 4.00                    | 35.00                 |
| CELTIS occidentalis (See Tree)   |              |                         |                       |
| CEPHALANTHUS occidentalis, 5'-6' Round heads of creamy white flot foliage; likes moisture.   | owers,       | Виттом<br>July-Sept.    | Good                  |
| 18 to 24 in  | .20<br>.25   | $\frac{1.50}{2.00}$     |                       |
| CERCIS canadensis, 12'-15'   |              | ERICAN RE               | DRUD                  |
| Rosy-pink, April, very effective whe   | n plan       | ted with Do             | gwood;                |
| 2 to 3 ft  | .40<br>.55   | $\frac{3.50}{4.50}$     | 30,00                 |
| 4 to 5 ft  | .65          | 4.50                    |                       |
| — chinensis, 10'-12'   | C            | HINESE RE               | DBUD                  |
| Flowers a little larger and darke  |              |                         |                       |
| compact habit of growth.  12 to 18 in  | .40          | 3.50                    |                       |
| 18 to 24 in  | .50          | 4.50                    |                       |
| CHIONANTHUS virginica, 15'-18' Fragrant tassel-like white flowers. plum-like fruits follow.  | May          | White Fr<br>-June. Blu  |                       |
| 18 to 24 in  | .60<br>.70   |                         |                       |
| CLETHRA alnifolia, 4'-5'<br>Spikes of very fragrant flowers, Ju                              | ıly–Se       | Summers<br>pt. Prefer   |                       |
| $ \frac{18 \text{ to } 24 \text{ in } \dots}{18 \text{ to } 24 \text{ in } \dots} $          | .35          | 3,00                    | 20.00                 |
| 2 to 2½ ft   | .35          | 3.00                    | \$0.00                |
| 2½ to 3 ft   | .40          | 3.50                    |                       |
| COLUTEA arborescens, 8'-10' Yellow flowers, June-August. User                                | ful for      |                         |                       |
| 2 to 3 ft  | .25 $.30$    | $\frac{2.00}{2.50}$     |                       |
| 4 to 5 ft  | .40          | 3.50                    |                       |
| CORNUS alba (sibirica), 8'-10' Bright red bark, porcelain blue frui                          | ts. Q        | Coral Dog<br>uick growe | wood<br>r; useful     |
| for winter effect. 18 to 24 in   | .20          | 1.50                    | 10.00                 |
| 2 to 3 ft  | .25          | 2.00                    | 15.00                 |
| 3 to 4 ft  | $.30 \\ .35$ | $\frac{2.50}{3.00}$     | 20.00                 |
|  |              | раетн Dog               | WOOD                  |
| The leaves are margined with yello   | w.           |                         |                       |
| 18 to 24 in  | $.35 \\ .40$ | $\frac{3.00}{3.50}$     | $\frac{25.00}{30.00}$ |
| — alternifolia, 15'-18'<br>Branches spread horizontally; most                                |              | agoda Dog<br>resque. Bl |                       |
| fruit.<br>2 to 3 ft  | .40          | 3.50                    |                       |
| 3 to 4 ft  | .45          | 4.00                    |                       |
| 4 to 5 ft  | $.55 \\ .65$ | 5.00                    |                       |
| 0 00 0 10  | .00          |                         |                       |

|                                    | Each      | Per 10       | Per 100        |
|------------------------------------|-----------|--------------|----------------|
| CORNUS—continued                   |           | ~ *          |                |
| - amomum (sericea), 8'-9'          |           |              | OGWOOD         |
| Pale blue fruits; young twigs pu   | ırple.    | Prefers m    | oist places.   |
| 18 to 24 in                        |           | \$1.5        | 0 \$10.00      |
| 2 to 3 ft                          | 25        | 2.0          | 0 15.00        |
| 3 to 4 ft                          |           | 2.5          | 0 20.00        |
| 4 to 5 ft                          |           | 3.0          | 0              |
| 5 to 6 ft                          |           | 3.5          | 0              |
|                                    |           |              | 0 -            |
| — elegantissima, 5'-6' VARIEG.     |           | ORNELIAN     | -CHERRY        |
| Silver and green leaves; red barl  |           | 0 -          | 20.00          |
| 18 to 24 in                        |           | 2.5          |                |
| 2 to 3 ft                          |           | 3.5          |                |
| 3 to 4 ft                          | 45        | 4.0          | 0 	 35.00      |
| — kousa, 16′–18′                   |           | Kousa I      | )ogwood        |
| White flowers in June. Conspicu    | ous cher  |              |                |
| attractive to birds.               | ous chei  | 1y-like se   | arice fruits,  |
| 18 to 24 in                        | 40        |              |                |
|                                    |           |              |                |
| 2 to 3 ft                          | .50       |              |                |
| — paniculata, 10′–12′              |           | GRAV I       | OGWOOD         |
| Numerous small white flowers in 1  | May fol   |              |                |
| on red stems.                      | may, 10   | io wed by    | willte II ales |
| 18 to 24 in                        | 25        | 2.0          | 0 15.00        |
|                                    |           | 2.5          |                |
| 2 to 3 ft                          |           |              |                |
| 3 to 4 ft                          | 35        | 3.0          |                |
| 4 to 5 ft                          | 40        | 3.5          | U              |
| — stolonifera, 7'–8'               | REI       | OSIER I      | OGWOOD         |
| Spreading habit, dark red bark,    |           |              |                |
| moisture.                          |           |              |                |
| 2 to 3 ft                          | 25        | 2.0          | 0 15.00        |
| 3 to 4 ft                          |           | 2.5          |                |
| 4 to 5 ft                          |           | 3.0          |                |
|                                    | 00        | 3.0          | o .            |
| — lutea, $6'-7'$                   | GOLDE     | n Bark I     | OGWOOD         |
| Has distinct yellow bark; fine for | or winter | r effects.   | ·              |
| 18 to 24 in                        | 25        | 2.0          | 0 - 15.00      |
| 2 to 3 ft                          | 30        | 2.5          | 0 20.00        |
| 3 to 4 ft                          |           | 3.0          | 0 25.00        |
|                                    |           | 7.7          | 37             |
| CORYLUS americana, 8'-9'           |           |              | zel-Nut        |
| Useful for natural plantings, deli |           | half-shad    | e.             |
| 2 to 3 ft                          | 50        |              |                |
| 3 to 4 ft                          | 75        |              |                |
| CRATAEGUS (See Trees)              |           |              |                |
| CYDONIA japonica, 4'-5'            | E's       | LOWERING     | QUINCE         |
| Scarlet flowers in April, May.     | 1.        | LOW EIGH     | 4 COLNCE       |
| 12 to 18 in                        | .30       | 2.5          | 0 20.00        |
| 18 to 24 in.                       |           | 3.0          |                |
| 10 10 24 111                       |           | 3.0          | 20.00          |
| CYTISUS scoparius, 4'-6'           |           | Scote        | н Вкоом        |
| Thin, green branches, covered w    | ith velle | ow flowers   | S.             |
| 18 to 24 in                        | . 30      | 2.5          |                |
| 2 to 3 ft                          |           | 3.5          |                |
| 3 to 4 ft                          | 50        | 4.5          |                |
|                                    | 00        | 1.0          |                |
| DESMODIUM (See LESPEDEZA)          |           |              |                |
| DEUTZIA candidissima, 9'-10'       | Sar       | WFLAKE       | DETERMENT      |
| Graceful habit, double white, Ju   |           | WELAKE       | DEUIZIA        |
|                                    |           | 2.0          | 0 1500         |
| 18 to 24 in                        | 25        | 2.0          |                |
| 2 to 3 ft                          | 30        | 2.50         |                |
| 3 to 4 ft                          | 35        | 3.0          | J              |
| — crenata fl. pl., 6'-8'           | Dotte     | LE PINK      | DEUTZIA        |
| Pink, slightly fragrant, June.     | 2001      |              |                |
| 2 to 3 ft                          | 25        | 2.0          | 0 15.00        |
|                                    |           | ~.0          | 70.00          |
| 3 to 4 tt                          |           | 9 5          | 90.00          |
| 3 to 4 ft                          | .30       | 2.50<br>3.00 |                |

| DEUTZIA—continued   | Each                                | Per 10                                | Don 100      |
|---|-------------------------------------|---------------------------------------|--------------|
| — gracilis, 3'  |                                     | NDER DE                               |              |
| Profuse bloomer, pure white, May  |                                     |                                       |              |
| 10 to 12 in   |                                     |                                       | \$15.00      |
| 12 to 15 in   | .30                                 | 2.50                                  | 20.00        |
| 15 to 18 in   | .35                                 | 3.00                                  | 25.00        |
| —— rosea, 3'–4'   | Pink Sle                            | NDER DE                               | UTZIA        |
| 18 to 24 in   | .40                                 | 3.50                                  |              |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$  | .45                                 | 4.00                                  |              |
| — lemoinei, 4'-5' Large white flowers, June, gracefu  |                                     | IOINE DE                              | JTZIA        |
| 15 to 18 in   | .30                                 | 2.50                                  |              |
| 18 to 24 in   | .35                                 | 3.00                                  |              |
| 2 to 2½ ft  | .40                                 | 3.50                                  |              |
| — parviflora, 3'<br>Semi-erect habit, white, June. Di   | Mongo<br>stinctive.                 | OLIAN DE                              | JTZIA        |
| 15 to 18 in   | .25                                 | 2.00                                  |              |
| 18 to 24 in   | .30                                 | 2.50                                  |              |
| 2 to 2½ ft  | .35                                 | 3.00                                  |              |
| <ul> <li>scabra pride of Rochester, 9'-10'</li> <li>Vigorous, large flower tinged pink,</li> </ul>                                | Large H<br>June.                    | LWD. DE                               | UTZIA        |
| 18 to 24 in   | .25                                 | 2.00                                  | 15.00        |
| 2 to 3 ft   | .30                                 | 2.50                                  | 20.00        |
| 3 to 4 ft   | .35                                 | 3.00                                  |              |
| — vilmorinae, 4′–5′<br>18 to 24 in  | V1LM<br>.25                         | ORIN DE                               | UTZIA        |
| 2 to 2½ ft  | .30                                 | 2.50                                  |              |
| DIERVILIA trifida, 3'         DWA           Yellow, June–July.         A good low sl           15 to 18 in            18 to 24 in | RF BUSH<br>hrub for :<br>.30<br>.35 | Honeysu<br>shady plac<br>2.50<br>3.00 | ckle<br>ees. |
| — sessilifolia (lutea), 4'-5' SOUTHE  | RN BUSH                             | HONEYSU                               | CKLE         |
| Yellow, more vigorous than preced   | ling. June                          | -July.                                |              |
| 2 to 3 ft   | .30                                 | 2.50                                  |              |
| 3 to 4 ft   | .35                                 | 3.00                                  |              |
| ELAEAGNUS angustifolia, 15'-18'<br>Silver-gray leaves and branchlets<br>massing.  |                                     | Russian-C<br>berries; g               |              |
| 2 to 3 ft   | .30                                 | 2.50                                  | 20.00        |
| 3 to 4 ft   | .35                                 | 3.00                                  | 25.00        |
| 4 to 5 ft   | .40                                 | 3.50                                  |              |
| — longipes, 6'-8'<br>Silvery leaves, fragrant yellow floberries ripe in July.   |                                     | RY ELAEA<br>May. La                   |              |
| 18 to 24 in   | .35                                 |                                       |              |
| 2 to 3 ft   | .45                                 |                                       |              |
| 3 to 4 ft   | .55                                 |                                       |              |
| EUONYMUS alatus, 9'-10' Interesting corky bark, warm of Makes fine specimen shrub.  | rimson a                            |                                       |              |
| 18 to 24 in   | .40                                 | 3.50                                  |              |
| 2 to 2½ ft  | .50                                 | 4.50                                  |              |
| 2½ to 3 ft  | $.60 \\ .75$                        | $\frac{5.50}{7.00}$                   |              |
|   |                                     |                                       |              |
| — americanus, γ′-8′<br>Pink fruits; prefers moist locations   | s                                   | ook Euon                              | YMUS         |
| 18 to 24 in   | .25                                 | 2.00                                  |              |
| 2 to 3 ft   | .30                                 |                                       |              |
| 3 to 4 ft   | .35                                 |                                       |              |

| Fruits profusely. The orange an bush for a long time. Good aut                                      | Winterbe<br>d white se<br>umn color | ing.  | YMUS            |
|---|-------------------------------------|---|-----------------|
| 2 to 3 ft.<br>3 to 4 ft.<br>4 to 5 ft.  | 40                                  | $\begin{array}{c} \$2.50 \\ 3.50 \\ 4.50 \end{array}$ |                 |
| — europaeus, 12'-14' Pink fruits on long stalks, persis 18 to 24 in                                 | ting a long<br>30<br>35             | N BURNING<br>g time.<br>2.50<br>3.00                  | BUSH            |
| EXOCHORDA grandiflora, 6'-9'  |                                     | PEARL   | BUSH            |
| Dazzling white flowers, May. I 18 to 24 in  | s improved                          | а бу ргцин<br>3.00                                    |                 |
| 2 to 3 ft   |                                     | 3.50  | 30.00           |
| 3 to 4 ft   |                                     | 4.00  | 35.00           |
| 4 to 5 ft   | 50                                  | 4.50  |                 |
| FORSYTHIA intermedia, 6'-8'<br>Bright yellow flowers in April be<br>and beautiful.                  | Borde<br>efore leave                | R Golden<br>s unfold.                                 | Bell<br>Profuse |
| 2 to 3 ft   |                                     | 2.00  | 15.00           |
| 3 to 4 ft   |                                     | 2.50  | 20.00           |
| 4 to 5 ft   | 35                                  | 3.00  |                 |
| — suspensa, 4′-6′<br>Graceful drooping habit; excelle<br>⊋ to 3 ft                                  | ent for mas                         | g Golden<br>ssing or ba<br>2.50                       |                 |
| 3 to 4 ft   |                                     | 3.00  | 25.00           |
| 4 to 5 ft   |                                     | 3.50  |                 |
| — <b>fortunei,</b> 7′–8′<br>Good habit, arching branches, v   | Fortun                              | e Golden<br>ower.                                     | Bell            |
| 2 to 3 ft   |                                     | 2.00  | 15.00           |
| 3 to 4 ft   | 30                                  | 2.50  | 20.00           |
| 4 to 5 ft   | 35                                  | 3.00  |                 |
| <ul> <li>viridissima, 7'-8'</li> <li>Most vigorous; has green bark a<br/>Last to flower.</li> </ul> |                                     | Stem Fors<br>dark green                               |                 |
| 18 to 24 in   | 20                                  | 1.50  | 10.00           |
| 2 to 3 ft   |                                     | 2.00  | 15.00           |
| 3 to 4 ft   | 30                                  | 2.50  |                 |
| GENISTA tinctoria, 3'<br>Yellow pea-shaped flower. June   | e.                                  | Woadw   | AXEN            |
| 18 to 24 in   |                                     |   |                 |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$  | 35                                  |   |                 |
| scoparia (See CYTISUS)  |                                     |   |                 |
| HALESIA tetraptera, 12'-15' Snow-white, bell-shaped flower along the branchlets. Can be massed.     | s in May                            | EAT SILVEI<br>, profusel;<br>single spec              | v borne         |
| 18 to 24 in   | 40                                  | 3.50  | 30.00           |
| 2 to 3 ft   |                                     | 4.00  | 35.00           |
| 3 to 4 ft   | 55                                  | 5.00  | 45.00           |
| 4 to 5 ft   | 65                                  | 6.00  |                 |
| HAMAMELIS virginiana, 10'-12'<br>Yellow ribbon-like flowers. Oct                                    | Nov. I                              | Wiтcн-I<br>Bushy hab                                  |                 |
| foliage. Succeeds best in moist,  |                                     |   |                 |
| 18 to 24 in   |                                     | 2.50  |                 |
| 2 to 3 ft   |                                     | $\frac{3.50}{4.50}$                                   |                 |
| J 10 7 II   | 00                                  | 4.50  |                 |



Two year California Privet, cut back last winter, and with room enough in the row to permit proper development. This is real Privet at a moderate price for the quality. See page 25.

|  | Each       | Per 10          | D 100     |
|--|------------|-----------------|-----------|
| HIBISCUS syriacus (Althea), 10'-12'                    |            | Rose of Se      |           |
| Rather formal in outline, flowering                    |            | ust and Sor     | tombon    |
| Pink, purple, red, and white, sing                     |            |                 | tember.   |
| Amplissima (double red)                                |            |                 | white)    |
| Coerulea (double purplish blue)                        | Lody Sto   | nlow (double    | lo ninle) |
| Do La Voux (double purprish bitte)                     | Sigholdi   | double pir      | Je pink)  |
| De La Vaux (double red)<br>Elegantissima (double pink) | Cotue all  | uoubie pii      | white)    |
| 18 to 24 in  |            | \$2.00          | \$15.00   |
| 2 to 3 ft  | .30        | 2.50            | 20.00     |
| 3 to 4 ft  | .35        | 3.00            | 20.00     |
|  |            | 0100            |           |
| — variegata, 6'-8' VARIEGATED I                        |            | lose of Si      | IARON     |
| Leaves striped yellow; compact g                       |            |                 |           |
| 18 to 24 in  | .40        | 3.50            |           |
| 2 to 2½ ft   | .45        | 4.00            |           |
| 2½ to 3 ft   | .50        | 4.50            |           |
| 3 to 4 ft  | .55        | 5.00            |           |
| - Mallow Marvel (See Page 52)                          |            |                 |           |
| HYDRANGEA arborescens, 4'-5'                           | Syron      | OTH HYDRA       | arors.    |
| White, June–July. Single white                         |            |                 | NGEA      |
| 18 to 24 in  | .30        | August.<br>2.50 | 20.00     |
| 2 to 3 ft  | .35        | 3.00            | 25.00     |
| 3 to 4 ft  | .40        | 3.50            | 25.00     |
|  | .40        |                 |           |
| — grandiflora alba (sterilis), 4'-5'                   |            |                 | VHILL     |
| Large double white flower panic                        |            |                 | August.   |
| 18 to 24 in  | .35        | 3.00            | 25.00     |
| 2 to 3 ft  | .45        | 4.00            | 35.00     |
| 3 to 4 ft  | .50        | 4.50            |           |
| — paniculata (type), 8'-9'                             | Panie      | CLE HYDRA       | NGEA      |
| Bears long, loose panicles of whit                     | e flowers  | , August.       |           |
| 18 to 24 in  | .35        | $\bar{3}.00$    | 25.00     |
| 2 to 3 ft  | .40        | 3.50            | 30.00     |
| 3 to 4 ft  | .50        | 4.50            |           |
| 1.0 0/ 0/  | D          |                 |           |
| — grandiflora, 8'-9'                                   |            | GEE HYDRA       | NGEA      |
| Very showy, blooming in August.                        |            | 3.00            | 25.00     |
| 2 to 2½ ft   | .35<br>.40 | 3.50            | 30.00     |
| 2½ to 3 ft   | .45        | 4.00            | 30.00     |
| 3 to 4 ft  | .55        | 4.00            |           |
| 3 10 4 11  | .00        |                 |           |
| — — — standard   | TE         | REE HYDRA       | NGEA      |
| Medium, 3 to 4 ft                                      | .75        | 6.50            |           |
| First Class, 3 to 4 ft                                 | .85        | 7.50            |           |
| Extra, 4 to 5 ft                                       | 1.00       | 9.00            |           |
|  |            |                 |           |

| 111111011011110  | TUDESTULES                 |                         |                      |
|--|----------------------------|-------------------------|----------------------|
| HYDRANGEA—continued — quercifolia, 3'-4'   | Each<br>Oakle              | Per 10                  | Per 100              |
| Leaves shaped like an oak leaf.  | Splendid                   | autumn                  | coloring;            |
| succeeds in shade. 12 to 15 in   | \$ 10                      | 99.00                   |                      |
|  |                            | $\$3.00 \\ 4.00$        |                      |
| 15 to 18 in  | .60                        | 5.00                    |                      |
| - radiata (nivea), 4'-5'   | SILVERLE                   | EAF HYDR                | ANGEA                |
| 2 to 3 ft  | .30                        | $\frac{2.50}{3.00}$     |                      |
| HYPERICUM aurem, 3'-4' Yellow, July-August, Blue-gre   | Golden<br>en foliage       | St. John; dense h       | swort<br>abit.       |
| 15 to 18 in  | . ,25                      | 2.00                    |                      |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.}$   | .35                        | $\frac{2.50}{3.00}$     |                      |
| — densiflorum, $4'-5'$ DENSE F<br>Yellow. July—September. Free f<br>18 to 24 in.<br>2 to $2\frac{1}{2}$ ft.<br>$2\frac{1}{2}$ to 3 ft. | owering:                   | good for s              | swort<br>andy soil.  |
| $2\frac{1}{2}$ to $3$ ft   | .40                        | 3.50                    |                      |
| — kalmianum, 4'-5' Blue-green leaves, glaucous unde July-September. 18 to 24 in  | rside. W                   | ithstands               | swort<br>drought.    |
| • 01   |                            | C                       |                      |
| — moserianum, 2' Large waxy yellow flowers. A herbaceous, splendid mass plant.   |                            |                         | nty, half-           |
| 2 yr., 12 to 15 in   | .25                        | 2.00                    |                      |
| 2 yr., 15 to 18 in   | .25<br>.30<br>.35          | $\frac{2.50}{3.00}$     | 20.00                |
| ILEX verticillata (prinos), 6'-8' Bright red berries persisting to birds. Prefers moist soil.  |                            | WINTER                  | BERRY<br>eaten by    |
| 18 to 24 in  | .35                        | 3.00                    |                      |
| 2 to 2½ ft   |                            | 3.50                    |                      |
| 2½ to 3 ft   | .50                        | 4.50                    |                      |
| ITEA virginica, 3'-4' Spikes of fragrant, white flower. brilliant autumn coloring.   | July. G                    |                         | TSPIRE<br>w places;  |
| 18 to 24 in  |                            |                         | 20.00                |
| 2 to 3 ft  | .35                        | 3.00                    | 25.00                |
| JASMINUM nudiflorum, 3'<br>Yellow. April-May. Needs pr<br>One of the first to bloom in the s   | rotection                  | VINTER J.<br>in norther | ASMINE<br>rn states. |
| 15 to 18 in  |                            | 2.00                    | 15.00                |
| 18 to 24 in  | 30                         | 2.50                    | 20.00                |
| 2 to 2½ ft   | .35                        | 3.00                    | 25.00                |
| KERRIA japonica, $4'-5'$<br>Golden yellow flowers, June–Sep<br>winter effects.   | J <sub>A</sub><br>t. Green | panese I<br>branches    | CERRIA<br>useful for |
| 18 to 24 in  |                            | 3.00                    |                      |
| — — fl. pl., 4′–5′   |                            | PANESE I                |                      |
| Desirable double form of above   | and stron                  |                         | r.                   |
| 18 to 24 in  |                            | 3.50                    |                      |
| 2 to 2½ ft   |                            | 4.00                    |                      |
| 2½ to 3 ft   | 50                         | 4.50                    |                      |
|  |                            |                         |                      |

| LESPEDEZA bicolor, 5'-6' Rose and white flower, September.                    | Each<br>Slend | Per 10 Bushc        |                   |
|---|---------------|---------------------|-------------------|
|   | .35           | \$3.00              |                   |
| 3 to 4 ft   | .40           | 3.50                |                   |
| 4 to 5 ft   | .50           | 4.50                |                   |
|   |               |                     |                   |
| — formosa (Desmodium penduliflorum)   | , 3'-4'       | I E Brono           | LOWED             |
| Rosy purple flower conspicuous in herbaceous shrub.                           | in Sep        | t. An a             | ttractive         |
| 18 to 24 in   | .30           |                     |                   |
| 2 to 3 ft   | .35           |                     |                   |
| 3 to 4 ft   | .40           |                     |                   |
| Ligustrum acuminatum (ciliatum), 5'-  | -6' Br        | CREPRY F            | DIVEN             |
| Drops its leaves early, revealing berries.                                    | an ab         | undance             | of black          |
| 2 to 3 ft   | .25           | 2.00                |                   |
| 3 to 4 ft   | .30           | 2.50                |                   |
| 4 to 5 ft   | .35           | 3.00                |                   |
| — amurense, 14'-15' Half evergreen; very hardy.                               |               | Amur P              | RIVET             |
| 18 to 24 in   | .18           | 1.30                | \$ 8.00           |
| 2 to 3 ft   | .20           | 1.50                | 10.00             |
| 3 to 4 ft   | .25           | 2.00                | 15.00             |
| — ibota, 9'-10'   |               | Івота Р             |                   |
| Good dense habit; flowers and fr<br>black berries. Very hardy.<br>18 to 24 in | uits fr       | eely. De            | corative<br>10.00 |
| 2 to 3 ft   | .25           | 2.00                | 15.00             |
| 3 to 4 ft   | .30           | 2.50                | 20.00             |
|   | .00           | 2.00                | 20.00             |
| — regelianum (cuttings), 5'-6'  |               | T. 17               |                   |
| True Spr  |               |                     |                   |
| Makes a splendid, low, dense hedge  | e; also       | good in sh          | rubbery           |
| or evergreen plantings. Very desira   |               | 2.00                |                   |
| 15 to 18 in   | .25           | 2.00                | 15.00             |
| 18 to 24 in   | .30           | 2.50                | *20.00            |
| 2 to 2½ ft  | .35<br>.40    | $\frac{3.00}{3.50}$ | 25.00<br>30.00    |
| 2½ to 3 ft  |               |                     |                   |
|   |               | REGAL P             | RIVET             |
| A form between the above and Ibot   |               | 1.00                |                   |
| 18 to 24 in   | .15<br>.20    | $\frac{1.00}{1.50}$ |                   |
| 3 to 4 ft   | .25           | 2.00                |                   |
|   | .20           |                     |                   |
| — lodense, 2½′<br>Very compact, dwarf form.                                   |               | Dwarf P             | RIVET             |
| 1 year  | .30           | 2.50                | 20.00             |
| — ovalifolium, 9'-10'   | CAT           | JIFORNIA I          | RIVET             |
| Most popular hedge plant. We offer well worth the price.                      | er good       | bushy 2             | yr. stock         |
|   | er 10         | Per 100 I           | Per 1000          |
| 12 to 18 in   | .40           | 3.00                | 25.00             |
| 18 to 24 in   | .60           | 4.00                | 35.00             |
| 2 to 3 ft   | .80           | 6.00                | 50.00             |
| 3 to 4 ft   | 1.00          | 8.00                | 75.00             |
| — — aureum, 8'-9'<br>Grows rather slowly.                                     |               | Golden F            | RIVET             |
| 12 to 15 in   | .25           | 2.00                | 15.00             |
| 15 to 18 in   | .30           | 2.50                | 20.00             |
| — vulgare, 10'-12'  | Er            | JROPEAN P           | RIVET             |
| Creamy-white flowers. June-July.  |               | k berries.          | 101 A 101         |
| 2 to 3 ft   | .25           | 2.00                | 15.00             |
| 3 to 4 ft   | .30           | 2.50                | 20.00             |
| 4 to 5 ft   | .35           | 3.00                | 25.00             |
| _ 00 0 20   |               | 5.00                | 20100             |

| LONICERA alberti, 2' Rose-pink fragrant flowers. May-          |                  | Per 10<br>ERT HONEYS<br>Bluish-gree | SUCKE               |
|--|------------------|-------------------------------------|---------------------|
| Dwarf in habit.  | J 4410.          | and gree                            | ii ica i coi        |
| 12 to 18 in  | \$ .30<br>.35    | \$2.50<br>3.00                      |                     |
| — bella albida, 8'-9' Whr. Grows vigorously.                   | TE BELL          | LE HONEYS                           | UCKLE               |
| 2 to 3 ft  | .25              | 2.00                                | \$15.00             |
| 3 to 4 ft  | .30              | 2.50                                | 20.00               |
| 4 to 5 ft  | .35              | 3.00                                | 25.00               |
| — fragrantissima, 6′-8′<br>Fragrant white flower, April–Maj    |                  | er Honeys<br>Half-ever              |                     |
| 2 to 3 ft  | .30              | 2.50                                | 20.00               |
| 3 to 4 ft  | .35              | 3.00                                | 25.00               |
| 4 to 5 ft  | .40              | 3.50                                | 20.00               |
| — maacki, 8'-9'<br>Large white flowers—June—scar               |                  | Honeysue                            |                     |
| midwinter. Very desirable.                                     |                  |                                     |                     |
| ₹ to 3 ft  | .25<br>.30       | 2.00<br>2.50                        | 15.00<br>20.00      |
|  |                  | nn Harrana                          |                     |
| — podocarpa, 8'-9'   |                  | TE HONEYS                           |                     |
| Smaller flowers tinged pink, but I                             | better 1)        | ruit than pi                        | eceding;            |
| also holds its leaves longer.<br>₹ to 3 ft                     | .35              |                                     |                     |
| — morrowi, 7'-8'   | Morro            | w Honeys                            | UCKLE               |
| Spreading habit, white. May-Jui                                |                  |                                     |                     |
| 18 to 24 in  | .20              | 1.50                                |                     |
| 2 to 3 ft  | .25              | 2.00                                | 15.00               |
| 3 to 4 ft  | .30              | 2.50                                | 20.00               |
| 4 to 5 ft  | .35              |                                     |                     |
| ——(upright)  |                  |                                     |                     |
| 18 to 24 in  | .20              | 1.50                                | 10.00               |
| ₹ to 3 ft  | .25              | 2.00                                | 15.00               |
| 3 to 4 ft  | .30              | 2.50                                | 20.00               |
| — pileata, 2'  Dwarf evergreen shrub; needs pro                | Priv<br>otection | ет Honeys<br>in cold regi           | UCKLE               |
| 9 to 12 in., bushy   | .40              | 3.50                                |                     |
| — ruprechtiana, 8'-9' Max<br>Creamy white flowers—June. Be     |                  | an Honeys<br>l, sometime            |                     |
| 18 to 24 in  | .20              | 1.50                                | 10.00               |
| 2 to 3 ft  | .25              | 2.00                                | 15.00               |
| 3 to 4 ft  | .30              | 2.50                                |                     |
| — standishi, 4'-5'<br>Blush flowers, fragrant. April.<br>well. | Standi<br>Scarle | sh Honeys<br>t fruit, hold          | uckle<br>ls foliage |
| 18 to 24 in  | .30              | 2.50                                |                     |
| 2 to 3 ft  | .35              | 3.00                                |                     |
| 3 to 4 ft  | .40              | 0.00                                |                     |
| — tatarica, Pink, Red and White, 9'-                           | 10'              | AN HONEYS                           | INCIEN E            |
| Flowers and fruit freely produced                              | Aniani           |                                     |                     |
| 18 to 24 in  | . A m            | ost adaptab<br>1.50                 | ne snrub.<br>10.00  |
| 2 to 3 ft  | .25              | 2.00                                | 15.00               |
| 3 to 4 ft  | .30              | 2.50                                | 20.00               |
| 4 to 5 ft  | .35              | 2.00                                | ~0.00               |
|  |                  |                                     |                     |

| LONICERA—continued — xylosteum, 6'-7' EURO         | Each       | Per 10<br>HONEYS    |              |
|--|------------|---------------------|--------------|
| Flower creamy white. June. D                       | ark red fr | mit.                |              |
| 2 to 3 ft  |            | \$2.00              | \$15.00      |
| 3 to 4 ft  |            | 2.50                | 20.00        |
| 1YRICA cerifera, 4'-5'                             |            | RN WAX              |              |
| Does well in poor, gravelly soil.                  |            |                     |              |
|  |            |                     | y berries,   |
| and glossy green foliage. Good                     |            |                     | 20.00        |
| 12 to 15 in  |            | 2.50                | 20.00        |
| 15 to 18 in  |            | 3.00                | 25.00        |
| 18 to 24 in  | 40         | 3.50                | 30.00        |
| XYDENDRUM arboreum, 25'-30'                        |            | Sour                | RWOOD        |
| Graceful clusters of white flower                  | s. Augus   |                     | leathery     |
| foliage. Fine autumn coloring.                     | s. Augus   | it. Good            | leathery     |
|  | 0.5        | 0.00                |              |
| 2 to 3 ft  |            | 6.00                |              |
| 3 to 4 ft  |            | 7.50                |              |
| 4 to 5 ft  | 90         | 8.50                |              |
| HILADELPHUS avalanche, 3'-4'                       | Dwar       | к Моско             | DINCE        |
| Graceful, arching habit.                           | DWAL       | ir MIOCK            | MANGE        |
| 18 to 24 in  | 30         | 2.50                | 20.00        |
| 2 to 3 ft:   |            | 3.00                | 25.00        |
| 3 to 4 ft  |            | $\frac{3.00}{3.50}$ | 20.00        |
|  |            | 0.00                |              |
| boquet blanc, 3' Whi                               | TE BOQUE   | т Моско             | RANGE        |
| Low, dense habit. Blooms freel                     | y, May-Ji  | une.                |              |
| 18 to 24 in  |            |                     |              |
| 2 to 2½ ft   |            |                     |              |
| 2½ to 3 ft   |            |                     |              |
| 3 to 4 ft  |            |                     |              |
| 3 to 41t   |            |                     |              |
| coronarius, 9'-10'                                 | Curre      | т Моско             | DINGE        |
|  |            |                     |              |
| White fragrant flowers profusely                   |            |                     |              |
| 2 to 3 ft  |            | 2.00                | 15.00        |
| 3 to 4 ft  | 30         | 2.50                | 20.00        |
| 4 to 5 ft  | 35         | 3.00                | <b>25.00</b> |
|  | T          | 11                  |              |
| — aurea, 4'-5' Go<br>Dwarf, compact form. Yellow l | LDEN LEA   | F MOCKC             | RANGE        |
|  |            | 2.70                | 20.00        |
| 12 to 15 in  |            | 2.50                | 20.00        |
| 15 to 18 in  |            | 3.00                | 25.00        |
| 18 to 24 in  |            | 3.50                |              |
| 2 to 2½ ft   |            |                     |              |
|  |            |                     |              |
|  | Flowere    | в Москс             | RANGE        |
| Has no fragrance.                                  |            |                     |              |
| 2 to 3 ft  |            | 2.00                | 15.00        |
| 3 to 4 ft  |            | 2.50                | 20.00        |
| 4 to 5 ft  |            | 3.50                | 30.00        |
|  |            |                     |              |
| gordonianus (lewisi), 10'-12'                      | Gordo      | м Моско             | DRANGE       |
| Flowers in June-July. Slightly                     | fragrant.  | Blooms              | late.        |
| 2 to 3 ft  | 25         | 2.00                | 15.00        |
| 3 to 4 ft  |            | 2.50                | 20.00        |
| 4 to 5 ft  |            | 3.50                |              |
|  |            | 5.05                | 50.50        |
| - lemoinei, 4'-5'                                  | LEMOIN     | те Моско            | DRANGE       |
| Good compact habit. Flowers s                      |            |                     |              |
| 15 to 18 in  |            | 1.50                |              |
| 18 to 24 in  |            | 2.00                |              |
| 2 to 2½ ft   | 30         | 2.50                |              |
| 2 to 2/2 It  | 00         | 2.50                |              |
| nuhaccane 10'-15'                                  | II.        | w Magra             | DD 137~~     |
| pubescens, 12'-15'                                 |            | ку Моско            | DRANGE       |
| Large white scentless flowers, Ju                  | me-July.   | 2 0                 |              |
| 2 to 3 ft  | 25         | 2.00                |              |
| 3 to 4 ft  | 30         | 2.50                |              |
| 4 to 5 ft  | 35         | 3.00                |              |
|  |            |                     |              |



Partial view of seed field. This gives an idea of the

| — virginalis, 7'-8' Beutiful semi-double flowers programmer.   | oroduced       | intermitte               | ANGE<br>ntly all  |  |
|--|----------------|--------------------------|-------------------|--|
| 2 to 3 ft  | \$ .60         | \$5.50                   |                   |  |
| — zeyheri, 8'-9'   | Zеун           | ек Москов                | ANGE              |  |
| 18 to 24 in  | 20             | 1.50                     |                   |  |
| 2 to 3 ft  | 25             | 2.00                     |                   |  |
| 3 to 4 ft  | 30             | 2.50                     |                   |  |
| PHOTINIA villosa, 8'-9' REDBERRIED PHOTINIA Flowers white, June. Rich scarlet berries profusely borne in autumn. Splendid foliage for color and texture. |                |                          |                   |  |
| 2 to 3 ft  |                | 3.50                     |                   |  |
| 3 to 4 ft  |                | 4.50                     |                   |  |
| PHYSOCARPUS opulifolius, 9'-10'<br>Creamy white, June. Vigorous.   | Good fo        |                          | EBARK             |  |
| 18 to 24 in  |                | 1.50                     | \$10.00           |  |
| 2 to 3 ft  |                | 2.00                     |                   |  |
| 3 to 4 ft  |                | 2.50                     | 20.00             |  |
| 4 to 5 ft  |                |                          |                   |  |
| —— aureus, 9′–10′  |                | OLEAF NINE               | EBARK             |  |
| Golden-leaved variety; white flo   | wers in e      | arly June.               |                   |  |
| 18 to 24 in  | 20             | 1.50                     |                   |  |
| 2 to 3 ft  | 25             |                          | 15.00             |  |
| 3 to 4 ft  |                |                          | 20.00             |  |
| 4 to 5 ft  | 35             | 3.00                     |                   |  |
| POTENTILLA fruticosa, 3'-4' Blooms profusely, yellow, June useful shrub.   | Shru<br>-Sept. | вву Сімац<br>Very adapta | EFOIL<br>able and |  |
| 15 to 18 in  | 30             | 2.50                     | 20.00             |  |
| 18 to 24 in  |                |                          |                   |  |
| 2 to 2½ ft   |                | 3.50                     |                   |  |
| PRINOS (See ILEX)  |                |                          |                   |  |

PHILADELPHUS—continued Each Per 10 Per 100



t of our facilities for growing our lining out stock.

|                                     | Each      | Per 10      | Per 100   |
|-------------------------------------|-----------|-------------|-----------|
| PRUNUS maritima, 9'-10'             |           | Beach       | Plum      |
| Small white flowers, April. Fru     | iits are  | purple.     | Splendid  |
| subject for sandy soils or near sea |           | F F         |           |
| 18 to 24 in                         |           | \$2.50      |           |
| 2 to 3 ft                           | .35       | 3.00        |           |
| 3 to 4 ft                           | .45       |             |           |
| - pissardi (See Trees)              |           |             |           |
| — tomentosa, 6'-7'                  | ' N       | ANKING C    | HERRY     |
| Fruits are light red. Flowers w.    | hite, be  | fore leaves | s appear. |
| Very showy.                         |           |             |           |
| 2 to 3 ft                           | .35       | 3.00        | \$25.00   |
| 3 to 4 ft                           | .45       | 4.00        | 4         |
| 4 to 5 ft                           | .50       | 4.50        |           |
| — triloba, 7'-8'                    | Do        | UBLE FLG.   | PLUM      |
| Double pink flowers, April-May.     |           | ome and     |           |
| 18 to 24 in                         | .40       | 3.50        | 30.00     |
| 2 to 3 ft                           | .50       | 4.50        | 40.00     |
| 3 to 4 ft                           | .60       | 5.50        |           |
| PTELEA (See Trees)                  |           |             |           |
| PRYUS arbutifolia (See Aronia)      |           |             |           |
| — floribunda (See Malus-Trees)      |           |             |           |
| RHAMNUS cathartica, 9'-10'          | Сом       | MON BUCK    | THORN     |
| Dark green leaves, black berries.   | 0 0 0 0 0 |             |           |
| 2 to 3 ft                           | .25       | 2.00        | nu sm uo  |
| 3 to 4 ft                           | .30       | 2.00        |           |
| 4 to 5 ft                           | .40       |             |           |
| — frangula, 8'-9'                   |           | ossy Buck   | THORN     |
| Berries red, changing to black.     | O.L.      | DSSI DUCE   | CHOIG     |
| 2 to 3 ft                           | .25       | 2.00        |           |
| 3 to 4 ft                           | .30       | 2.50        |           |
| 4 to 5 ft                           | .35       | 3.00        |           |
| RHODOTYPUS kerrioides, 4'-5'        | .00       |             | ETBEAD    |
| Fresh green foliage, pure white fl  | owers 1   |             |           |
| black bead-like berries all winter  | oners, r  | any ounc.   | Summig    |
| 18 to 24 in                         | .35       | 3.00        |           |
| 2 to 3 ft                           | .40       | 3.50        |           |
| 3 to 4 ft                           | .50       | 0.00        |           |
|                                     | .00       |             |           |
|                                     |           |             |           |

|                                      | Each   | Per 10              | Per 100       |
|--------------------------------------|--|---------------------|---------------|
| RHUS canadensis (aromatica), 4'-5'   | $F_{R}$  | AGRANT S            | UMAC          |
| Clusters of small yellow flowers, Ap |  |                     |               |
| in June when covered with cora       |  |                     |               |
| drought. Aromatic foliage.           |  |                     |               |
| 18 to 24 in                          | \$ .35   | \$3.00              |               |
| 2 to 3 ft                            | .45  | 4.00                |               |
| 3 to 4 ft                            | .50  | 4.50                |               |
| 3 to 4 ft                            |  | SHINING S           | TMAC          |
| Showy crimson fruits; good autur     |  |                     |               |
| in poor arid situations; good for n  |  | 116. THUK           | C3 511011     |
| 12 to 18 in                          | .20  | 1.50                | \$10.00       |
| 18 to 24 in                          | .25  | 2.00                | 15.00         |
| 2 to 3 ft                            | .30  | 2.50                | 20.00         |
| — cotinus, 10'–12'                   | .00  | SMOKE               |               |
| Purple fringe.                       |  | SMOKE               | IREE          |
| 18 to 24 in                          | 70   |                     |               |
|                                      | .50  |                     |               |
| 2 to 3 ft                            | .75  |                     |               |
| 3 to 4 ft                            | 1.00   |                     |               |
| — glabra, 10'-12'                    |  | SMOOTH S            |               |
| Crimson fruits in bunches; rich a    | atumn ce   | oloring; th         | nrives in     |
| poor soils.                          |  |                     |               |
| 2 to 3 ft                            | .25  | \$2.00              | \$15.00       |
| 3 to 4 ft                            | .30  | 2.50                | 20.00         |
| 4 to 5 ft                            | .35  | 3.00                | 25.00         |
| 5 to 6 ft                            | .40  | 3.50                |               |
|                                      | TITLEAR  | SMOOTH S            | TIMAC         |
| Delicately cut leaves; grows slowl   |  | DMOOTH              | / C.M.1.1 C   |
| 18 to 24 in                          | .35  | 3.00                |               |
| 2 to 2½ ft                           | .40  | 3.50                |               |
| $2\frac{1}{2}$ to 3 ft               | .45  | 4.00                |               |
|                                      |  |                     | ,             |
| — typhina, 15′–18′                   |  | AGHORN S            | SUMAC         |
| Picturesque habit; brilliant autun   |  |                     |               |
| 2 to 3 ft                            | .25  | 2.00                | 15.00         |
| 3 to 4 ft                            | :30  | 2.50                | 20.00         |
| 4 to 5 ft                            | .35  | 3.00                | <b>25</b> .00 |
| —— laciniata, 14′–15′ Cu             | TLEAF ST   | AGHORN S            | UMAC          |
| Leaves are finely cut, giving attra  |  |                     |               |
| 18 to 24 in                          | 20   | 1.50                | 10.00         |
| 2 to 3 ft                            | .25  | 2.00                | 15.00         |
| 3 to 4 ft                            | .35  | 3.00                | 25.00         |
| 4 to 5 ft                            | 40   | 3.50                |               |
| RIBES odoratum (aureum), 7'-8'       | Ge   | olden Cui           | DD 437T       |
| Fragrant yellow flowers in May.      |  | or under p          |               |
|                                      | .30  | 2.50                | 20.00         |
| 2 to 3 ft                            |  |                     | 25.00         |
| 3 to 4 ft                            | .35  | $\frac{3.00}{3.50}$ | 20.00         |
| 4 to 5 ft                            | .40  |                     |               |
| ROBINIA hispida, 5'-6'               | _  | Rose A              | CACIA         |
| Rosy pink, attractive flowers, A     | lay–Jun  | e. Soon             | develops      |
| into a mass.                         |  |                     |               |
| 18 to 24 in                          | .30  | 2.50                | 20.00         |
| 2 to 3 ft                            | .35  | 3.00                | 25.00         |
| 3 to 4 ft                            | .40  | 3.50                | 30.00         |
| ROSA blanda, 4'-5'                   |  | Meadow              | Rose          |
| Pink, May. Almost thornless; re      | ddish bra  | anches.             |               |
| 18 to 24 in                          | .30  | 2.50                |               |
| 2 to 3 ft                            | .35  | 3.00                |               |
|                                      | and the same of th | Pose or (           | 7,775         |
|                                      |  | Rose of (           |               |
| A very desirable border rose wi      | th very  | attractive          | s henon       |
| flowers.                             | 1.00   |                     |               |
| 2 yr. No. 1                          | 1.00   |                     |               |
| — lucida, 5'-6'                      |  | Virginia            | Rose          |
| Pink, June. Red decorative fruits.   |  |                     |               |
| 15 to 18 in                          | .25  | 2.00                |               |
| 18 to 24 in                          | .30  | 2.50                |               |
| 2 to 3 ft                            | .35  | 3.00                |               |
|                                      |  |                     |               |

| ROSA—continued                         | Each          | Per 10              | Per 100               |
|--|---------------|---------------------|-----------------------|
| — multiflora japonica, 9'-10'          |               | JAPANESE            | Rose                  |
| White, June. Vigorous, free flower     |               |                     | φ1 <i>ε</i> 00        |
| 18 to 24 in                            | \$ .25<br>.30 | $$2.00 \\ 2.50$     | \$15.00               |
| 2 to 3 ft                              | .35           | 3.00                | 20.00                 |
| — nitida. 3'-4'                        | , 00          |                     | Down                  |
| Deep pink, June. Good for holdi        | ng banl       | BRISTLY             |                       |
| planting; good autumn coloring.        | ng bam        | and gene            | tai mass              |
| 15 to 18 in                            | .25           | 2.00                |                       |
| 18 to 24 in                            | .30           | 2.50                |                       |
| 2 to 3 ft                              | .40           | 3.50                |                       |
| — palustris (carolina), 6'-7'          |               | Swamp               | Rose                  |
| Pink May-July. Good for swamp          | py plac       | es.                 |                       |
| 15 to 18 in                            | .20           | 1.50                |                       |
| 18 to 24 in                            | .25           | 2.00                |                       |
| — rubiginosa, 5'-6'                    |               | SWEET               |                       |
| Bright pink flowers, June. Good        |               |                     |                       |
| 18 to 24 in                            | .30<br>.35    | $\frac{2.50}{3.00}$ | $\frac{20.00}{25.00}$ |
| 2 to 3 ft                              | .40           | $\frac{3.00}{3.50}$ | 30.00                 |
| rubrifolia (ferruginea), 5'-6'         | . 10          | REDLEAF             |                       |
| Has distinct purplish-red leave        | e and         | bark; good          |                       |
| subject.                               | s and         | Dark, good          | willter               |
| 18 to 24 in                            | .30           | 2.50                |                       |
| 2 to 3 ft                              | .35           | 3.00                |                       |
| 3 to 4 ft                              | .40           |                     |                       |
| — rugosa, 4'–5'                        | R             | ED RUGOSA           | Ro                    |
| Handsome shrub, large pink flow        | ers, Jur      | ie-Sept. Ri         | ch green              |
| foliage and large red fruits; useful   | l either      | in shrubber         | y border              |
| or as hedge.                           |               | 2.*0                | 20.00                 |
| 18 to 24 in                            | .30           | $\frac{2.50}{3.00}$ | 20.00 $25.00$         |
| 2 to 3 ft                              | .35           | $\frac{3.00}{3.50}$ | 30.00                 |
| —————————————————————————————————————— |               | ITE RUGOSA          |                       |
| 18 to 24 in                            | .35           | TTE NUGOSA<br>3.00  | NOSE                  |
| 2 to 3 ft                              | .40           | 3.50                |                       |
| 3 to 4 ft                              | .45           | 4.00                |                       |
| — setigera, 5'-6'                      |               | Prairie             | Rose                  |
| Deep rose flower, June-July. Vi        | gorous        |                     |                       |
| 18 to 24 in                            | .20           | 1.50                | 10.00                 |
| 2 to 3 ft                              | .25           | 2.00                | 15.00                 |
| 3 to 4 ft                              | .30           | 2.50                | 20.00                 |
| — spinosissima, 3'-4'                  |               | Scoтсн              |                       |
| A dainty grower, but compact;          | branch        | es covered          | with soft             |
| thorns; attractive small foliage.      | .30           | 2.50                |                       |
| 15 to 18 in                            | .40           | 3.50                |                       |
| 18 to 24 in                            | .50           | 4.50                |                       |
|  |               |                     |                       |
| CLIMBING AND TRAI                      | LING          | ROSES               |                       |
|  | Each          |                     | Per 100               |
| — American pillar,—single red, white   |               |                     | \$20.00               |
| 18 to 24 in                            | \$.30         | \$2.50<br>3.00      | \$20.00<br>25.00      |
|  | .00           | 5.00                | 20.00                 |
| — Pauls scarlet climber                | 00            | 0.00                |                       |
| 18 to 24 in                            |               |                     |                       |
| 2 to 3 ft                              |               |                     |                       |
| — tausendschon                         |               | OUSAND BE           | AUTIES                |
| 18 to 24 in                            |               |                     |                       |
| 2 to 3 ft                              | .30           |                     |                       |
| — wichuraiana, white                   |               | Memoria             |                       |
| 2 to 3 ft                              |               |                     | 15.00                 |
| 3 to 4 ft                              | .30           | 2.50                | 20.00                 |
|  |               |                     |                       |

| ROSA—continued<br>— — Dr. W. Van Fleet, shell pink     | Each         | Per 10              | Per 100               |
|--|--------------|---------------------|-----------------------|
| 18 to 24 in  | \$.25        | \$2.00              |                       |
| 2 to 3 ft  | .30          | 2.50                |                       |
| 3 to 4 ft  | .35          | 3.00                |                       |
| — — Dorothy Perkins, pink                              | 0.5          | 2.00                | 617.00                |
| 18 to 24 in  | .25<br>.30   | $\frac{2.00}{2.50}$ | \$15.00               |
| 3 to 4 ft  | .35          | 3.00                |                       |
| — — — white  | .00          | 0.00                |                       |
| 18 to 24 in  | .25          | 2.00                |                       |
| 2 to 3 ft  | .30          | 2.50                |                       |
| 3 to 4 ft  | .35          | 3.00                |                       |
| — excelsa  |              | ROTHY P             |                       |
| 2 to 3 ft  | .30<br>.35   |                     | $\frac{20.00}{25.00}$ |
| 3 to 4 ft  | .30          | 3.00                | 20.00                 |
| 2 to 3 ft  | .35          | 3.00                |                       |
| 3 to 4 ft  | .40          | 3.50                |                       |
| — — hiawatha, single red                               |              |                     |                       |
| 2 to 3 ft  | .30          | 2.50                |                       |
| 3 to 4 ft  | .35          | 3.00                |                       |
| - silver moon, semi-double white                       |              | 2.00                |                       |
| 18 to 24 in  | .35          | 3.00                |                       |
| 2 to 3 ft  | $.40 \\ .45$ | $\frac{3.50}{4.00}$ |                       |
| 3 to 4 ft<br>– vellow rambler                          | .40          | 4.00                |                       |
| 18 to 24 in  | .25          | 2.00                |                       |
| 2 to 3 ft  | .30          | 2.50                |                       |
| RUBUS odoratus, 5'-6'                                  | FLOWER       | ING RASP            | BERRY                 |
| Rose-colored, fragrant flowers pro-                    |              |                     |                       |
| larly good for covering banks, esp                     |              |                     |                       |
| 2 to 3 ft  |              | 2.00                |                       |
| 3 to 4 ft  | .30          | 2.50                |                       |
| 4 to 5 ft  | .35          | 3.00                |                       |
| ALIX (See Trees)                                       |              |                     |                       |
| AMBUCUS canadensis, 8'-9'                              |              | MERICAN             |                       |
| Useful for swampy places; fragran                      |              |                     |                       |
| 2 to 3 ft  | .30<br>.35   | $\frac{2.50}{3.00}$ | 20.00 $25.00$         |
| 4 to 5 ft  | .40          | 3.50                | 20.00                 |
|  |              | MERICAN ]           | Elder                 |
| Leaves intricately cut.                                |              |                     |                       |
| 2 to 3 ft  | .30          | 2.50                |                       |
| 3 to 4 ft  | .35          | 3.00                |                       |
| 4 to 5 ft  | .40          | 3.50                | r.                    |
| — aurea, 10'–12' Ge<br>Has conspicuous yellow foliage. | OLDEN A      | MERICAN             | LLDER                 |
| 18 to 24 in  | .25          | 2.00                | 15.00                 |
| 2 to 3 ft  | .30          | 2.50                | 20.00                 |
| 3 to 4 ft  | .35          | 3.00                | 25.00                 |
| – pubens, 7′–8′  | 5            | SCARLET 1           | ELDER                 |
| Flowers in April-May. Bright red                       | fruits rip   | ens in Jur          | ne. Very              |
| attractive,  | 20           | 2 *0                |                       |
| 2 to 3 ft  | .30          | 2.50                |                       |
| 3 to 4 ft  | .35<br>.40   | $\frac{3.00}{3.50}$ |                       |
| - racemosa   |              | AN RED I            | LDER                  |
| 2 to 3 ft  | .30          | 2.50                |                       |
| 3 to 4 ft  | .35          | 3.00                |                       |
| 4 to 5 ft  | .40          | 3.50                |                       |
| ORBARIA aitchisoni, 4'-5'                              | KASHMIR .    | FALSE SP            | IRAEA                 |
| Graceful, compound foliage; flow                       | vers crea    | my white            | e, July-              |
| Sept.  |              |                     |                       |
| 2 to 3 ft  | .35          | 3.00                | 25.00                 |
| 3 to 4 ft  | .40          | 3.50                | 30.00                 |
| 4 to 5 ft  | .45          | 4.00                | 35.00                 |

|  |             |            | -         |
|--|-------------|------------|-----------|
| SORBARIA—continued                             | Each        | Per 10     | Per 100   |
| — sorbifolia, 4'-5'                            | URAL        | FALSE SE   |           |
| Fluffy heads of white flowers, June            | a-Angue     | t III      |           |
| 2 to 3 ft                                      |             | \$3.00     |           |
|  |             |            |           |
| 3 to 4 ft                                      | .40         | 3.50       |           |
| CDIDAEA alba (askaifaka)                       | M           |            |           |
| SPIRAEA alba (salicifolia)                     |             | EADOW SE   | IRAEA     |
| 18 to 24 in                                    | .20         | 1.50       |           |
| 2 to 3 ft                                      | .25         | 2.00       |           |
| 3 to 4 ft                                      | .30         |            |           |
|  |             |            |           |
| — arguta, $5'-6'$                              |             | rland Sp.  |           |
| Small light green leaves; very free            | flowerin    | g. May.    | Similar   |
| to, but more vigorous than thunbe              | ergi.       |            |           |
| 12 to 18 in                                    | .25         | 2.00       |           |
| 18 to 24 in                                    | .30         | 2.50       |           |
| 2 to 2½ ft                                     | .35         | 3.00       |           |
| z to z/2 It                                    | .00         | 3.00       |           |
| — billardi, 5′-6′                              | Br          | LLIARD SP  | TDATE     |
| Bright pink fluffy flower spikes, Ju           |             |            |           |
|  | пу-Осто     | ber. van   | table for |
| dry places.                                    | 2.0         |            |           |
| 18 to 24 in                                    | .20         | 1.50       |           |
| 2 to 3 ft                                      | .25         | 2.00       |           |
| 3 to 4 ft                                      | .30         | 2.50       |           |
|  |             |            |           |
| — bumalda, 3'                                  | $B_{\rm U}$ | malda Sp   | IRAEA     |
| Light pink flower, July-Sept. A g              | ood dwa     | rf "facing | " shrub.  |
| 18 to 24 in                                    | .35         | 3.00       | 825.00    |
| 2 to 2½ ft                                     | .40         | 3.50       | 30.00     |
| × 00 ×/210                                     | * 10        | 0.00       | 00.00     |
| anthony waterer 2/                             | w.          | TERER SP   | FD - TI - |
| — — anthony waterer, 3'                        |             |            |           |
| Deeper rose pink than preceding                | g; very     | free flowe | ering all |
| summer.  |             |            |           |
| 12 to 15 in                                    | .25         | 2.00       | 15.00     |
| 15 to 18 in                                    | .30         | 2.50       | 20.00     |
| 18 to 24 in                                    | .35         | 3.00       | 25.00     |
| 2 to 2½ ft                                     | .40         | 3.50       | 30.00     |
| $2\frac{1}{2}$ to $3$ ft                       | .45         | 4.00       | 35.00     |
| 272 to 3 it                                    | .40         | 4.00       | 33.00     |
| . 6 1 1 1/                                     | 13          | 63         |           |
| —— froebeli, 4'                                |             | OEBEL SP   | IRAEA     |
| Smaller, but more vigorous than p              |             |            |           |
| 18 to 24 in                                    | .25         | 2.00       |           |
| 2 to 2½ ft                                     | .30         | 2.50       |           |
| 2½ to 3 ft                                     | .35         | 3.00       |           |
| / <b>2</b>                                     |             |            |           |
| — fortunei (callosa rosea), 3'                 | Fo          | RTUNE SP   | TRAEA     |
| Pink flowering; more vigorous for              |             |            |           |
|  |             |            | variety.  |
| 18 to 24 in                                    | .25         | 2.00       |           |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$ | .30         | 2.50       |           |
|  |             |            |           |
| — japonica (callosa alba), 3'                  |             | anese Sp   |           |
| White, June-July. Purplish-green               | foliage     | when you   | ng.       |
| 12 to 15 in                                    | .30         | 2.50       | 20.00     |
| 15 to 18 in                                    | .35         | 3.00       | 25.00     |
| 18 to 24 in                                    | .40         | 3.50       | 40.00     |
| 10 to 24 m                                     | .10         | 0.00       |           |
| — prunifolia, 7′-8′                            |             | D          |           |
| — prunitona, 7 -8                              | 1 1         | BRIDALWE   | EATH      |
| White, May. Free-flowering; han                | dsome d     | ark green  | shining   |
| foliage, turning orange in autumn.             |             |            |           |
| 2 to 3 ft                                      | .35         | 3.00       | 25.00     |
| 3 to 4 ft                                      | .40         | 3.50       | 30.00     |
| 4 to 5 ft                                      | .45         | 4.00       | 35.00     |
|  |             |            |           |
| — reevesiana, 7′–8′                            | R           | EEVES SPI  | RAEA      |
| Pure white, May-June. Gracefu                  |             | ng habit;  |           |
|  | u, arcm     | ng nabit;  | retains   |
| leaves until late.                             | 25          | 2.00       | 1 = 00    |
| 18 to 24 in                                    | .25         | 2.00       | 15.00     |
| 2 to 3 ft                                      | .30         | 2.50       | 20.00     |
| 3 to 4 ft                                      | .35         | 3.00       | 25.00     |
|  |             |            |           |

SPIRAEA—continued



Two year Spirea Anthony Waterer, averaging 2 and  $\frac{1}{2}$  ft. The plants are well-branched, well-grown, the best that can be found anywhere. See page 33.

Each Per 10 Per 100

| — thunbergi, 4'-5'                   | Tur     | NBERG SP    | TOT 100   |
|--------------------------------------|---------|-------------|-----------|
|                                      |         |             |           |
| Slender, arching branches clothed    |         |             |           |
| April-May. Small, feathery, ligh     | t-green | leaves.     | Valuable  |
| for seaside planting.                |         |             |           |
|                                      | 8 .25   | \$2.00      | \$15.00   |
|                                      | .30     | φ~.00       |           |
| 15 to 18 in                          |         |             | 20.00     |
| 18 to 24 in                          | .35     |             | 25.00     |
| ₹ to 2½ ft                           | .40     |             |           |
| — tomentosa, 3'-4'                   |         | Hari        | DHACK     |
| Woolly, rose-pink flowers, July-Sept | t Leav  |             |           |
| side. Good in masses for low group   |         | es or ownie | ar under- |
| 2 to 3 ft                            |         | 0.70        | 20.00     |
|                                      | .30     | 2.50        | 20.00     |
| 3 to 4 ft                            | .35     | 3.00        | 25.00     |
| 4 to 5 ft                            | .40     | 3.50        | 30.00     |
| — van houttei, 8'-9'                 | VAND    | HOUTTE SP   | TD A TO A |
| White, May-June. Graceful habit.     | Erstno  | nolyfae f   | IRAEA     |
| and very adaptable.                  | Extre   | mery rree i | lowering  |
|                                      | 2.5     | 2.00        | 1 = 00    |
| 18 to 24 in                          | .25     | 2.00        | 15.00     |
| 2 to 3 ft                            | .30     | 2.50        | 20.00     |
| 3 to 4 ft                            | .35     | 3.00        | 25.00     |
| — wilsoni, 8'-9'                     | 7       | VILSON SP   | YD . T.   |
| 2 to 3 ft                            | .30     | O ILSON SP  | TRAEA     |
|                                      |         |             |           |
| 3 to 4 ft                            | .40     |             |           |
| STAPHYLEA colchica, 10'-12'          | Colce   | IIS BLADDI  | ERNITT    |
| Flowers white, May-June. Fragran     | nt De   | corativase  | and node  |
| 2 to 3 ft                            | .50     | corative se | ed pods.  |
| 3 to 4 ft                            |         |             |           |
|                                      | .60     |             |           |
| 4 to 5 ft                            | .70     |             |           |
| STEDHANANDDA A 7/ 6/ C               |         | 2           |           |
| STEPHANANDRA flexuosa, 5'-6' C       | UTLEAF  | STEPHAN.    | ANDRA     |
| Graceful, compact habit; handsom     |         |             |           |
| 18 to 24 in                          | .30     | 2.50        | 20.00     |
| ₹ to 3 ft                            | .35     | 3.00        | 25.00     |
| 3 to 4 ft                            | .40     | 3.50        | 30.00     |
|                                      |         |             |           |
| STYRAX japonica, 12'-15'             |         |             |           |
| White, bell-shaped, pendant flowers  | s, June | -July. A    | Iakes a   |
| handsome specimen.                   |         |             |           |
| 18 to 24 in                          | .30     | 2.50        |           |
| ₹ to 3 ft                            | .35     | 3.00        |           |
| 3 to 4 ft                            | .45     | 4.00        |           |
| 4 to 5 ft                            | .60     | 4.00        |           |
| ± 10 0 It                            | .00     |             |           |
|                                      |         |             |           |

| THE CETOT, THE  | ULITOL              |          |           |
|---|---------------------|----------|-----------|
| SYMPHORICARPOS racemosus, 5'-6  | Each                |          | Per 100   |
| Conspicuous, white berries, attrac  |                     |          |           |
| able, but best in half shady moist  |                     |          | st adapt- |
|   |                     |          | 07.5.00   |
|   | \$ .25              | \$2.00   | \$15.00   |
| 2 to 3 ft   | .30                 | 2.50     | 20.00     |
| 3 to 4 ft   | .40                 | 3.50     | 30.00     |
| vulgaris, 4'-5'   |                     |          | BERRY     |
| Coral red berries persisting through  | agnout              | winter.  | Good for  |
| shade, and bank planting.   | 20                  | 3 50     | 7000      |
| 18 to 24 in   | .20                 | 1.50     | 10.00     |
| 2 to 3 ft   | .25                 | 2.00     | 15.00     |
| 3 to 4 ft   | .30                 | 2.50     | 20.00     |
|   |                     | ~        | _         |
| SYRINGA chinensis (rothomagensis),  | 8'-9'               | CHINESE  | LILAC     |
| Slender branches, graceful habit. Free flowering.   |                     |          | in May.   |
| 18 to 24 in   | .35                 | 3.00     |           |
| 2 to 3 ft   | .40                 | 3.50     |           |
| 3 to 4 ft   | .50                 | 4.50     |           |
| 0 to 41t  | .00                 | 1.00     |           |
| — — saugeana, 8′–9′<br>Deep purple flowers.   | PURPLE              | CHINESE  | LILAC     |
| 18 to 24 in   | .35                 | 3.00     |           |
| 2 to 3 ft   | .40                 | 3.50     |           |
| 3 to 4 ft   | .50                 | 4.50     |           |
| 3 10 4 11   | .50                 | 4.50     |           |
| — japonica, 18'-20'  Loose bunches creamy white flower foliage; grows into well-shaped sp | rs, June<br>ecimen. |          | landsome  |
| 2 to 3 ft   | .40                 | 3.50     | \$30.00   |
| 3 to 4 ft   | .45                 | 4.00     | 35.00     |
| 4 to 5 ft   | .50                 | 4.50     |           |
| — josikaea, 9′–10′<br>Violet flowers, June. Good shinin                                   |                     | UNGARIAN |           |
|   |                     |          |           |
| 18 to 24 in   |                     | 3.00     | 25.00     |
| 2 to 3 ft   | .40                 | 3.50     |           |
| 3 to 4 ft   | .50                 | 4.50     |           |
|   |                     |          |           |
| — persica, 9′–10′   | Persia              | n Purple | LILAC     |
| Blooms freely, lilac, May-June.   |                     |          |           |
| 18 to 24 in   | .35                 | 3.00     |           |
| 2 to 3 ft   | .40                 | 3.50     |           |
|   |                     | 0.00     |           |
| villosa, 7′-8′  |                     | LATE     | LILAC     |
| Pale pinkish-lilac, June. Fragran   | nt hush             |          |           |
| 18 to 24 in   | .30                 | 2.50     | 20.00     |
|   |                     |          | 20.00     |
| 2 to 3 ft   | .40                 | 3.50     | 30.00     |
| 3 to 4 ft   | .50                 | 4.00     |           |
| — vulgaris, 12'-15'   | Соммо               | n Purple | LILAC     |
| Blooms in early May.  |                     |          |           |
| 18 to 24 in   | .25                 | 2.00     |           |
| 2 to 3 ft   | .30                 | 2.50     |           |
| 3 to 4 ft   | .35                 | 3.00     |           |
| 4 to 5 ft   | .40                 | 3.50     |           |
| r to o 1t   | • 40                | 3.30     |           |
| — — alba, 12′–15′   | Cover               | ON WHITE | Truc      |
|   |                     | ON WHITE | LILAC     |
| 18 to 24 in   | .30                 | 2.50     |           |
| 2 to 3 ft   | .40                 | 3.50     |           |
| 3 to 4 ft   | .45                 | 4.00     |           |
|   |                     |          |           |

## FRENCH LILACS—NAMED VARIETIES

These are all grown from cuttings and are on their own roots, which is the best way Lilacs can be grown, as they will not sucker. It is the most expensive way to grow them, but our prices compare favorably with the cheap, grafted stock. These named Lilacs

generally grow from 6'-12' in height, depending on the variety and locality.

| and locality.  |                 |                     | *                     |
|--|-----------------|---------------------|-----------------------|
| 10 1 24 1  | Each            | Per 10              |                       |
| 18 to 24 in  | \$ .45          | \$4.00              |                       |
| 2 to 2½ ft   | .55 $.60$       | $\frac{5.00}{5.50}$ |                       |
| 3 to 4 ft  | .75             | 7.00                |                       |
| Alphonse Lavalle, double light purple                        |                 | 7.00                |                       |
| Charles the Tenth, reddish purple, sing                      | gle             |                     |                       |
| Ludwig Spaeth, single reddish purple                         |                 |                     |                       |
| Michel Buchner, double lilac<br>Marie Le Graye, single white |                 |                     |                       |
| Mme. Lemoine, double white                                   |                 |                     |                       |
| Mme. Casimir Perrier, double white                           |                 |                     |                       |
| President Grevy, double blue                                 |                 |                     |                       |
| Rubra de Marly, single light blue                            |                 |                     |                       |
| Wm. Robinson, double violet pink                             | Т 1             | D 10                | D 100                 |
| TAMARIX africana, 12'-14'                                    | Each            | rican Ta            | Per 100               |
| Pink, April-May. Has feathery,                               |                 |                     |                       |
| effective near water—thrives at se                           | ashore.         | cen ionag           | c. reij               |
| 2 to 3 ft  |                 | \$2.00              | \$15.00               |
| 3 to 4 ft  | .35             | 3.00                | 25.00                 |
| 4 to 5 ft  | .40             | 3.50                | 30.00                 |
| — gallica, 8'-9'   | F               | RENCH TA            | AMARIX                |
| Light pink, May-July, blue-green                             |                 |                     |                       |
| 2 to 3 ft  | .30             | 2.50                | 20.00                 |
| 3 to 4 ft  | .35             | 3.00                | 25.00                 |
| 4 to 5 ft  | .40             | 3.50                | 30.00                 |
| VIBURNUM acerifolium, 4'-5'                                  | MAPLE           | LEAF VIB            | URNUM                 |
| White, May-June. Black fruits,                               | maple-l         | ike leaves          | , turning             |
| purple in autumn; good for dry sl                            |                 |                     |                       |
| 18 to 24 in  | .30<br>.35      | $\frac{2.50}{3.00}$ |                       |
|  |                 |                     |                       |
| — americanum (oxycoccos), 8'-9' Ame                          | ERICAN (        | RANBERR             | YBUSH                 |
| Bright scarlet berries in large bun                          | cnes, pe<br>.35 | rsisting a.         | II winter.            |
| 2 to 3 ft  | .45             | 4.00                |                       |
| 3 to 4 ft  | .50             | 4.50                |                       |
| — cassinoides, 5'-6'   |                 |                     | E-Rod                 |
| White, June–July. Berries pink                               | . chang         |                     |                       |
| Rich autumn coloring; splendid for                           | or massii       | ng and ne           | ar water.             |
| 18 to 24 in  | .35             | 3.00                | 25.00                 |
| 2 to 3 ft  | .45             | 4.00                | 35.00                 |
| 3 to 4 ft  | .50             | 4.50                |                       |
| — dentatum, 10'-12'  |                 | Arrow-              | Wood                  |
| White, May-June. Berries blu                                 |                 | autumn              | coloring              |
| purple and red; thrives in wet soi                           |                 | 0.70                | 20.00                 |
| 18 to 24 in  | $.30 \\ .35$    | $\frac{2.50}{3.00}$ | 20.00<br>25.00        |
| 3 to 4 ft  | .40             | 3.50                | 30.00                 |
|  |                 |                     |                       |
| — dilatatum, 8'-9'<br>White, May-June. Scarlet showy         |                 | DEN VIBU            |                       |
| some and valuable.   | ocities         | beraisting          | , manu-               |
| 18 to 24 in  | .40             | 3.50                |                       |
| 2 to 3 ft  | .45             | 4.00                |                       |
| 3 to 4 ft  | .50             | 4.50                |                       |
| — lantana, 15′–18′   | W               | AYFARING            | TREE                  |
| White, May-June. Handsome, da                                | irk greer       | n, wrinkle          | d leaves.             |
| Berries red, changing to black.                              | 40              | 0.50                | 00.00                 |
| 18 to 24 in  | .40             | 3.50                | 30.00                 |
| 2 to 3 ft  | .45 $.50$       | $\frac{4.00}{4.50}$ | $\frac{35.00}{40.00}$ |
| 4 to 5 ft  | .55             | 5.00                | 40.00                 |
|  | .00             | 0.00                |                       |

| VIBURNUM—continued                 | Each          | Per 10              | Per 100  |
|------------------------------------|---------------|---------------------|----------|
|                                    | ELEAF WA      |                     |          |
| Has larger and more wrinkled lea   |               |                     | 111111   |
| 18 to 24 in                        |               | \$3.50              |          |
| 2 to 3 ft                          | 45            | 4.00                |          |
| 3 to 4 ft                          | .50           | 4.50                |          |
|                                    | .55           | 5.00                |          |
| 4 to 5 ft                          | .55           |                     |          |
| — lentago, 18'-20'                 |               | NANNY               |          |
| White, May-June. Handsome,         |               | aves. Bl            | ue-black |
| fruits. Splendid shrub for massin  |               |                     |          |
| 18 to 24 in                        | .35           | 3.00                | \$25.00  |
| 2 to 3 ft                          | .40           | 3.50                | 30.00    |
| 3 to 4 ft                          | .50           | 4.50                | 40.00    |
| 4 to 5 ft                          | .55           | 5.00                | 45.00    |
| — molle, 10'-12'                   | Kentu         | CKY VIBU            | RNUM     |
| Larger, darker green leaves, but   | otherwise     | similar             | to "den- |
| tatum."                            | O UZZOZ W ZOC | 5111111111          | to don   |
| 18 to 24 in                        | .30           | 2.50                | 20.00    |
| 2 to 3 ft                          | .35           | 3.00                | 25.00    |
| 3 to 4 ft                          | .40           | 3.50                | 30.00    |
|                                    | .45           | 4.00                | 30.00    |
| 4 to 5 ft                          |               |                     | T)       |
| — <b>opulus</b> , 9′–10′ Euro      | PEAN CR       |                     | BUSH     |
| 18 to 24 in                        | .35           | 3.00                |          |
| 2 to 3 ft                          | .45           | 4.00                |          |
| — — nanum, 18''-24''               | OWARF C       | RANBERRY            | VBUSH    |
| Useful edging or facing shrub. Rai | rely flowe    | rs. Very            | ompact.  |
| 4 to 6 in                          | .20           | 1.50                | ompaces  |
| 6 to 8 in                          | .25           | 2.00                |          |
| 8 to 10 in                         | .30           | 2.50                |          |
|                                    |               | 70.00               |          |
| —— sterile, 9'-10'                 |               | mon Snoi            |          |
| Has showy, round head of white f   | -             |                     | •        |
| 18 to 24 in                        | .40           | 3.50                |          |
| 2 to 3 ft                          | .45           | 4.00                |          |
| 3 to 4 ft                          | .50           | 4.50                |          |
| — prunifolium, 10'-12'             |               | Blac                | KHAW     |
| Pure white flowers, April-June.    | Blue-black    |                     |          |
| Sturdy habit; handsome shrub.      |               | , 8                 |          |
| 18 to 24 in                        | .40           | 3.50                |          |
| 2 to 2½ ft                         |               | 4.00                |          |
|                                    |               |                     |          |
| — sieboldi (japonicum), 9'-10'     |               | OLD VIBU            |          |
| White, May-June. Berries pink,     |               | to black.           | Hand-    |
| some, large, dark green leaves. V  |               |                     |          |
| 18 to 24 in                        | .30           | 2.50                |          |
| 2 to 3 ft                          | .40           | 3.50                |          |
| 3 to 4 ft                          | .50           | 4.50                |          |
| — tomentosum, 7'–8'                | Double        | FILE VIBU           | DATELLA  |
| Flat heads of white flowers, June. |               |                     |          |
| foliage.                           | Derriesre     | d to blace          | . Good   |
| 18 to 24 in                        | 9.5           | 2.00                |          |
|                                    | .35           | 3.00                |          |
| 2 to 3 ft                          | .45           | 4.00                |          |
| 3 to 4 ft                          | .55           | 5.00                |          |
| — — plicatum, 7'–8'                | JAPAN         | ESE SNOV            | VBALL    |
| Showy white flowers in balls, June |               | some folia          |          |
| purple autumn coloring.            |               |                     | So Ital  |
| 12 to 18 in                        | .35           | 3.00                | 25.00    |
| 18 to 24 in.                       | .45           | 4.00                | 35.00    |
| 2 to 2½ ft                         | .50           | 4.50                | 00.00    |
| 2½ to 3 ft                         | .60           | $\frac{4.50}{5.50}$ |          |
|                                    |               | 6.00                |          |
| 3 to 4 ft                          | .65           | 0.00                |          |
| VITEX agnus-castus, 4'-5'          | LILAG         | CHASTE              | TREE     |
| Dainty looking shrub; clusters of  |               |                     |          |
| Gray-green, star-shaped leaves; p  |               |                     |          |
| 18 to 24 in                        | .25           | 2.00                |          |
| 2 to 3 ft                          | .30           | 2.50                |          |
| 3 to 4 ft                          | .35           | 3.00                |          |
|                                    | .00           | 0.00                |          |

|                                      | Each     | Per10               | Per 100        |
|--------------------------------------|----------|---------------------|----------------|
| WEIGELIA amabilis, 7'-8' Light pink. |          | Rose Wei            | GELIA          |
| 2 to 3 ft                            | \$ .30   | \$2.50              |                |
| 3 to 4 ft                            | .35      | 3.00                |                |
| 4 to 5 ft                            | .45      | 4.00                |                |
| — candida, 7'-8'                     | 7        | WHITE WEI           | GELIA          |
| Large, pure white flowers.           |          |                     |                |
| 2 to 3 ft                            | .35      | 3.00                | \$25.00        |
| 3 to 4 ft                            | .40      | 3.50                | 30.00          |
| 4 to 5 ft                            | .45      | 4.00                |                |
|                                      | en Fro   | WERED WE            | IGELIA         |
| Carmine, June-August. Most flo       |          |                     | GLILI.1        |
| 12 to 18 in                          | .30      | 2.50                |                |
| 18 to 24 in                          | .40      | 3.50                |                |
| 2 to 2½ ft                           | .45      | 4.00                |                |
| $2\frac{1}{2}$ to $\tilde{3}$ ft     | .50      | 4.50                |                |
| 3 to 4 ft                            | .60      | 5.50                |                |
| — floribunda, 7′-8′                  | Cı       | RIMSON WE           | ICELIA         |
| Crimson, June. Free flowering.       | CI       | HAISON TIE          | IGELIA         |
| 2 to 3 ft                            | .40      | 3.50                |                |
| 3 to 4 ft                            | .45      | 4.00                |                |
| — lavalle, 7'-8' Bright Cr           |          |                     | YOUTH T        |
| Bright crimson.                      | RIMSON   | LLWD. WE            | IGELIA         |
| 2 to 3 ft                            | .30      | 0.70                |                |
| 3 to 4 ft                            | .35      | $\frac{2.50}{3.00}$ |                |
| 3 10 4 11                            | .55      | 5.00                |                |
| — Mme. Billard                       |          |                     |                |
| 18 to 24 in                          | .25      | 2.00                |                |
| 2 to 3 ft                            | .30      | 2.50                |                |
| 3 to 4 ft                            | .35      | 3.00                |                |
| — nana variegata, 4'-5' VARI         | ECATE:   | LEAF WE             | ICELIA         |
| Pale pink flower; variegated leave   | es. qwa  | rf compact          | growth         |
| 18 to 24 in                          | .35      | 3.00                | \$25.00        |
| 2 to 2½ ft                           | .40      | 3.50                | 30.00          |
| 2½ to 3 ft                           | .45      | 4.00                | 35.00          |
| 3 to 4 ft                            | .50      | 4.50                | 40.00          |
|                                      |          |                     |                |
| — rosea, 7'-8'                       | . J. T   | Pink We             |                |
| Showy, pink flowers freely produc    |          |                     | s grower.      |
| 18 to 24 in                          |          | 2.00                | 15.00          |
| 2 to 3 ft                            | .30      | $\frac{2.50}{3.00}$ | 20.00<br>25.00 |
| 3 to 4 ft                            | .55      | 3.00                | 20.00          |
| ZANTHORHIZA apiifolia, 2'-3'         |          | YELLO               |                |
| Good ground cover. Will succeed      | on dry   | , sandy soi         | l, banks,      |
| etc. Small purplish flowers, May     |          |                     |                |
| 12 to 15 in                          |          | 1.50                | 10.00          |
| 15 to 18 in                          | .25      | 2.00                | 15.00          |
| 18 to 24 in                          | .30      | * 2.50              | 20.00          |
|                                      |          |                     |                |
| CLIMBING PLANTS                      | ANI      | VINES               | 3              |
|                                      |          |                     |                |
| ACTIVIDIA                            | Each     |                     | Per 100        |
| ACTINIDIA arguta, 20'-30'            | 1        | Bower Act           | INIDIA<br>V-II |
| Greenish white, July. Rich, da       | ark gre  | en foliage.         | Yellow         |
| berries.                             | 0 05     | 99.00               |                |
| 18 to 24 in                          |          | \$3.00              |                |
| 2 to 3 ft                            | .40      |                     |                |
| AMPELOPSIS quinquefolia, 30'-50'     |          | IRGINIA CE          | REEPER         |
| Valuable for rich, fiery autumn c    | oloring. |                     |                |
| 2 year light, 18 to 24 in            | .12      | 1.00                | \$ 6.00        |
| 2 year medium, 2 to 3 ft             | .18      | 1.60                | 12.00          |
| — — engelmanni, 30'–40'              | Exc      | ELMANN CE           | FFPFP          |
| A good, self-clinging woodbine; v    |          |                     | LLEFER         |
| 2 year light, 18 to 24 in            | .15      | 1.20                | 8.00           |
| 2 year medium, 2 to 3 ft             | .20      | 1.80                | 15.00          |
| Z y car mediani, z to o it           | 120      | 1,00                | 20.00          |



Two year Weigelia rosea on the left; two year Weigelia nana variegata on the right. The rosea will average 3 to 4 ft., and the variegata 2 to 3 ft. See page 38.

| AMPELOPSIS—continued   |            | Per 10      |           |
|--|------------|-------------|-----------|
| — veitchi, 40′–50′   |            | anese Cr    |           |
| Brilliant autumn coloring, blue                                | berries    | , turning   | g black;  |
| closely self clinging.   |            |             |           |
| 1 year light, 12 to 15 in                                      | \$ .15     | \$1.20      | \$10.00   |
| 1 year med., 15 to 18 in                                       | .20        | 1.70        | 15.00     |
| 1 year 1st cl., 18 to 24 in                                    | .25        | 2.20        | 20.00     |
| 2 year med., 18 to 24 in                                       | .40        | 3.50        | 30.00     |
| 2 year 1st cl., 2 to 2½ ft                                     | .45        | 4.00        | 35.00     |
| 2 year extra, 2½ ft  | .50        | 4.50        | 40.00     |
|  |            |             |           |
| BIGNONIA radicans, 20'-30'<br>Showy, trumpet-shaped flowers, s | Tru        | IMPET CR    | EEPER     |
| Showy, trumpet-shaped flowers, s                               | scarlet a  | and orang   | e, July.  |
| Roots-as it climbs.  |            |             |           |
| 1 year, 18 to 24 in  | .20        | 1.50        | 10,00     |
| 2 year, 2 to 3 ft  | .25        | 2.00        | 15.00     |
| 1:0  | 700        |             | EEPER     |
| One of the handsomest of flowering                             | vines w    | ith large t | russes of |
| orange yellow flowers, July and Au                             | nonst      | ica ango t  |           |
| 1 yr. grafts   |            | 4.00        |           |
| CEL CEDUC 1: 1   |            |             |           |
| CELASTRUS orbiculatus  | JRIENTA    | L BITTERS   | SWEET     |
| (articulatus), 15'-20'   |            |             |           |
| Has very decorative orange and cr                              | imson be   | erries whic | h persist |
| all winter. Picturesque, shrubby                               |            |             |           |
| 2 year   | .25        | 2.00        | 15.00     |
| 3 year   | .30        | 2.50        | 20.00     |
|  | MERICA     | N BITTERS   | SWEET     |
| Most adaptable vine with orange a                              | and red    | berries the | at retain |
| color when cut and dried.                                      |            |             |           |
| 1 year—18 to 24 in   | .20        | 1.50        | 10.00     |
| 2 year— 2 to 3 ft  | .25        | 2.00        | 15.00     |
| 3 year— 3 to 4 ft  | .30        | 2.50        | 20.00     |
| v  |            |             |           |
| CLEMATIS jackmani  |            | KMAN CLE    | MATIS     |
| Large, very showy, rich purple flo                             | wers.      |             |           |
| 2 year No. 1   | .60        | 5.50        | 50.00     |
| 2 year No. 1   | EET AU     | TUMN CLE    | MATIS     |
| White, fragrant flowers, Sept. Wo                              | oolly seed | d pods als  | o attrac- |
| tive.  |            |             |           |
| 2 year first class   | .25        | 2.00        |           |
| 2 year extra   | .30        | 2.50        |           |
| 3 year   | .35        | 3.00        |           |
| EUONYMUS (See EVERGREENS)                                      |            |             |           |
|  |            | 73          | Υ.        |
| HEDERA helix, 20'-50'  |            | Englis      |           |
| Evergreen; good ground cover in s                              | shady lo   | cations.    | An ideal  |
| wall cover. Ready April first.                                 |            |             |           |
| 3 inch pots  | .30        | 2.50        | 20.00     |
| 3½ inch pots   | .35        | 3.00        | 25.00     |
| •  |            |             |           |

| JASMINUM (See SHRUBS)   | Each                       | Per 10              | Per 100             |
|---|----------------------------|---------------------|---------------------|
| LONICERA belgica  | \$ .25                     |                     |                     |
| <ul> <li>japonica (brachypoda), 15'-20'</li> <li>Rapid grower and blooms freely for covering steep banks. Almost</li> </ul> | from Jur                   | ne to Sept          |                     |
| 2 year  | .25                        | \$2.00<br>2.50      | \$15.00<br>20.00    |
| ——————————————————————————————————————  |                            |                     |                     |
| Leaves veined golden yellow.  2 year  3 year  |                            | 2.00<br>2.50        |                     |
| ·   |                            | e Honeys            | HCKLE               |
| Grows rampantly. Blooms freely  | . delicion                 | usly fragra         | int.                |
| 1 year first class  | .20                        | 1.50                | 10.00               |
| 2 year first class  | .25                        | 2.00                | 15.00               |
| 3 year first class  | .30                        | 2.50                | 20.00               |
| — heckrotti, 15'-20' EVERI  |                            |                     | UCKLE               |
| Flowers purple outside, yellow ins 2 year   |                            | y-Sept.<br>2.50     |                     |
| 3 year  |                            | 3.00                |                     |
|   |                            |                     |                     |
| — sempervirens, 15'-20'   | TRUMPE                     | T Honeys            | UCKLE               |
| Bright, scarlet, showy flowers, Jul   | 30                         | 2.50                |                     |
| 2 year  | .35                        | 3.00                |                     |
| LYCIUM barbarum, 10'-12' BAR<br>Violet flowers in June, followed by<br>banks or hanging over retaining v<br>18 to 24 in     | bright re<br>valls.<br>.20 | ed fruits;          | useful for<br>10.00 |
| 2 to 3 ft   | .25                        | 2.00                | 15.00               |
|   |                            | ATRIMONY            | V-VINE              |
| More vigorous and fruitful than p   | preceding                  |                     | 10.00               |
| 18 to 24 in   | .20 $.25$                  | $\frac{1.50}{2.00}$ | $10.00 \\ 15.00$    |
| PUERARIA thunbergiana, 40'-50'  |                            | Kudzu               | VINE                |
| 1 year first class  | .25                        | 2.00                |                     |
| 1 year heavy  | .30                        | 2.50                |                     |
|   | Longclu                    | USTER WIS           | STERIA              |
| (seedlings), 40'-50'<br>Deep blue, long clusters, May. Se<br>trained on old trees or open trellis                           | en to be                   | st advanta          | age when            |
| 2 to 3 ft   | .35                        | 3.00                |                     |
| 3 to 4 ft   |                            | 4.00                |                     |
| — sinensis (seedlings), 40'–50'   |                            | INESE WIS           | STERIA              |
| Purple-blue flowers about a week  |                            |                     |                     |
| 2 to 3 ft   | .35                        | $\frac{3.00}{4.00}$ |                     |
| 3 to 4 ft   | .45                        | 4.00                |                     |
|   | HNESE V                    | VHITE WIS           | STERIA              |
| 2 to 3 ft   | .40<br>.50                 | $\frac{3.50}{4.50}$ |                     |
|   | .50                        | 4.50                |                     |
| — grafted (from good flg. plants)  This is by far the best stock to plants:   |                            | terias beca         |                     |
| will really bloom.  18 to 24 in   | .40                        | 3.50                |                     |
| 2 to 3 ft   | .50                        | $\frac{3.50}{4.50}$ |                     |
| 3 to 4 ft   | .60                        | 5.50                |                     |

Each Per 10 Per 100

RED SALMON AZALEA

6.50

7.50

60.00

70.00

# EVERGREEN TREES AND SHRUBS

Princeton Evergreens have been transplanted frequently. Each time they have been given ample room for proper growth. Every one is sheared into a symmetrical shape. Freshly dug in the nursery for your individual order. Balled and burlapped, at prices named, unless marked with an "\*".

| ABIES concolor, 70'-80'   |             | Whit       | E FIR    |
|---|-------------|------------|----------|
| Grows quickly and forms symmet                                  | trical, bea | utiful sp  | ecimen.  |
| Large, gray-green needles.                                      |             | •          |          |
| 18 to 24 in   | \$2.00      |            |          |
| 2 to 2½ ft  | 2.75        |            |          |
| $2\frac{1}{2}$ to $\bar{3}$ ft                                  | 3.50        |            |          |
| 3 to 4 ft   | 4.50        |            |          |
| - douglasi (See PSEUDOTSUGA doug                                | glasi)      |            |          |
| — nordmanniana, 60'-70'<br>Grows slowly when young. Flat        |             | ORDMAN     |          |
| green above, silvery white beneath                              |             | ire ricii, | summg    |
| 2 to 3 ft   | 3.00        |            |          |
| 3 to 4 ft   | 5.00        |            |          |
| Spruce (See PICEA)  |             |            |          |
| ANDROMEDA catesbaei (See LEUCO                                  | THOE)       |            |          |
| — japonica (See PIERIS)   |             |            |          |
| AZALEA amoena, 3'-4'  |             |            |          |
| Conspicuous purple-red flowers, A rich, bronze-green in winter. | pril–May    | . Leave    | s turn a |
| 6 to 8 in.*   | .70         | \$6.50     |          |
| 8 to 10 in.*  | .85         | 7.50       |          |
| — hinodegiri, 3'-4'   |             |            |          |
| Larger leaves and looser growth                                 | than abo    | ve; flowe  | ers very |
| bright carmine-pink; effective in a                             | nasses or   | with Rh    | ododen-  |
| dron.   |             |            |          |
| 6 to 8 in.*   | .95         | 9.00       | \$85.00  |
| 8 to 10 in  | 1.10        | 10.50      | 100.00   |

## KURUME AZALEAS

and not at one time like the preceding.

A beautiful plant, with large flowers that appear at intervals,

.70

.85

A new Japanese type of Azalea with semi-double flowers in White, Pink, Red and Lavender. Desirable evergreen foliage. Suitable for planting in protected locations and perfectly hardy from Washington south. The stock is in frames and can be shipped at any time.

| 3" p  | ots          |             |              | .60    | 5.00 |
|-------|--------------|-------------|--------------|--------|------|
| 4'' p | ots          |             |              | .80    | 7.00 |
| 5" p  | ots          |             |              | 1.00   | 9.00 |
| Chri  | stmas Ch     | eer, red, s | semi-double  | 9      |      |
| Cora  | al Bells, co | oral pink,  | semi-doub    | le     |      |
| Peac  | ch blow, s   | oft shell r | oink, single |        |      |
| Pink  | Pearl, sa    | ılmon carı  | mine, semi-  | double |      |
|       |              | hite semi   |              |        |      |

| BERBERIS ilicifolia, 5'-6'          |     | LLY BAH |          |
|-------------------------------------|-----|---------|----------|
| Holly-like leaves, persisting until | new | foliage | appears; |
| flowers yellow.                     |     |         |          |
| 15 to 18 in                         | .55 |         |          |
| 18 to 24 in                         | .65 |         |          |

2 to 2½ ft.....

BIOTA (See THUJA)

- macrantha,  $2\frac{1}{2}'-3'$ 

8 to 10 in . . . . .

6 to 8 in.....



Azalea hinodegiri at Princeton. This shows part of our stock of this variety. Note how symmetrical and bushy the plants are. See page 41.

| BUXUS sempervirens (bush form), 12'-<br>Useful for formal hedges.                            | Each<br>-15' | Per 10<br>Box             | Per 100         |
|--|--------------|---------------------------|-----------------|
|  | \$ .56       | \$ 5.50                   | \$45.00         |
| 10 to 12 in.*  | .85          | 7.50                      | 60.00           |
| 12 to 15 in.*  | 1.00         | 9.00                      | 75.00           |
| 15 to 18 in  | 1.25         | 11.50                     | 10.00           |
| 18 to 24 in  | 1.50         | 11.00                     |                 |
| — — suffruticosa, 3'-4'<br>Extensively used for edging.                                      |              | Truedware                 | Box             |
| 3 to 4 in.*  | 1.00         | 6.00                      |                 |
| 4 to 6 in.*  | 1.50         | 9.00                      |                 |
| 6 to 8 in.*  | 3.50         | 15.00                     |                 |
| 6 to 8 in.*.<br>8 to 10 in.*.  | 5.00         |                           |                 |
| COTONEASTER buxifolia  |              |                           |                 |
|  | .50          | 4.00                      |                 |
| — horizontalis davidiana, $1'-1\frac{1}{2}'$   |              | CK COTONE                 | STER            |
| Small box-like leaves; bright red rocks.   |              |                           |                 |
| 2 year, 3" pots  | .50          | 4.00                      |                 |
| — microphylla, 1½'-2'  |              | Rocks                     | PRAY            |
| Very small leaves, very deep green.  | Ratl         |                           |                 |
| 2 year, 3" pots  | .50          | 4.00                      |                 |
| — — thymifolia   | Тну          | ME COTONE.                | ASTER           |
| 2 year, 3" pots  | .50          | 4.00                      |                 |
| CRATAEGUS pyracantha lalandi (See l  | PYRA         | CANTHA)                   |                 |
| DAPHNE cneorum, 1'   |              | Rose Da                   | PHNE            |
| Gray-green foliage, low spreading. April—May. Delightful fragrance.                          | . Pre        | etty pink flo             | wers in         |
| 6 to 8 in  | .65          |                           |                 |
| 8 to 10 in   | .75          |                           |                 |
| EUONYMUS japonicus, 5'-6' EVE<br>Lustrous, deep green leaves; upr<br>winter protection here. | ergre        | EN BURNING<br>bushy habit | BUSH<br>: needs |
| 8 to 10 in.*   | .35          | 3.00                      |                 |
| 8 to 10 in.*<br>10 to 12 in.*<br>12 to 15 in.*   | .50          | 4.00                      | 30.00           |
| 12 to 15 in.*  | .75          | 6.00                      | 50.00           |
| 15 to 18 in.*  | .85          | 7.50                      |                 |
|  |              |                           |                 |

| EUONYMUS—continued — patens (sieboldianus), 6'-8' Grows vigorously, forming broad, persist until late winter. Orna among denser conifers. | rather le                                  |   | vymus<br>; leaves            |
|---|--|---|------------------------------|
| 12 to 15 in.* 15 to 18 in.* 18 to 24 in.*   | \$.35 $.45$ $.55$                          |   |                              |
| — radicans, climbing to 15' Self-clinging vine. Good for cove for under planting among evergree   | ering low<br>ens.                          |   | so useful                    |
| 8 to 12 in.,* 2 year, bushy<br>12 to 15 in.,* 3 year, bushy   | .25  | \$1.50<br>2.00                          | $$10.00 \\ 15.00$            |
| A graceful form, with long narrov plish underneath.   | v leaves,                                  | WINTERCE:<br>, white ve                 | EEPER<br>ins, pur-           |
| 12 to 15 in* 2 year   | .20<br>.25                                 | <b>X</b> 7                              |                              |
| Has large, shiny, pointed leaves;   | bushy ha                                   |   | EEPER                        |
| 8 to 12 in.*  | .25<br>.30                                 | $\frac{2.00}{2.50}$                     |                              |
| 15 to 18 in.,* 3 year   | .35  | 3.00                                    |                              |
| —— variegatus Variegatei<br>Leaves veined and marked yellowi<br>ing vine.   | LEAF V                                     | Wintercr<br>and pink                    | EEPER<br>. Cling-            |
| 8 to 12 in.,* 2 year, bushy<br>12 to 15 in.,* 3 year, bushy   | .20  | $\frac{1.50}{1.80}$                     |                              |
| ——vegetus, 3'-4'  Bushy, interesting growth. Le Bright scarlet fruits, freely proceedings.  | igleaf V<br>ayes, ro<br>luced.             | Wintercri<br>ound, dul<br>Handsome      | EEPER<br>l green.<br>e among |
| 8 to 12 in.,* 2 year  | .25<br>.35<br>.40                          | $\frac{2.00}{3.00}$ $\frac{3.50}{3.50}$ |                              |
| ILEX crenata, 8'-10' Box-like leaves, rich, deep green, a   | nd leath                                   | apanese I<br>ery. Stiff                 |                              |
| ing, makes a good hedge. Black b  | erries.<br>.75                             | 6.50                                    |                              |
| 15 to 18 in   | 1.00                                       | 9.00                                    |                              |
| 18 to 24 in   | 1.50<br>-Leaf J                            | apanese I                               | Holly                        |
| Smaller leaves and more hardy th  | an prece                                   | ding.                                   |                              |
| 12 to 15 in   | $\begin{array}{c} .75 \\ 1.00 \end{array}$ | $\frac{6.50}{9.00}$                     |                              |
| 18 to 24 in   | 1.50                                       | 14.00                                   |                              |
| 2 to 3 ft   | $\frac{2.25}{5.00}$                        | 21.50                                   |                              |
| 4 to 5 ft   | 6.00                                       |   |                              |
| — glabra, 5'-6'<br>Shining, dark green leaves, purplis<br>Useful for shady spots, also succeed  | eds in su                                  | nter; black                             | BERRY<br>berries.            |
| 12 to 15 in   | .75  | MERICAN H                               | Journ                        |
| Does best in moist partially shad to transplant.  | ed place                                   |   |                              |
| 18 to 24 in   | $\frac{1.50}{2.00}$                        |   |                              |
| JUNIPER chinensis oblonga, 7'-8'<br>Forms a broad, irregular, pyrami<br>Grayish foliage.  | d with f                                   | feathery b                              | ranches.                     |
| 18 to 24 in   | $\frac{1.50}{2.25}$                        |   |                              |
| 2½ to 3 ft  | 2.75                                       |   |                              |

| UNIPER—continued<br>— pfitzeriana, 5'-6'   | Each                             | Per 10 F<br>PFITZER JUN |          |
|--|----------------------------------|-------------------------|----------|
| Broad, bushy habit. Gray-green   |                                  |                         |          |
| appearance. A most adaptable,  |                                  |                         |          |
| recommended.   |                                  | 0 ,                     |          |
| 12 to 18 in  | \$1.75                           | \$16.50                 | 3150.0   |
| 18 to 24 in  | 2.00                             | 19.00                   | 175.0    |
| 2 to 2½ ft   | 2.75                             | 26.50                   | 250.00   |
| 2½ to 3 ft   | 3.50                             | 34.00                   |          |
| 3 to 4 ft  | 5.00                             |                         |          |
| communis, $2'-2\frac{1}{2}'$   | (                                | COMMON JUN              | IPER     |
| Forms a vase-shaped bush.  |                                  |                         |          |
| 18 to 24 in  | 1.40                             |                         |          |
| 2 to 2½ ft   | 1.85                             |                         |          |
| 2½ to 3 ft   | 2.15                             |                         |          |
| 3 to 4 ft  | 2.65                             |                         |          |
|  |                                  | Common Jun              | TDED     |
| Low spreading habit. Golden foli   |                                  |                         |          |
|  | age, pa                          | recularly of            | ignt i   |
| spring.<br>18 to <b>24</b> in  | 1.50                             |                         |          |
|  | 1.75                             |                         |          |
| 2 to 2½ ft   |                                  |                         |          |
| 2½ to 3 ft   | 2.25                             |                         |          |
| 3 to 4 ft  | 2.75                             |                         |          |
| — canadensis, 2½'-3'   |                                  | Canada Jun              |          |
| Forms a low vase-shaped bush.  | Leaves                           | dark green              | above    |
| bluish underneath.   |                                  |                         |          |
| 12 to 15 in  | .85                              |                         |          |
| 15 to 18 in  | 1.15                             |                         |          |
| 18 to 24 in  | 1.50                             |                         |          |
| 2 to 2½ ft   | 2.00                             |                         |          |
| cracovica, 4'-5'   |                                  | Polish Jun              | IPER     |
| Upright, branching from ground, m  | aking y                          |                         |          |
| 18 to 24 in  | 1.50                             |                         |          |
| 2 to 2½ ft   | 2.00                             |                         |          |
| $2\frac{1}{2}$ to $\tilde{3}$ ft   | 2.50                             |                         |          |
| — hibernica, 7'–8'   |                                  | Irish Jun               | IDED     |
| A very narrow pyramid. Usefu   | I for it                         | te enira-lika           | offee    |
| 12 to 15 in  | .60                              | 5.00                    | ence     |
| 15 to 18 in  | .75                              | 6.50                    |          |
| 18 to 24 in  | 1.00                             | 9.00                    |          |
| 2 to 2½ ft   | 1.25                             | 11.50                   |          |
| 2½ to 3 ft   | 1.50                             | 14.00                   |          |
|  |                                  |                         |          |
|  | WARF S                           | wedish Jun              | IPER     |
| A narrow, compact column.  | 0.0                              | 0.00                    |          |
| 12 to 15 in  | .90                              | 8.00                    |          |
| 15 to 18 in  | 1.25                             | 11.50                   |          |
| - excelsa stricta, 4′–5′   | SPINY                            | GREEK JUN               | IPER     |
|  | Foliage                          | gray-green.             | Mos      |
| useful for formal effects.   |                                  |                         |          |
| 10 to 12 in  | 1.00                             | 9.00                    |          |
| 12 to 15 in  | 1.25                             | 11.50                   |          |
| 15 to 18 in  | 1.75                             | 16.50                   |          |
| 18 to 24 in  | 2.50                             | 24.00                   |          |
| 2 to 2½ ft   | 3.00                             |                         |          |
| horizontalis (sabina prostrata), 1'-1  | 1/3′                             | CREEDING S              | AVIN     |
| Branches trail along ground. A   |                                  |                         |          |
|  | aupteo                           | t to rockwo             | 111. 411 |
| ground covering  | 2.00                             |                         |          |
| ground covering.   | 2.00                             |                         |          |
| 2 to 2½ ft   | 2.00<br>2.50                     |                         |          |
| 2 to 2½ ft   | 2.50                             | Y.                      |          |
| 2 to 2½ ft   | $2.50$ $W_{A1}$                  | ukegan Jun              |          |
| 2 to 2½ ft   | 2.50<br>Wat<br>und.              | Steely-blue             | foliage  |
| 2 to $2\frac{1}{2}$ ft.<br>$2\frac{1}{2}$ to 3 ft.<br>— douglasi, $1'-1\frac{1}{2}'$<br>Long branches trailing along gro<br>A splendid ground cover; also effect   | 2.50<br>Wat<br>und.              | Steely-blue             | foliage  |
| 2 to 2½ ft. 2½ to 3 ft.  — douglasi, 1'-1½'  Long branches trailing along gro A splendid ground cover; also effect purple hue in winter.   | 2.50<br>Wat<br>und. S<br>tive am | Steely-blue             | foliage  |
| 2 to $2\frac{1}{2}$ ft.<br>$2\frac{1}{2}$ to 3 ft.<br>— douglasi, $1'-1\frac{1}{2}$ '<br>Long branches trailing along gro<br>A splendid ground cover; also effect<br>purple hue in winter.<br>12 to 15 in. | 2.50<br>Wat<br>und. S<br>tive am | Steely-blue             | foliage  |
| 2 to 2½ ft. 2½ to 3 ft.  — douglasi, 1'-1½'  Long branches trailing along gro A splendid ground cover; also effect purple hue in winter.   | 2.50<br>Wat<br>und. S<br>tive am | Steely-blue             | foliage  |



Part of our evergreens. On the right are Juniper pfitzeriana, one of the best and hardiest evergreens. See page 44.

Low grower, spreading branche., dark green, scaly leaves. Adapted to rock planting. Grows slowly.

Each

\$1.00

h Per 10 Per 100 Japanese Juniper

JUNIPER—continued — japonica, 3'–4'

| — — aurea variegata, 2'-21'2' Golde 12 to 15 in |              | EGATED JU  | UNIPER    |
|---|--------------|------------|-----------|
| — sabina, 6'-7'                                 |              | SAVIN JI   | INIPER    |
|   | eading       | branches,  | forming   |
| irregular vase-shaped bush.                     |              |            |           |
| 10 to 12 in                                     | .85          | \$ 7.50    |           |
| 12 to 15 in                                     | 1.00         | 9.00       | \$ 80.00  |
| 15 to 18 in                                     | 1.35         | 12.50      | 115.00    |
| 18 to 24 in                                     | 2.00         | 19.00      |           |
| 2 to 2½ ft                                      | 2.50         |            |           |
| — — tamariscifolia, 1'-1½'                      |              | Tamarix    | SAVIN     |
| Flat, spreading growth, making co               | mpact        | but soft t | exture in |
| low evergreen planting.                         | •            |            |           |
| 10 to 12 in                                     | 1.00         | 9.00       |           |
| 12 to 15 in                                     | 1.25         | 11.50      |           |
| 15 to 18 in                                     | 1.50         | 14.00      |           |
| — virginiana, 25'-30'                           |              | RED        | CEDAR     |
| Forms a dense column, deep green                | foliage.     | purplish i | n winter. |
| Useful in formal work, or mixed pl              | antings      | s          |           |
| 3 to 4 ft                                       | 2.75         | 26.50      | 255.00    |
| 4 to 5 ft                                       | 3.50         | 34.00      | 330.00    |
| 5 to 6 ft                                       | 5.00         | 48.00      |           |
| — — glauca, 15'-20'                             | $\mathbf{S}$ | ILVER RED  | CEDAR     |
| Bluish-gray foliage. Distinct.                  |              |            |           |
| 18 to 24 in                                     | 1.25         |            |           |
| 2 to 2½ ft                                      | 1.85         |            |           |
| 2½ to 3 ft                                      | 2.50         |            |           |
| 3 to 4 ft                                       | 3.50         |            |           |
| — — tripartita, 4′–5′                           | Four         | NTAIN RED  | CEDAR     |
| A bushy, half upright grower with               | feathe       | ry branche | S.        |
| 18 to 24 in                                     | 1.50         |            |           |
| 2 to 2½ ft                                      | 2.00         |            |           |
| 2½ to 3 ft                                      | 2.75         |            |           |
| 3 to 3½ ft                                      | 3.50         |            |           |
| — waukegan (See horizontalis douglasi           | )            |            |           |
|   |              |            |           |

| KALMIA latifolia, 5'-7'  | MOUNT.                    | er 10 Pe           | REL              |
|--|---------------------------|--------------------|------------------|
| Most effective in June when the clus Good foliage; like shade.         | ters of pınl              | t flowers          | open.            |
| 12 to 18 in  |                           | 1.50               |                  |
|  |                           | $4.00 \\ 6.50$     |                  |
| 2½ to 3 ft   |                           | 1.50               |                  |
| LEUCOTHOE catesbaei, 3'-4'   | DROOPING                  |                    |                  |
| Attractive white flowers, May. Harich autumn coloring. Splendid for    | ınasome, 11<br>under plat | istrous in :       | eaves,<br>shade. |
| 12 to 15 in  | .85                       | 7.50 \$            | 65.00            |
| 15 to 18 in  |                           | 0.00<br>2.00       | 90.00            |
| 18 to 24 in  | GLO                       | SSY PRI            | VET              |
| A very attractive evergreen pivet                                      | with rich,                | glossy l           | eaves.           |
| Not hardy in the North. 2 year, 3 " pots                               | .50                       |                    |                  |
|  | PRIVET HO                 | ONEYSUC            | KLE              |
| Dwarf spreading evergreen shrub.                                       | Not hardy                 | in the l           | North.           |
| 2 year   | .50                       | 35                 |                  |
| MAHONIA japonica, 5'-6' A broad-leaved evergreen with le               | Japanes<br>eaves simi     |                    |                  |
| Yellow flowers in June are very sho                                    | owy.                      | ita to             |                  |
| 18 to 24 in  | 1.00<br>2.00              |                    |                  |
| 2 to 2½ ftNANDINA domestica, 4′-6′                                     | 2.00                      | Nani               | OTN' A           |
| One of the handsomest broad-leaved                                     | l evergreen               |                    |                  |
| Foliage is light in effect. Beautiful                                  | l fall colori             | ng. Ha             | s large          |
| trusses of red berries. 2 year, 3 " pots                               | .40                       | 3.50               |                  |
| PICEA alba, 50′-60′  |                           | HITE SPE           | RUCE             |
| Silvery foliage; develops into shape                                   | ely specime               | en of clo          | se tex-          |
| ture.<br>12 to 15 in   | .85                       |                    |                  |
| 15 to 18 in  | 1.00                      |                    |                  |
| 18 to 24 in  | 1.25<br>1.50              |                    |                  |
| 2 to 2½ ft   |                           | WAY SPE            | RUCE             |
| Has dark green foliage and grows                                       | rapidly.                  | Makes a            | a good           |
| windbreak, and also lends itself<br>18 to 24 in                        |                           | mmed 1 $9.00$      | nedges.          |
| 2 to 2½ ft   |                           | 12.50              |                  |
| 3 to 3½ ft   |                           | 21.50              |                  |
| $3\frac{1}{2}$ to 4 ft   | 2.75 STEEL NOR            | 26.50<br>:way Spi  | RUCE             |
| Grows slowly. Compact and symm   |                           |                    |                  |
| tion planting.<br>10 to 12 in  | 1.00                      |                    |                  |
| 12 to 15 in.   | 1.25                      |                    |                  |
| 15 to 18 in  | 1.50                      |                    |                  |
| 2 to 2½ ft   | 2.50<br>3,50              |                    |                  |
| 2½ to 3 ft   | Color                     | RADO SPI           | RUCE             |
| Branches in distinct whorls, formi                                     | ing handso                | me lawn            | speci-           |
| men.<br>18 to 24 in  | 1.25                      |                    |                  |
| 2 to 2½ ft   | 2.00                      |                    |                  |
| — kosteri (SOLD)   | Koster I                  |                    |                  |
| PIERIS japonica (ANDROMEDA), 5'-6<br>Thick, shiny leaves, turning bron | JAPANESI<br>nze in win    | z Andro<br>ter. Di | MEDA<br>cooping  |
| clusters of small white flowers oper                                   | n in May.                 | Grows              |                  |
| Best in moist, partially shaded pla                                    | ce.<br>1.00               | 9.00               | 80,00            |
| 15 to 18 in  |                           | 14.00              | 130.00           |
| 18 to 24 in  | 2.25                      | 21.50              |                  |
| ₹ to 2½ ft   | 3.00                      |                    |                  |

|   | Each                | Per 10                | Per 100         |
|---|---------------------|-----------------------|-----------------|
| PINUS densiflora  |                     | NESE RED              |                 |
| Foliage dark green. A good desira                                 |                     |                       |                 |
| 18 to 24 in   | \$1.25              | \$11.50               | \$105.00        |
| 2 to 2½ ft  | 1.50                | 14.00                 | 130.00          |
| 2½ to 3 ft  | $\frac{1.75}{2.75}$ | $16.50 \\ 26.00$      | 155.00          |
| — flexilis, 30'-40'   | 2.10                | LIMBER                | PINE            |
| Dark bluish green foliage; very ha                                | ardy.               | 23121                 | 11110           |
| 18 to 24 in   | 1.50                |                       |                 |
| 2 to 2½ ft  | 2.00                |                       |                 |
| 2½ to 3 ft  | $\frac{2.50}{3.00}$ |                       |                 |
| 3 to $3\frac{1}{2}$ ft  | 5.00                | Mugho                 | PINE            |
| Forms a round-topped clump. Us                                    | seful for           | rock plant            | ing and         |
| foundation work.  |                     |                       |                 |
| 10 to 12 in   | 1.50                |                       |                 |
| — nigra austriaca, 60'-70'  |                     | AUSTRIAN              | PINE            |
| Rich, dark green. Vigorous, dens                                  | e growei            | r. Good fe            | or back-        |
| ground. Thrives at seashore. $2$ to $2\frac{1}{2}$ ft             | 2.00                |                       |                 |
| 2½ to 3 ft  | 2.75                |                       |                 |
|   | Westeri             | N YELLOW              | PINE            |
| A rapid-growing Pine, growing to                                  |                     |                       |                 |
| green foliage.  |                     |                       |                 |
| 2 to 2½ ft  | 1.50                |                       |                 |
| 2½ to 3 ft  | $\frac{2.00}{2.50}$ |                       |                 |
| - resinosa, 50′-60′   | 2.50                | Dnn                   | $P_{INE}$       |
| Rich green, stiff leaves; reddish                                 | brown               | bark. V               |                 |
| symmetrical grower.   | . 51011             | Serial 1              | igorous,        |
| 2 to 2½ ft  | 1.50                |                       |                 |
| 2½ to 3 ft  | 2.00                |                       |                 |
| 3 to 4 ft   | 3.00                |                       |                 |
| - rigida, 40'-50'   | oful for            |                       | PINE            |
| Irregular, picturesque habit. Us seashore planting; quick grower. | erui for            | ary, poor             | son and         |
| 2 to 2½ ft  | 1.50                |                       |                 |
| $2\frac{1}{2}$ to $\overline{3}$ ft                               | 2.00                |                       |                 |
| 3 to 4 ft   | 2.50                |                       |                 |
| — strobus, 80′–100′   |                     | WHITE                 |                 |
| Probably our most adaptable and                                   | l useful p          | ome. Ver              | y pictur-       |
| esque when old. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$    | 1.50                | 14.00                 |                 |
| 2½ to 3 ft  | 2.00                | 19.00                 |                 |
| 3 to 4 ft   | 2.50                | 24.00                 |                 |
| — sylvestris, 25′-30′   |                     | SCOTCE                |                 |
| A rapid-growing, handsome tree                                    | e, especi           | ially when            | young.          |
| Good for windbreaks.  | 1.50                | 14.00                 |                 |
| 2 to 2½ ft  | 2.00                | 19.00                 |                 |
| 3 to 4 ft   | 2.50                | 24.00                 |                 |
| — thunbergi   | JAPAN               | ESE BLACE             | c Pine          |
| A large growing tree with rich, of                                | lark gree           | en foliage            | and long        |
| needles; good for grouping effects                                | 3. 7.               | 14.00                 |                 |
| 2 to 2½ ft  | 1.50                | 14.00                 |                 |
| 2½ to 3 ft  | $\frac{2.00}{2.50}$ | $\frac{19.00}{24.00}$ |                 |
| 4 to 5 ft   | 3.50                | A 1.00                |                 |
| PSEUDOTSUGA douglasi, 70'-80'                                     |                     | Dougl                 | AS FIR          |
| Very hardy; dark bluish-green co                                  | loring.             | Prefers wel           |                 |
| situation.  | 9 50                | 4                     | 10-00           |
| 18 to 24 in   | 1.50                | 14.00                 | 125.00          |
| 2 to 2½ ft  | $\frac{2.00}{2.50}$ | $\frac{19.00}{24.00}$ | 175.00 $225.00$ |
| 3 to 4 ft   | 3.25                | 31.50                 | 300.00          |
|   |                     |                       |                 |

|                                      | Each       | Per 10      | Per 100     |
|--------------------------------------|------------|-------------|-------------|
| PYRACANTHA coccinea lalandi, 9'-19   |            |             |             |
| A beautiful broad-leaved evergre     |            |             |             |
| orange berries in the fall. Needs    | protoc     | n large c   | na North    |
| drange berries in the ran. Tyeeds    | φ #0       | tion in t   | ie ivortii. |
| 2 year, 3" pots                      | \$ .50     | mer Danmers | A A         |
| KETINOSPOKA ericoides, 3-4           | HEA        | TH RETIN    |             |
| Has heather-like leaves, giving      | woolly     | effect.     | Forms a     |
| round, broad bush.                   |            |             |             |
| 12 to 15 in                          | .70        | \$ 6.00     |             |
| 15 to 18 in                          | .90        | 8.00        |             |
| 18 to 24 in                          | 1.25       | 11.50       |             |
| — obtusa compacta, 2½'-4'            | Fo         | OTBALL C    | VPRESS      |
| Almost spherical in shape. Good      |            |             |             |
| Very useful in foundation or forma   |            |             | at willter. |
|                                      | 1.00       | •           |             |
| 12 to 15 in                          | 1.75       |             |             |
| 15 to 18 in                          |            |             |             |
| — pisifera, 25'-35'                  | S          | Sawara C    | YPRESS      |
| Quick grower. Loosely pyramidal      |            |             |             |
| 15 to 18 in                          | 1.20       | 11.00       |             |
| 18 to 24 in                          | 1.50       | 14.00       |             |
| 2 to 2½ ft                           | 2.00       | 19.00       |             |
| 2½ to 3 ft                           | 2.75       | -5100       |             |
| 3 to 3½ ft                           | 3.50       |             |             |
|                                      |            |             |             |
|                                      |            | awara C     | YPRESS      |
| Foliage bright yellow, especially in |            |             |             |
| 15 to 18 in                          | 1.40       | 13.00       |             |
| 18 to 24 in                          | 1.75       | 16.50       |             |
| 2 to 2½ ft                           | 2.50       | 24.00       |             |
| 2½ to 3 ft                           | 3.00       | 29.00       |             |
| 3 to 3½ ft                           | 3.75       | ~~~~        |             |
|                                      | 0110       | D C         |             |
| — plumosa, 25′–35′                   | T7 6       | PLUME C     |             |
| Forms a dense cone of fine texture   | . Usen     | ul for shea | aring into  |
| formal shapes.                       |            |             |             |
| 12 to 15 in                          | .70        | 6.00        | \$ 50.00    |
| 15 to 18 in                          | 1.25       | 11.50       | 110.00      |
| 18 to 24 in                          | 1.50       | 13.50       | 120.00      |
| 2 to 2½ ft                           | 2.00       | 19.00       |             |
| 2½ to 3 ft                           | 2.75       |             |             |
| 3 to 3½ ft                           | 3.75       |             |             |
|                                      |            | rny rny C   |             |
|                                      |            | PLUME C     | YPRESS      |
| 15 to 18 in                          | 1.35       | 11.50       |             |
| 18 to 24 in                          | 1.75       | 16.50       |             |
| 2 to 2½ ft                           | 2.50       |             |             |
| $2\frac{1}{2}$ to 3 ft               | 3.00       |             |             |
| — — lutescens, 2½'-3' DWARF Y        | ELLOW      | Plume C     | YPRESS      |
| Forms a low, broad, round-topped b   | oush: b    | right velle | w tipped    |
| branchlets.                          | , 4011, 10 |             | , cipped    |
| 10 to 12 in                          | 1.00       |             |             |
|                                      |            |             |             |
| 12 to 15 in                          | 1.25       |             |             |
| 15 to 18 in                          | 1.75       |             |             |
|                                      |            | NCHED C     |             |
| Has long, stringy, drooping branche  | es and b   | right gree  | n foliage.  |
| Graceful and decorative.             |            |             | Ü           |
| 12 to 15 in                          | 1.00       | 9.00        |             |
| 15 to 18 in                          | 1.25       | 11.50       |             |
| 18 to 24 in                          | 1.75       | 16.50       |             |
|                                      |            | 10.00       |             |
| 2 to 2½ ft                           | 2.75       |             |             |
| 2½ to 3 ft                           | 3.25       |             |             |
| 3 to 3½ ft                           | 5.00       |             |             |
| — — aurea, 10'-12' Golden Thre       | AD BRA     | NCHED C     | YPRESS      |
| Very bright, conspicuous, golden ye  | ellow.     | Grows mo    |             |
| than preceding.                      |            |             |             |
| 8 to 10 in                           | 1.00       | 9.00        |             |
| 10 to 12 in                          | 1.35       | 12.50       |             |
| 12 to 15 in                          | 1.75       | 16.50       |             |
|                                      | 2.25       | 10.00       |             |
| 15 to 18 in                          | 2.20       |             |             |



In the foreground is part of a row of Retinospora squarrosa veitchi. They are sheared and are almost as broad as they are high. Next is Retinospora pisifera, which is a more open grower, although the plants have been sheared frequently. Behind is Juniper cracovica and other sorts. See pages 48 and 49.


Each Per 10 Per 100 VEITCH MOSS CYPRESS

RETINOSPORA—continued

|  | Each      |            |          |
|--|-----------|------------|----------|
| — squarrosa veitchi, 25′-30′           | VEITCH    | Moss C     | YPRESS   |
| Foliage blue-gray, feathery and        | dense, g  | giving sof | t woolly |
| appearance. Broad pyramidal ou         | tline whe | en young.  |          |
| 12 to 15 in                            | \$1.00    | \$ 9.00    |          |
| 15 to 18 in                            | 1.25      | 11.50      |          |
| 18 to 24 in                            | 1.75      | 16.50      |          |
| 2 to 2½ ft                             | 2.25      |            |          |
| RHODODENDRON carolinianum, 4'-         |           |            |          |
| CA                                     | ROLINA    | Rнороде    | NDRON    |
| Rosy-purple flowers, May-June.         | Comp      | act, bush  | y habit, |
| best in moist, partly shaded place     | s.        |            | _        |
| 12 to 18 in                            | 1.50      |            |          |
| 18 to 24 in                            | 2.00      |            |          |
| 2 to 2½ ft                             | 2.50      |            |          |
| — catawbiense, 6'-9' CA                | TAWBA I   | RHODODE    | NDRON    |
| Large, rosy-purple flowers, May-       | -June.    | Large, de  | ep green |
| leaves; prefers half-shade.            |           | 0 -        |          |
| 18 to 24 in                            | 2.25      |            |          |
| 2 to 2½ ft                             |           |            |          |
|  |           | Rнороде    | NDRON    |
| Beautiful light pink flowers freel     | v produ   | ced in Ma  | av-June. |
| Large, handsome foliage, most effe     | ective in | masses.    | •        |
| 18 to 24 in                            |           | 16.50      | \$150.00 |
|  |           | 24.00      | 225.00   |
| 2 to 2½ ft                             | 3.25      | 31.50      | 300.00   |
| TAXUS baccata adpressa erecta, 3'-5' S | HORTLEA   | F Englis   | H YEW    |
| Compact, upright habit. Stiff, d       |           |            |          |
| on branches.                           |           |            |          |
| 10 to 12 in                            | 1.00      | 9.00       |          |
| 10 to 12 in                            | PREADING  | ENGLISH    | ı Yew    |
| Spreading, horizontal branches,        | dark b    | olue-green | leaves.  |
| Valuable for low planting.             |           | 0          |          |
| 10 to 12 in                            | 1.00      | 9.00       |          |
| 12 to 15 in                            | 1.25      | 11.50      |          |
| 15 to 18 in                            | 1.75      | 16.50      |          |
| — canadensis, 2'-2½'                   |           | CANAD      | YEW      |
| Spreading habit. Bronzy in winte       | r. Prefe  | rs shade;  | good for |
| underplanting.                         |           | - ,        |          |
| 10 to 12 in                            | 1.00      |            |          |
| 12 to 15 in                            | 1.25      |            |          |
| 15 to 18 in                            | 1.75      |            |          |
|  |           |            |          |
|  |           |            |          |

| TAVIC   | E1-                 | D 10                 | D 100             |
|---|---------------------|----------------------|-------------------|
| TAXUS—continued — cuspidata, 4'-5' SP                         | Each<br>READIN      | Per 10<br>g Japanes  | Per 100<br>se Yew |
| Rich, deep green leaves. Spreadi                              |                     |                      | Valuable          |
| in foundation plantings. Excepti                              |                     |                      | 030000            |
| 12 to 15 in   |                     | \$11.00              | \$100.00          |
| 15 to 18 in   | 1.75                | 16.00                | 150.00            |
| 18 to 24 in   | 2 75                | 26.00                | 250.00            |
| 2 to 2½ ft  | 3.50                | _                    |                   |
| — — brevifolia, 2'-3'   |                     | F JAPANE             |                   |
| Broad, thick leaves, blackish green                           |                     |                      | and irreg-        |
| ular, spreading habit. Exception                              | ану паг<br>.85      | ay.<br>7.50          |                   |
| 8 to 10 in  | 1.00                | 9.00                 |                   |
| 12 to 15 in   | 1.35                | $\frac{9.00}{12.50}$ |                   |
| 15 to 18 in   | 1.75                | 12.50                |                   |
|   |                     |                      | X                 |
|   |                     | T JAPANE             | SE 1 EW           |
| The upright type of Taxus Cuspi                               |                     |                      |                   |
| 12 to 15 in   | 1.25 $1.75$         |                      |                   |
| 15 to 18 in   | $\frac{1.75}{2.75}$ |                      |                   |
|   |                     |                      |                   |
| THUJA occidentalis, 15'-30'                                   |                     | ICAN ARBO            |                   |
| Slender pyramid with broad base                               |                     | nzy winte            | r coloring.       |
| Good accent plant or for a hedge                              | 1.00                | 0.00                 | 90.00             |
| 18 to 24 in   |                     | 9.00                 | 80.00             |
| 2 to 2½ ft  | $\frac{1.25}{1.75}$ | $11.50 \\ 16.50$     | 105.00 $155.00$   |
| $2\frac{1}{2}$ to 3 ft  | 2.25                | 21.50                | 155.00            |
|   | 3.00                | 21.50                |                   |
| 3½ to 4 ft  | 4.00                |                      |                   |
|   |                     |                      |                   |
| compacta, $2\frac{1}{2}'-4'$                                  |                     | SONS ARB             |                   |
| Almost globe-shaped. Bright grant foundation planting.        | reen.               | serui in             | formal or         |
| 12 to 15 in   | 1.00                | 9.00                 | 80.00             |
| 15 to 18 in   | 1.25                | 11.50                | 30.00             |
| 18 to 24 in.  | 1.85                | 11.50                |                   |
|   |                     | A                    |                   |
| — elegantissima, 10'-15' Go<br>Branches tipped with yellow. R |                     | PPED ARB             |                   |
| 18 to 24 in   | 1.50                | ious greei           |                   |
| 2 to 2½ ft  | 2.00                |                      |                   |
| 2½ to 3 ft  |                     |                      |                   |
|   |                     | UMB ARB              | ON THE L          |
| Has heather-like leaves; dense                                |                     |                      |                   |
| Forms low, broad, blunt pyra:                                 |                     |                      |                   |
| coloring.   | iiid.               | teich pur            | pie winter        |
| 12 to 15 in   | .85                 | 7.50                 |                   |
| 15 to 18 in   | 1.00                | 9.00                 |                   |
| 18 to 24 in   | 1.35                | 5.00                 |                   |
| 2 to 2½ ft  | 1.75                |                      |                   |
| · -   |                     |                      |                   |
| — globosa, 2½'-3'   |                     | Lobe Arb             | ORVITAE           |
| Useful in formal work. Naturall                               |                     |                      |                   |
| 8 to 10 in  | .65                 | 5.50                 |                   |
| 10 to 12 in   | .85                 | 7.50                 |                   |
| 12 to 15 in   | 1.00                | 9.00                 |                   |
| 15 to 18 in   | 1.35                |                      |                   |
| — hoveyi, 3'-4'   | $H_{\epsilon}$      | OVEY ARB             | ORVITAE           |
| Oval in shape, nearly as broad as                             | high.               | Bright gre           | en foliage        |
| 12 to 15 in   | .90                 | 8.00                 | 70.00             |
| 15 to 18 in   | 1.20                | 11.00                | 100.00            |
| 18 to 24 in   | 1.50                | 14.00                | 130.00            |
| ——————————————————————————————————————                        | o Pre               | BODY ARB             | ORUTTAR           |
| Conspicuous golden yellow form.                               |                     | nnar outli           |                   |
| 15 to 18 in   |                     | min outli            | ****              |
| 18 to 24 in   |                     |                      |                   |
| 2 to 2½ ft  |                     |                      |                   |
| $2\frac{1}{2}$ to 3 ft  |                     |                      |                   |
|   |                     |                      |                   |

| THUJA—continued                    | Each                | Per 10                |               |
|------------------------------------|---------------------|-----------------------|---------------|
| —— plicata, 10'-20'                |                     | loss Arbo             |               |
|                                    |                     | tiff branch           |               |
| pleasing effect in light and shade | \$1.25              | паг ругаш.<br>\$11.50 | ICI,          |
| 2 to 2½ ft                         | 1.50                | 14.00                 | \$130.00      |
| 2½ to 3 ft                         | 2.00                | 19.00                 | \$130.00      |
| 3 to 3½ ft                         | 2.50                | 10,00                 |               |
|                                    |                     | DAL ARBO              | RVITAE        |
| Retains bright green coloring th   | roughoi             | it winter             | Narrow        |
| columnar shape; splendid for ac    |                     |                       |               |
| 18 to 24 in                        | 1.25                | 11.50                 | P.44.1.0.1.0. |
| 2 to 2½ ft                         | 1.50                | 14.00                 |               |
| 2½ to 3 ft                         | 2.00                | 19.00                 |               |
| 3 to 3½ ft                         | 2.50                |                       |               |
| 3½ to 4 ft                         | 3.50                |                       |               |
|                                    | Rosent              | HAL ARBO              | RVITAE        |
| Dense, rugged, columnar form.      | Slow gro            | ower.                 |               |
| 15 to 18 in                        | 1.25                |                       |               |
| 18 to <b>24</b> in                 | 1.50                |                       |               |
| 2 to 2½ ft                         | 1.75                |                       |               |
| — vervaeneana, 8'–12'              |                     | ENE ARBO              |               |
| Variegated with greenish yellow    | foliage             | , bronzy i            | n winter.     |
| Broadly pyramidal.                 |                     |                       |               |
| 18 to 24 in                        | 1.25                |                       |               |
| 2 to 2½ ft                         | 1.50                |                       |               |
| $2\frac{1}{2}$ to 3 ft             | 2.00                |                       |               |
| 3 to 3½ ft                         | 2.75                |                       |               |
| — — wareana, 12'-15'               |                     | RIAN ARBR             |               |
|                                    | adly py             | ramidal, 1            | rugged in     |
| appearance.                        | 1.00                | 9.00                  |               |
| 15 to 18 in                        | 1.00                | $\frac{9.00}{12.50}$  |               |
| 18 to 24 in                        | $\frac{1.35}{1.75}$ | 12,50                 |               |
| 2 to 2½ ft                         |                     | TAL ARBO              | DATE          |
| Rather stiff, columnar habit; brig |                     |                       |               |
| winter; a good accent plant.       | , 5                 |                       |               |
| 18 to 24 in                        | .75                 | 6.50                  | 55.00         |
| 2 to 2½ ft                         | 1.00                | 9.00                  | 80.00         |
| $2\frac{1}{2}$ to $3$ ft           | 1.75                | 16.50                 | 155.00        |
| 3 to 4 ft                          | 2.75                | 26.50                 |               |
| 4 to 5 ft                          | 3.75                | 36.50                 |               |
| — — aurea nana (BIOTA), 2½'-3'     |                     |                       |               |
| BERCKMA                            | ns Gol              | den Arbo              | RVITAE        |
| A gem for dwarf planting; compa    | act, rou            | ındish shap           | oe; warm      |
| golden yellow foliage. Especially  | good f              | or formal             | work and      |
| edging.                            |                     |                       |               |
| 10 to 12 in                        | 1.50                | 14.00                 | 125.00        |
| 12 to 15 in                        | 1.75                | 16.50                 | 150.00        |
| 15 to 18 in                        | 2.00                | 19.00                 |               |
| — elegantissima (BIOTA), 7'-8'     | C                   |                       |               |
|                                    |                     | umn Arbo              |               |
| Assumes a rich, deep golden bronze | e color 11          | n winter.             | compact,      |
| columnar.                          | 1.05                |                       |               |
| 15 to 18 in                        | 1.25                |                       |               |
| 18 to 24 in                        | 1.50                |                       |               |
| 2 to 2½ ft                         | $\frac{2.50}{3.25}$ |                       |               |
| 2½ to 3 ft                         |                     | EDALE HY              | arga          |
| Fine foliage; soft texture.        | HOS                 | · EDALE III           | BILLD         |
| 18 to 94 in                        | 1.50                |                       |               |
| 18 to 24 in                        |                     | CANADA HI             | EMLOCK        |
| Most graceful and adaptable,       |                     |                       |               |
| branches making effective shadov   | v effect            | s. Useful             | as either     |
| clipped hedge or informal planting |                     | Cbcrai                |               |
| 18 to 24 in                        | 1.50                |                       |               |
| 2 to 2½ ft                         | 2.00                |                       |               |
| 2½ to 3 ft                         | 2.50                |                       |               |
| 3 to 3½ ft                         | 3.25                |                       |               |
| , -                                |                     |                       |               |



Two year Apples, grown at Princeton. Our fruit trees are clean, fully up to size, and true to name. We do not grow immense quantities of fruits, but have enough to supply the needs of customers who want a medium quantity to go in an assortment order. By growing them ourselves, we can stand back of them and know that we are delivering the right kind of stock.

| TSUGA—continued — caroliniana One of our choicest native evergre above. 2 to 2½ ft   | Each Per 10 Per 100 CAROLINA HEMLOCK ens; slower in growth than \$3.00 4.00 |
|--|---|
| VIBURNUM rhytidophyllum, 6'-8' I<br>Large, oblong leaves, deep green<br>bold, handsome shrub.<br>18 to 24 in   |   |
| YUCCA filamentosa, 2'-3' Long lance-like leaves. Tall flowe June-July. Numerous creamy flow give tropical effect. Useful for greens or shrubbery. 1 year* trsp | vers and general appearance   |

# PERENNIALS AND GROUND COVERS

| HEDERA helix, 20'-50'               | English Ivy |            | ISH IVY  |
|-------------------------------------|-------------|------------|----------|
| Evergreen; good ground cover in     | shady       | locations. | An ideal |
| wall cover. Ready April first.      |             |            |          |
| 3" pots                             | .30         | 2.50       | 20.00    |
| 3½" pots                            | .35         | 3.00       | 25.00    |
| HIBISCUS                            |             | M          | LALLOW   |
| 2 yr. field grown                   | .15         | 1.20       | \$10.00  |
| Crimson eye, moscheutos, militaris, | mallov      | w marvel.  |          |
| PACHYSANDRA terminalis, 6'-8'       |             | JAPANESE S | SPURGE   |
| One of the best bedding plants      |             |            |          |
| places.                             |             |            |          |

| 2" pots     |     | \$ .20<br>.20 | $$1.50 \\ 1.50$ |          |
|-------------|-----|---------------|-----------------|----------|
| VINCA minor |     |               |                 | WINKLE   |
|             |     |               |                 | Per 1000 |
| 3" pots     | .15 | 1.20          | 8.00            | 70.00    |

# FRUIT DEPARTMENT

Graded according to Horticultural Standards, 1923, of the American Association of Nurserymen. Caliper taken two inche above bud.

### APPLES

### STANDARDS AND CRABS

|   | Each   | Per 10 | Per 100 |
|---|--------|--------|---------|
| 1 in. and up7 ft. and upXX                                      | \$ .75 | \$6.50 | \$60.00 |
| $\frac{7}{8}$ to 1 in 6 ft. and up X                            | .55    | 4.50   | 40.00   |
| $\frac{11}{16}$ to $\frac{7}{8}$ in 5 ft. and up A              | .45    | 3.50   | 30.00   |
| $\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M             | .35    | 2.50   | 20.00   |
| $\frac{7}{16}$ to $\frac{9}{16}$ in $3\frac{1}{2}$ ft. and up B | .25 °  | 1.50   | 10.00   |

# SUMMER AUTUMN

Early Harvest Gravenstein Red Astrachan Yellow Transp. Duchess
Fall Pippin
Grimes Golden
King
Wolf River

### WINTER

Baldwin Ben Davis Delicious Golden Russet Jonathan McIntosh N. W. Greening Northern Spy Rome Beauty Roxbury Russet Staymans Winesap Stark York Imperial Winter Banana

Crab Apples:-Hyslop, Red Siberian, Transcendent.

### **DWARF APPLES**

| 1 in. and up 6 ft. and up XX                     | .85 | 7.50 |
|--|-----|------|
| 3/4 to 1 in 5 ft. and up X                       | .70 | 6.00 |
| $\frac{5}{8}$ to $\frac{3}{4}$ in 4 ft. and up A | .50 | 4.00 |
| $\frac{1}{2}$ to $\frac{5}{8}$ in 3 ft. and up M | .40 | 3.00 |

Dwarf Apples:—Baldwin, Delicious, Fall Pippin, Red Astrachan, R. I. Greening, Stayman Winesap, Yellow Transparent.

### CHERRIES (Sour)

| $\frac{11}{16}$ in. and up4 ft. and upX                          | .75       | 6.50 | \$60.00  |
|--|-----------|------|----------|
| $\frac{9}{16}$ to $\frac{11}{16}$ in $3\frac{1}{2}$ ft. and up A | .60       | 5.00 | 45.00    |
| $\frac{7}{16}$ to $\frac{9}{16}$ in 3 ft. and up M               | .45       | 3.50 | 30.00    |
| $\frac{5}{16}$ to $\frac{7}{16}$ in $2\frac{1}{2}$ ft. and up B  | .35       | 2.50 | 20.00    |
| Sour Cherries: Early Richmond, M.                                | Iav Duke. | Mont | norency. |

### CHERRIES (SWEET)


| $\frac{11}{16}$ in. and up 5 ft. and up X                   | .85 | 7.50 |
|---|-----|------|
| $\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up A         | .70 | 6.00 |
| $\frac{7}{16}$ to $\frac{9}{16}$ in $3\frac{1}{2}$ and up M | .50 | 4.00 |
| $\frac{5}{16}$ to $\frac{7}{16}$ in 3 ft. and up B          | .40 |      |

Sweet Cherries:—Bing, Black Tartarian, Dykeman, Lambert, Napoleon, Windsor.

### **PEACHES**

| .50 | 4.50                     | 40.00  |
|-----|--------------------------|--|
| .40 | 3.50                     | 30.00  |
| .35 | 3.00                     | 25.00  |
| .30 | 2.50                     | 20.00  |
| .25 | 2.00                     | 15.00  |
| .20 | 1.50                     | 10.00  |
|     | .40<br>.35<br>.30<br>.25 | .40 3.50<br>.35 3.00<br>.30 2.50<br>.25 2.00 |

Peaches:—Belle of Georgia, Carmen, Champion, Crawford Early, Crawford Late, Elberta, Fitzgerald, Fox, Greensboro, Hale, Hiley, Iron Mountain, Krummells October, Miss Lola, Mountain Rose, Ray.



View of potting shed and greenhouses, taken last fall. We are now completing four more houses on the opposite side of the shed which will double our capacity on lining-out stock of evergreens.

# Each Per 10 Per 100

| PEARS (Standard)  |           |          |          |
|---|-----------|----------|----------|
| 1 to $1\frac{1}{8}$ in 6 ft. and up X                           | \$.90     | \$8.00   |          |
| $\frac{11}{16}$ to 1 in 5 ft. and up A                          | .60       | 5.00     | \$45.00  |
| $\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M             | .50       | 4.00     | 35.00    |
| $\frac{7}{16}$ to $\frac{9}{16}$ in $3\frac{1}{2}$ ft. and up B | .40       | 3.00     | 25.00    |
| Standard Pears:—Bartlett, Clapps                                | Favorite, | Duchess, | Kieffer, |

Lawrence, Seckel, Sheldon, Vermont Beauty.

## **PLUMS**

| (All Budded on Plum Roc                             | ors)              |
|---|-------------------|
| $1\frac{1}{8}$ in. and up7 ft. and upXX .85         | 7.50              |
| 1 to $1\frac{1}{8}$ in 6 ft. and up X               | 6.00 	 55.00      |
| $\frac{11}{16}$ to 1 in 5 ft. and up A              | 5.00 	 45.00      |
| $\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M | 4.00 	 35.00      |
| Plums:—Abundance Bradshaw Burbank                   | Fellenberg German |

Plums:—Abundance, Bradshaw, Burbank, Fellenberg, German Prune, Imperial Green Gage, Wickson, Yellow Egg.

### QUINCES

| 5/8 in. and up3 ft. and upA                                   | .70 | 6.00 | 55.00 |
|---|-----|------|-------|
| $\frac{1}{2}$ to $\frac{5}{8}$ in $\frac{21}{2}$ ft. and up M | .55 | 4.50 | 40.00 |
| $\frac{3}{8}$ to $\frac{1}{2}$ in 2 ft. and up B              | .40 | 3.00 | 25.00 |
| Quinces:—Champion, Orange.                                    |     |      |       |

### GRAPES

### NUTS

| William CI, Diack |        |       |
|-------------------|--------|-------|
| 2 to 3 ft         |        | 6.50  |
| 3 to 4 ft         | . 1.00 | 9.00  |
| 4 to 5 ft         | . 1.25 | 11.50 |
| — English         |        |       |
| 2 to 3 ft         | . 1.00 | 9.00  |
| 3 to 4 ft         | . 1.50 | 14.00 |
| — Japan           |        |       |
| 4 to 6 ft         | . 1.00 | 9.00  |
| 6 to 8 ft         | . 1.50 | 14.00 |
| 8 to 10 ft        | . 2.00 | 19.00 |
|                   |        |       |
| ACDADAC           | HC     |       |

WALNUT black

### ASPARAGUS


| 1 year | .50  | 1.00 |
|--------|------|------|
| 2 year | 1.00 | 2.00 |

# **INDEX**

| Deciduous Trees              | Page 5  |
|------------------------------|---------|
| Deciduous Shrubs             | Page 16 |
| CLIMBING PLANTS AND VINES    | Page 38 |
| EVERGREEN TREES AND SHRUBS   | Page 41 |
| PERENNIALS AND GROUND COVERS | Page 52 |
| Fruits                       | Page 53 |

# Freight and Express

A Pennsylvania Railroad siding at our packing shed enables us to make shipments to all points with minimum exposure, both carloads and less.



### Location

Princeton Nurseries are located at Kingston, Middlesex Co., N. J. (three miles East of Princeton) just off the Lincoln Highway. We are halfway between New York City and Philadelphia.

# PRINCETON PRODUCTS

The Standard of Excellence